

COOLSHADE

PREMIUM MONOTAPE SHADECLOTH

SHADE SAILS & STRUCTURES | TENSIONED STRUCTURES | AWNINGS



COMMERCIAL GRADE SHADECLOTH! STRONG & DURABLE WITH A 12-YEAR WARRANTY

Coolshade by Ricky is a commercial grade shade cloth manufactured from high density polyethylene (HDPE) monofilament tape that is engineered to last. Suitable for use in small to medium structures and shade sails. Coolshade is perfect for school, daycare and council park sails, providing strong UV protection, extreme strength and durability supported by a 12-year warranty.



HIGH UVR PROTECTION

Up to 97% UVE block across the Coolshade range of colours.



MOULD & MILDEW RESISTANT

Coolshade thrives in all elements and environments. Manufactured to last and stand the test of time.



HEAT SET


Thermal process that reduces shrinkage once installed and allows for easier fabrication of Coolshade product.



12-YEAR WARRANTY

Coolshade is supported by a full 12-year UV degradation warranty across the range.


COLOUR RANGE




BLACK



DARK CHARCOAL




SLATE



SILVER




DARK GREEN



MAIZE



MIDNIGHT




AQUA BLUE




RED



MANOR RED




YELLOW



SAND



CAPPUCCINO



IVORY

TECHNICAL SPECIFICATIONS

Breaking Force <small>(AS2001.2.3.1-2001)</small>	Warp: 770N/50mm Weft: 2000N/50mm	Elongation at Break	Warp: 108% Weft: 74%
Tear Resistance/Wing Rip <small>(AS2001.2.10-1986)</small>	Warp: 213N Weft: 248N	Bursting Pressure <small>(AS2001.2.4-1990 Mean Hydraulic Diaphragm)</small>	3800kPa
Bursting Force <small>(AS2001.2.19-1998 Mean Steel Ball)</small>			1869N



ROLL WIDTH



ROLL LENGTH



NOMINAL WEIGHT



ROLL WEIGHT



Colour	UVR Block %	Cover Factor %	Shade Factor %	UVE %	Category
Black	96.8	96	96.7	96	Most Effective
Dark Charcoal	94.1	94	93.1	92	Very Effective
Slate	89.9	90	87.3	89	Effective
Silver	84.8	84	84.4	84	Effective
Dark Green	92.3	92	88.6	92	Very Effective
Maize	90.6	90	83.8	90	Effective
Midnight	93.1	93	91.5	92	Very Effective
Aqua Blue	92.9	94	86	93	Very Effective
Red	93.8	93	83.6	94	Very Effective
Manor Red	92.4	92	88.2	92	Very Effective
Yellow	94.1	93	73.7	93	Very Effective
Sand	87.8	88	78.1	87	Effective
Cappuccino	92.8	93	84.8	92	Very Effective
Ivory	91.5	92	71	92	Very Effective

AS1530.2	Flammability Index	10	AS1530.3	Ignitability	11
AS1530.3	Spread of Flame	8	AS1530.3	Heat Evolved	6
AS1530.3	Smoke Developed	5			



Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725
02 9735 3333
sales@rickyrichards.com.au
rickyrichards.com.au

JANUARY 2024

Information contained in this brochure is accurate and based on the latest product information available at the time.
Please be aware that a slight colour difference may occur when using different online devices or when printed.

While Ricky Richards (Sales) P/L makes all efforts to provide accurate information,
we maintain the right to make changes as necessary.



COOLSHADE