

Profile Quad 306 Material **Finish** 2400 mm

S/S T316, Brass Mill, Electro Polished

Max. Width **Max Length Open Area** Weight **Stock Status**

38% $7.1 \text{ kg/m}^2 \text{ (S/S)}$ Custom Made

30m

Type Wire Dia **Aperture**

Form

Rigid 3mm Ribbon 6mm Sheet



* Typical Architectural Installation

Applications:


Balustrades, Cladding, Privacy Screen

Attachment Methods:

Locker Group Fixing systems; including Angle, Cap, Flat Bar or Tensioned. See website for more details.

Extra Notes:

Dimensions are nominal





Profile Quad 907
Material S/S T316, T304
Finish Mill, Electro Polished 2400mm

| Max Length | 2400mm | 30m | 28% | 10.1 kg/m² | Stock Status | Type | Wire Dia | 9mm Ribbon | 2400mm | 2400mm

Aperture 7mm Sheet



* Typical Architectural Installation

Applications:

Balustrades, Cladding, Privacy Screen

Attachment Methods:

Locker Group Fixing systems; including Angle, Cap, Flat Bar or Tensioned. See website for more details.

Extra Notes:

Dimensions are nominal





Profile Material Finish Max. Width **Quad 160** S/S T316, T304

Mill

Max. Width
Max Length

1900 mm
As per application

Open Area Weight Stock Status

42.3% 2.8 kg/m² Custom Made

Type Rigid Wire Dia 1.75 x

1.75 x 0.6mm

Aperture Form

5mm Sheet



* Typical Architectural Installation

Applications:

Balustrades, Infill Panels, Facades, Interiors, Cladding

Attachment Methods:

Locker Group Fixing systems; including Angle, Cap, Flat Bar or Tensioned. See website for more details.

Extra Notes:

Dimensions are nominal

