

RUBBER FLOORING COLLECTION

COMMERCIAL RETAIL EDUCATION

everroll®

Regupol®



Regupol
Australia



Regupol® it just feels right

Products

Regupol® it just feels right

You crave colour while creating interiors with sustainability in mind. You seek vibrancy yet demand durability. Can one product range possibly deliver all this and more?

Presenting **everroll®** from Regupol.

Here is a collection of flooring products that satisfies the rudimentary concerns of function and form. Such attributes are not unexpected when you consider their German origins. At the same time, they deliver on sustainability, incorporating high quality post-consumer and pre-consumer materials. This helps open the door to green building design briefs which may be out of reach to lesser products.

everroll® offers seven distinctive product ranges, infused with fragments of colour which harmonise with other flooring systems and contemporary furnishings. All **everroll®** products are homogeneous, have no wear layer and are PVC free.

Specify **everroll®**. Sustainable, versatile and utterly dependable.



Please Note: All images contained in this brochure are for illustration purposes only. Please request a product sample from your Regupol Team Member before making a decision. The everroll® collection of rubber flooring is made from recycled materials, variations in the shading, EPDM and colour chip dispersion is normal.

everroll® Core 5

everroll® Tone 7

everroll® Vitality 9

everroll® Intensity 11

everroll® Active 13

everroll® Shape 15

everroll® Diamont 17


Composite Flooring 19

Product Selector 21

Design Centre 22

Colour Range 23

Product Info 24



everroll® Core Berlin provides a contemporary look to art galleries and museums

everroll® Core

Colouring and covering the globe

It's the original and most successful everroll® product; the 'core' of our collection. everroll® Core is living proof that good design never goes out of fashion.

everroll® Core has covered hundreds of square kilometres of floor spaces around the world, from glittering galleries to soothing commercial environments. Its high sustainable content of recycled rubber has helped make it a preferred choice in today's sustainable building design.

Now some 25 years on, designers aren't tiring of its possibilities. Request a sample, visualise it in your interior space and consider the possibilities.



everroll® Core Berlin in end-of-trip facility by PFL Spaces

Areas of Application

Commercial Offices and Studios
Retail Shops and Showrooms
Fitness and Sports Clubs
Clubs, Pubs and Hotels
End-of-Trip Facilities

Refer to the Product Selector for more applications




everroll® Core Berlin in school library

Product Data


Thickness	4mm, 8mm, 12mm
Roll Length	40lm, 25lm, 20lm
Roll Width	1.25m
Tiles	600mm x 600mm
Planks	1200mm x 300mm
Hexagons	600mm x 520mm




everroll® Core Berlin



everroll® Core Palau




everroll® Core Goa




everroll® Core Sidon




everroll® Core Melbourne



everroll® Core Amsterdam



everroll® Core Mons



everroll® Core Manaus



everrol® Tone Berlin works well with Intensity Berlin in transit terminals

everroll® Tone

Added infusions of colour

What happens when you emulate the success of **everroll® Core**, then take it even further? You set a whole new tone for hard working interiors.

Certainly, **everroll® Tone** is tough and timeless. With good slip resistance, this product is a great choice for community facilities. It suppresses ambient noise through its impact absorbing qualities making it a popular choice for busy commercial, educational and retail spaces.

Also observe how the extra compliment of colour provides an added dimension to design. Get your hands on a sample, survey the eight colour combinations to select the optimum product specs for your space.



everroll® Tone mixed with Vitality and Shape Kush looks great in reception spaces

Areas of Application

Schools, Colleges and Universities
Community Centres
Library and Museums
Reception and Entry Foyers


Refer to the Product Selector for more applications



everroll® Tone a durable surface for pubs, hotels and games rooms

Product Data


Thickness	4mm, 8mm, 12mm
Roll Length	40lm, 25lm, 20lm
Roll Width	1.25m
Tiles	600mm x 600mm
Planks	1200mm x 300mm
Hexagons	600mm x 520mm



everroll® Tone Berlin




everroll® Tone Nome




everroll® Tone Goa




everroll® Tone Kush




everroll® Tone Lhasa




everroll® Tone Auckland



everroll® Tone Sydney



everroll® Tone Perth



everroll® Vitality Berlin with Shape Berlin border providing a great level of comfort

everroll® Vitality

Sustainability with added vibrancy

Welcome to the new generation of flooring expressed in a product poised to meet the challenges of the 21st Century. With more vitality of colour and a high eco-preferred content, it looks brighter while also contributing to a brighter future for our planet.

At Regupol, we want to see sustainability concerns influencing every flooring choice for commercial interiors, retail showrooms and educational spaces across Australasia.

So when your brief stipulates a higher sustainable content, achieve your goals with more panache. Request a sample of **everroll® Vitality** and feel the opportunities first hand. Then instil vitality into your project.

Areas of Application

Malls and Shopping Centres
Exhibition Centres
Office and Hallway Spaces
Lift Lobbies

Refer to the Product Selector for more applications

Product Data

Thickness	4mm
Roll Length	40lm
Roll Width	1.25m
Tiles	600mm x 600mm
Planks	1200mm x 300mm
Hexagons	600mm x 520mm




everroll® Vitality safe and quiet under foot in children's activity areas




everroll® Vitality tough and durable for retail spaces




everroll® Vitality Berlin



everroll® Vitality Nome



everroll® Vitality Goa



everroll® Vitality Kush



everroll® Intensity Berlin a high quality and sustainable flooring choice for public areas


everroll® Intensity

Extreme resilience, intense colour

Introducing the evolution of **everroll®**. Here is a flooring product infused with explosions of high quality EPDM rubber, a material renowned for its durability, flexibility and vibrant colour.

This is today's advanced polymer technology in action within a product that has transformed the way the architectural industry views rubber flooring. Softer to the touch and more resilient underfoot, **everroll® Intensity** continues to be a popular choice in commercial, retail and educational spaces.

Request a sample and feel its resilience today.



everroll® Intensity providing flexibility within this hot desking office space

Areas of Application

Reception and Entry Foyers
Airports and Transport Terminals
Conference and Meeting Rooms
Classrooms and Auditoriums

Refer to the Product Selector for more applications

Product Data


Thickness	4mm
Roll Length	40lm
Roll Width	1.25m
Tiles	600mm x 600mm
Planks	1200mm x 300mm
Hexagons	600mm x 520mm




everroll® Intensity provides safety in wet and dry areas




everroll® Intensity Berlin




everroll® Intensity Nome




everroll® Intensity Jakarta




everroll® Intensity Kypros



everroll® Intensity Island



everroll® Intensity Mons



everroll® Active Kush in a retail environment

everroll® Active

The fine art of flooring

Here is a very unique and versatile rubber flooring material that brings high traffic flooring spaces to life. Fine particles of high quality EPDM rubber have been injected to create a flooring system with greater density, yet a soft resilience to the touch. So it offers a solution with high levels of comfort and impressive durability.

A broad palette of colour tones together with its physical attributes make it a popular choice for contemporary retail spaces while retaining more classical, traditional overtones.

Before you decide, request a sample and feel its tactile attributes.

Areas of Application

Office Breakout Areas
Computer Rooms
Entertaining Areas
Aquariums

Refer to the Product Selector for more applications

Product Data

Thickness	4mm
Roll Length	40lm
Roll Width	1.25m
Tiles	600mm x 600mm
Planks	1200mm x 300mm
Hexagons	600mm x 520mm



everroll® Active is quiet and comfortable under foot making it ideal for libraries




everroll® Active is student tolerant and popular in universities




everroll® Active Berlin




everroll® Active Nome




everroll® Active Goa



everroll® Active Kush



everroll® Active Oslo



everroll® Active Mons



everrol® Shape Goa provides an aesthetic appeal in hostel and community living areas

everroll® Shape

Reshape your thinking on colour

Colour rises to the top in **everroll® Shape**, in a flooring material that lets you add a bolder infusion of colour. The best quality EPDM rubber has been selected to create a non-laminated flooring material that provides a real lift to a range of interior spaces.

Yet **everroll® Shape** offers something more.

It offers the opportunity to inject your own design treatment, even intricate logos or corporate identity elements into your floor with stunning effect. **everroll® Shape** offers a limitless range of bespoke flooring designs.

Request a few colour samples and view the interplay of colour and design and let your imagination run wild.

Areas of Application

Child Care Centres
Leisure and Recreation Centres
Hotels, Spas and Resorts
Commercial Offices


Refer to the Product Selector for more applications

Product Data


Thickness	4mm
Roll Length	40lm
Roll Width	1.25m
Tiles	600mm x 600mm
Planks	1200mm x 300mm
Hexagons	600mm x 520mm




everroll® Shape Kush brightens the hallway space




everroll® Shape get creative with modular tiles and planks



everroll® Shape Berlin




everroll® Shape Nome




everroll® Shape Goa




everroll® Shape Kush



everroll® Shape Oslo




everroll® Shape Mons



everroll® Shape Palau



everroll® Shape Amsterdam



everroll® Shape Manaus



everroll® Diamont for adventurous minds

everroll® Diamont

Spark your imagination

There's a striking shimmer you'll observe in **everroll® Diamont** that deserves closer investigation. Embedded within the rubber lie diamond-like reflective particles that emit a sparkle which responds to both artificial and natural light.

When you combine this effect with the comfort benefits, it's an obvious choice for more vibrant commercial, retail and even entertainment spaces. **everroll® Diamont** can be described as a fusion of more traditional cues with added dynamism, giving designers flooring with a real difference.

Request a sample and observe its sparkling effects first hand.

Areas of Application

Retail Shops
Showrooms
Exhibition Stands
Commercial Spaces

Refer to the Product Selector for more applications

Product Data

Thickness	4mm
Roll Length	40lm
Roll Width	1.25m
Tiles	600mm x 600mm
Planks	1200mm x 300mm
Hexagons	600mm x 520mm



everroll® Diamont in modular tiles



everroll® Diamont stand out from the crowd



everroll® Diamont Berlin



everroll® Diamont Mons



everroll® Composite Rubber Flooring System a safe and durable surface for children's play areas

Composite Flooring

Making floor design child's play

There are times when design must take a back seat to comfort. In such instances, which may include children's play areas like day-care and kindergarten interiors, everroll® Composite Flooring is an elementary choice.

Durability and comfort are the result of a synthesis of composite layers. The upper wear layer is supported by a shock-absorbent Regupol® Shockpad Underlay, combining durability with added resilience.

Whilst there are two layers, the benefits are felt on many levels. On one hand, the safety of shock absorbency which is vital for growing bodies. On another level, it provides acoustic dampening of children's noise while at play. With it's high levels of comfort and resilience, everroll® Composite Flooring has the ability to remain permanently elastic for many years.

Place a sample in your hands, squeeze it and take hold of its possibilities.

Areas of Application

Child Care Centres
Anti Fatigue Areas
Fitness and Sports
Schools and Universities

Refer to the Product Selector for more applications

Product Data


Thickness	8mm + 4mm (12mm), 10mm + 4mm (14mm)
Roll Width	1.25m



everroll® Composite Rubber Flooring for children's crèche



everroll® Composite Rubber Flooring for group fitness and sports activities



everroll® Composite Rubber Flooring a two layered system



Regupol® it just feels right

Product Selector Guide

Application	everroll® Core everroll® Tone everroll® Vitality everroll® Intensity everroll® Active everroll® Shape	everroll® Core everroll® Tone	everroll® Core everroll® Tone	everroll® Diamond	everroll® Composite Flooring System
Thickness	4mm	8mm	12mm	4mm	12-14mm
Commercial Office & Studios	✓	✓		✓	
Retail Shops & Showrooms	✓	✓		✓	✓
Schools, Colleges & Universities	✓	✓			✓
End-Of-Trip Facilities	✓	✓			
Malls & Shopping Centres	✓	✓	✓	✓	✓
Prison & Correctional Facilities	✓	✓	✓		✓
Clubs & Hotels	✓	✓		✓	✓
Airport & Transport Terminals	✓	✓			✓
Police & Fire Stations	✓	✓	✓		✓
Exhibition Centres	✓	✓			
Library & Museums	✓	✓			✓
Office & Hallway Spaces	✓	✓		✓	✓
Reception & Entry Foyers	✓	✓		✓	✓
Break Out Areas	✓	✓			
Conference & Meeting Rooms	✓	✓			
Computer Rooms	✓	✓			
Classrooms & Auditoriums	✓	✓			
Child Care Centres & Creches	✓	✓			✓
Entertaining Areas	✓	✓			✓
Smoking Terraces	✓	✓			
Lift Lobbies	✓	✓			
Aquariums	✓	✓			
Fitness & Sports Areas	✓	✓	✓		✓
Community Centres	✓	✓			✓
Anti-fatigue Matting		✓	✓		✓

Note: This is a guide only to selecting the right product for your application. For high traffic areas it is recommended to use the thicker product option. It is recommended that you check with one of your Regupol Team Members for confirmation of the right product for your area. Please check the fire and slip classifications for your building to match with the everroll® rubber flooring material type that is suitable for your project - see downloads at www.regupol.com.au

Design Centre

Perhaps the most dynamic aspect of **everroll®** is the way it stretches your mind. With so many colour tones, textures and effects, it offers a wealth of opportunities quite unlike other flooring systems.

Our design and product team can work with you to open up further possibilities with the ability to add logos and inlays to your uniquely designed floor. We can even arrange to create a unique blend of colours using the colour selector below.

So talk to us and discover how **everroll®** can floor you.




Custom Cut Inlays, Logo's and Tiles

everroll® EPDM Colour Selector


							
Brick Red	Citrus Yellow	Pearl White	Black	Reseda Green	Earth Yellow	Dove Blue	Beige
							
Slate Grey	Patina Green	Turquoise Blue	Teal	Capri Blue	Eggshell	Violet	May Green
							
Orange	Rainbow Blue	Sky Blue	Brown	Light Grey	Signal Green	Rainbow Green	Rose

Example



Colour Range

everroll® Core



Berlin

Palau

Goa

Sidon


Melbourne

Mons

Amsterdam

Manaus

everroll® Tone



Berlin

Nome

Goa

Kush


Lhasa

Auckland

Sydney

Perth

everroll® Vitality




Berlin

Nome

Goa

Kush

everroll® Intensity



Berlin

Nome


Jakarta

Kypros

Island

Mons

everroll® Active



Berlin

Nome

Goa

Kush

Oslo

Mons

everroll® Shape



Berlin

Nome

Goa

Kush

Oslo

Mons

Palau


Amsterdam

everroll® Shape




Manaus

everroll® Diamont



Berlin



Mons

Product Info



Product Catalogue



Case Studies



GECA Environmental
Product Certification



Specify everroll® with
NATSPEC



Installation Guidelines



Cleaning Guidelines



Slip Resistance



Fire Resistance



Tender Text



Terms & Conditions
of Sale

Download product information
at www.regupol.com.au



facebook.com/regupol.aus



twitter.com/regupol



green building council australia
MEMBER



Regupol
(Australia) Pty. Ltd.

ABN 97 094 053 399

155 Smeaton Grange Road
SMEATON GRANGE NSW 2567

Ph: 02 4624 0050
Fax: 02 4647 4403

Email: sales@regupol.com.au
Website: www.regupol.com.au

Version 04.2015
Online 11.2015