

# SAFEGUARD AND ENHANCE YOUR BUSINESS WITH A TAUREAN® ROLLER DOOR



# The Commando Collection

With a roller door from the Taurean® Commando Collection you're getting a door that has been designed and developed through decades of industry knowledge that operates smoothly with ideal balance.

The balance comes from a springing system engineered to provide years of use and optimal life.

Every Commando door is made from quality Colorbond® steel, in a wide range of contemporary colours and available in a full range of sizes up to 5100mm high and 5100mm wide which suits small commercial factories, sheds or other buildings.

In windy regions the doors can be manufactured with an extra protection, wind-lock system that gives the door even more security.



## Taurean® Door Systems is strong in history

Taurean® Door Systems is part of the Fletcher Building Group and has grown from two great Australian companies, Stramit® and Creeks. So our customers can be reassured that the products they buy are backed by many years of proven performance. Today our key values that drive us forward are the same as they have always been; *innovation*, *reliability*, *security* and *safety*.

## Taurean<sup>®</sup> Commando is balanced, quiet and stylish

- · Australian designed and manufactured
- · Balanced, smooth, quiet operation
- High quality spring system gives a perfectly balanced door and ensures peace of mind and years of operation
- · Wide range of colours
- · Strong curtain due to roll forming process

#### Warranty

A 12 month warranty on steel cracking, lock seam failure of the door curtain and all other items of the door. Excluded from the warranty is salt corrosion or any damage to the door curtain because of any environmental conditions or issues. For more details please refer to the Taurean® Door Systems website,

WARRANTY

www.taureands.com.au





#### Operation

Nylon braided edging, together with the moulded nylon drum wheels and the nylon bottom rail plug provide a beautifully smooth and quiet door during operation.

#### Safety

The safety features of the door give peace of mind.

Features such as track stops that ensure the door remains in the tracks even with rough treatment, an easy to use hand operated chain winder on manual doors and no sharp edges anywhere ensure the safety at all times.

#### Automation

Taurean® Commando doors are often operated manually but if you prefer they can be automated to make opening and closing your door even easier.

#### **Long Life**

Of course the life of your door is all important so galvanised brackets, tracks and other components protect against corrosion.

The springing system too is designed for more than 25,000 cycles which maximises the performance of the door over its lifetime.

#### **Weather Protection**

Flexible sealing strip along the bottom rail prevents entry of dust and leaves.


Taurean® Commando No.1 for springing means optimum life







Scan code for more information



Wind Lock System

Taurean Door Systems 180 – 186 Colchester Road, Bayswater North VIC 3153 Ph: +613 9721 8366

Rounded formed panel Colours Colorbond® and Zincalume® Nylon drum wheels Nylon braid edging Nylon bottom rail plug Flexible strip Flexible sealing strip Galvanised tracks Galvanising ensures long life by minimising corrosion Galvanised brackets Galvanising helps minimise corrosion ensuring long life Track stops Reverse roll Spring system Sizes Up to 5100mm high and 5100mm wide Worsenty  Volume Only Stylish appeal Stylish a		
Colours  Colorbond® and Zincalume®  Nylon drum wheels  Quiet operation  Nylon braid edging  Smooth operation of door in tracks  Nylon bottom rail plug  Flexible strip  Helps prevent dust and leaves entering the garage  Flexible sealing strip  Helps prevent dust and leaves entering the garage  Galvanised tracks  Galvanising ensures long life by minimising corrosion  Galvanised brackets  Galvanising helps minimise corrosion ensuring long life  Track stops  Assists in keeping the door in the tracks  Reverse roll  External installation when no inside headroom available  Spring system  25,000+ cycles  Sizes  Up to 5100mm high and 5100mm wide  Wind Locking  Short Bar - Standard / Long Bar - Cyclonic (Optional)	Feature	Commando Collection Benefits
Nylon braid edging Smooth operation of door in tracks  Nylon bottom rail plug Smooth operation of door in tracks  Flexible strip Helps prevent dust and leaves entering the garage  Flexible sealing strip Helps prevent dust and leaves entering the garage  Galvanised tracks Galvanising ensures long life by minimising corrosion  Galvanised brackets Galvanising helps minimise corrosion ensuring long life  Track stops Assists in keeping the door in the tracks  Reverse roll External installation when no inside headroom available  Spring system 25,000+ cycles  Sizes Up to 5100mm high and 5100mm wide  Wind Locking Short Bar - Standard / Long Bar - Cyclonic (Optional)	Rounded formed panel	Stylish appeal
Nylon braid edging Smooth operation of door in tracks  Nylon bottom rail plug Smooth operation of door in tracks  Flexible strip Helps prevent dust and leaves entering the garage  Flexible sealing strip Helps prevent dust and leaves entering the garage  Galvanised tracks Galvanising ensures long life by minimising corrosion  Galvanised brackets Galvanising helps minimise corrosion ensuring long life  Track stops Assists in keeping the door in the tracks  Reverse roll External installation when no inside headroom available  Spring system 25,000+ cycles  Sizes Up to 5100mm high and 5100mm wide  Wind Locking Short Bar - Standard / Long Bar - Cyclonic (Optional)	Colours	Colorbond® and Zincalume®
Nylon bottom rail plug Smooth operation of door in tracks  Flexible strip Helps prevent dust and leaves entering the garage  Flexible sealing strip Helps prevent dust and leaves entering the garage  Galvanised tracks Galvanising ensures long life by minimising corrosion  Galvanised brackets Galvanising helps minimise corrosion ensuring long life  Track stops Assists in keeping the door in the tracks  Reverse roll External installation when no inside headroom available  Spring system 25,000+ cycles  Sizes Up to 5100mm high and 5100mm wide  Wind Locking Short Bar - Standard / Long Bar - Cyclonic (Optional)	Nylon drum wheels	Quiet operation
Flexible strip Helps prevent dust and leaves entering the garage Flexible sealing strip Helps prevent dust and leaves entering the garage Galvanised tracks Galvanising ensures long life by minimising corrosion Galvanised brackets Galvanising helps minimise corrosion ensuring long life Track stops Assists in keeping the door in the tracks Reverse roll External installation when no inside headroom available Spring system 25,000+ cycles Sizes Up to 5100mm high and 5100mm wide Wind Locking Short Bar - Standard / Long Bar - Cyclonic (Optional)	Nylon braid edging	Smooth operation of door in tracks
Flexible sealing strip Galvanised tracks Galvanising ensures long life by minimising corrosion Galvanised brackets Galvanising helps minimise corrosion ensuring long life Track stops Assists in keeping the door in the tracks Reverse roll External installation when no inside headroom available Spring system 25,000+ cycles Sizes Up to 5100mm high and 5100mm wide Wind Locking Short Bar - Standard / Long Bar - Cyclonic (Optional)	Nylon bottom rail plug	Smooth operation of door in tracks
Galvanised tracks Galvanising ensures long life by minimising corrosion Galvanised brackets Galvanising helps minimise corrosion ensuring long life Track stops Assists in keeping the door in the tracks Reverse roll External installation when no inside headroom available Spring system 25,000+ cycles Sizes Up to 5100mm high and 5100mm wide Wind Locking Short Bar - Standard / Long Bar - Cyclonic (Optional)	Flexible strip	Helps prevent dust and leaves entering the garage
Galvanised brackets  Galvanising helps minimise corrosion ensuring long life  Track stops  Assists in keeping the door in the tracks  Reverse roll  External installation when no inside headroom available  Spring system  25,000+ cycles  Sizes  Up to 5100mm high and 5100mm wide  Wind Locking  Short Bar - Standard / Long Bar - Cyclonic (Optional)	Flexible sealing strip	Helps prevent dust and leaves entering the garage
Track stops Assists in keeping the door in the tracks  Reverse roll External installation when no inside headroom available  Spring system 25,000+ cycles  Sizes Up to 5100mm high and 5100mm wide  Wind Locking Short Bar - Standard / Long Bar - Cyclonic (Optional)	Galvanised tracks	Galvanising ensures long life by minimising corrosion
Reverse roll External installation when no inside headroom available  Spring system 25,000+ cycles  Sizes Up to 5100mm high and 5100mm wide  Wind Locking Short Bar - Standard / Long Bar - Cyclonic (Optional)	Galvanised brackets	Galvanising helps minimise corrosion ensuring long life
Spring system 25,000+ cycles  Sizes Up to 5100mm high and 5100mm wide  Wind Locking Short Bar - Standard / Long Bar - Cyclonic (Optional)	Track stops	Assists in keeping the door in the tracks
Sizes Up to 5100mm high and 5100mm wide Wind Locking Short Bar - Standard / Long Bar - Cyclonic (Optional)	Reverse roll	External installation when no inside headroom available
Wind Locking Short Bar - Standard / Long Bar - Cyclonic (Optional)	Spring system	25,000+ cycles
	Sizes	Up to 5100mm high and 5100mm wide
Warranty 12 months	Wind Locking	Short Bar - Standard / Long Bar - Cyclonic (Optional)
warranty 12 months	Warranty	12 months

