

Gainsborough Architectural Hardware

The Gainsborough Architectural Hardware range has developed into an impressive collection of door hardware products, designed to meet the needs of today's commercial building activity.

Manufactured to the highest standards, the Architectural range features a variety of popular and aesthetic finishes.

- Contemporary design
- Commercial grade
- Confident choice



The Gainsborough Architectural Hardware Range

Open up a world of possibilities with Gainsborough... An illustrious history spanning over 40 years, Gainsborough is at the forefront of development, production and distribution of superior door hardware to commercial and residential projects. Gainsborough, an Australian company, is part of the GWA group of companies, which includes brands such as Caroma, Dorf, Fowler, Stylus, Clark, Radiant, Irwell, Dux and Brivis.

The Commercial division of Gainsborough comprises of esteemed brands such as Gainsborough Architectural, Austral Lock, Hillaldam and Eco-Schulte. These brands make up an impressive collection of leading-edge commercial door hardware products, designed to meet the needs of today's commercial building activity.

This range includes door furniture and lock sets, door controls, patch fittings, electronic access controls as well as a comprehensive range of components for sliding, stacking and folding doors. Manufactured to the highest standards and designed for timber, aluminium and glass doors, the Commercial range features a variety of popular and aesthetic finishes, as detailed within. The special keying facilities will accommodate the most complex of keying requirements, from master keyed to great grand master keyed systems. Restricted profile keyways are also available.

Significant investment in design, engineering and manufacturing operations has fostered the continual release of new products to market. Gainsborough is committed to producing the finest quality product possible, having renewed its certification under the ISO 9001:2000 Quality Management System. Gainsborough is also included in the internationally acclaimed Lloyd's Register of Quality Assured Companies. Gainsborough offers a free door scheduling service. With this comprehensive range of products, Gainsborough is the first choice for commercial door hardware.

Ordering Information

When ordering, add relevant finish code to form complete catalogue number, as shown under products illustrated.

For dummy lever versions, add 'D' to the number shown, followed by the relevant finish code.


- * Denotes longer screws available (FAMT 124) to suit 50mm thick doors.
- ** Denotes to specify Left (L) or Right-Handed (R) when ordering.

Old version of indicators shown - newer version with slight modification supplied.


E&O: This range brochure may contain typographical errors, inaccuracies, or omissions that may relate to product descriptions, colours, measurements and product codes. Gainsborough Hardware Industries Limited reserves the right to correct any errors, inaccuracies or omissions and to change or update information at any time without prior notice. Further, due to continuous product development, some products may vary from that shown and due to the nature of the printing process, colours may vary from those shown in this brochure. Gainsborough Hardware Industries Limited recommends that you consult Gainsborough or its distributors prior to purchase to ensure accuracy of information. Gainsborough will not be held liable for any injury, loss, damage etc resulting from information contained in this document

Handing

Some of Gainsborough's door furniture products are handed. To assist with identifying the required handing, please refer to the diagrams below for an explanation.



OUTSIDE OF DOORS



Note: For selection of left or right-handed 757 rebate kits, please refer to the handing information diagram shown on page 12



Proud members of ADHA, MLAA, AWA, ASOFIA

Maintenance and Cleaning

Gainsborough suggests cleaning knobs, levers, roses and plates every 2 months with a soft, damp cloth.

A solution of soap and water could also be used to remove dirt from knobs, levers, roses and other surfaces, but should not be used on cylinders. Ensure liquid does not enter cylinder at any time.

When cleaning, avoid using acidic or abrasive substances which may contain solvents, i.e cleaning products, as such substances may cause a deterioration of the finish.

Caring for Stainless Steel

Depending on the environment where the product is used, blemishes can appear on stainless steel product. To help prevent this occurring, clean once a month.

Blemishes on satin stainless steel may be removed by rubbing with a suitable stainless cleaner/polish.

Ensure rubbing occurs in the same direction as the grain itself.

Lubrication of Locks and Cylinders

Locks

Gainsborough products are manufactured using a quality lubricant for smooth operation.

If the product has been installed in a region subject to extreme climate or subject to a dusty environment, then such conditions may affect the original lubricant and therefore the product may require re-lubrication.

In this case, the working mechanism may be cleaned with a non-corrosive substance and then re-lubricated with a quality silicone or teflon based lubricant.

Do not use lubricant in cylinder (oil or aerosol type).

Cylinders

If the key becomes "sticky" in the cylinder, you may sprinkle a small amount of graphite onto the key and then insert the key inside the cylinder.

Do not use lubricant in cylinder (oil or aerosol type).

Terms of Warranty

Guarantees on Finishes and Product

Gainsborough Hardware Industries Limited ACN 004 792 269 ("Gainsborough")

In addition to the guarantees under the Australian Consumer Law ("ACL"), Gainsborough provides consumer's (ie. retail customers not trade customers) an extended warranty that all products in its product range ("Products") will be free from defects in materials and workmanship under normal use ("Guarantee") for the following periods of time (classified by product series and in accordance with the guarantee symbol on the Products):



5 year limited tarnish resistant and 10 year limited mechanical Gainsborough guarantees to repair or replace the Product if within five (5) years from the proven date of purchase it tarnishes, discolours or corrodes; or if within ten (10) years from the proven date of purchase any mechanical defects occur.



5 year limited tarnish resistant and 5 year limited mechanical Gainsborough guarantees to repair or replace the Product if within five (5) years from the proven date of purchase it tarnishes, discolours or corrodes; or if within five (5) years from the proven date of purchase any mechanical defects occur.



5 year limited tarnish resistant Gainsborough guarantees to repair or replace the Product if within five (5) years from the proven date of purchase it tarnishes, discolours or corrodes.



2 year limited tarnish resistant and 7 year limited mechanical Gainsborough guarantees to repair or replace the Product if within two (2) years from the proven date of purchase it tarnishes, discolours or corrodes; or if within seven (7) years from the proven date of purchase any mechanical defects occur.



1 year limited electrical

Gainsborough guarantees to repair or replace the Product if within one (1) year from the proven date of purchase any electrical defects occur.

- This Guarantee only applies to defects which have arisen solely from faulty materials or workmanship in the Product and does not apply to other defects which may have arisen as a result of, without limitation, the following:

 -accidental damage, abuse, misuse, maltreatment, abnormal stress or strain of the Products.
- stress or strain of the Products.

 neglect of any kind in respect of the Product;

 tarnishing and damage to or deterioration of finishes as a

 tarnishing and damage to adverse conditions including corrosive
 environments such as the coastal locations and large
 fluctuations in pressure or temperature!,

 deterioration in colour and performance of polymer
 materials;

- Costs incurred by the removal, replacement or installation of the Product are not covered by this Guarantee.
- Personal injury, property damage or economic loss, howsoever caused, will not be covered by this Guarantee.

Australian Consumer Law

If Gainsborough fails to meet a guarantee under the ACL, your remedy for such failure may be limited to any one or more of the following:

- replacement of the product;
- repair of the product;
- refunding the cost of the product;
- a young the product of the p

Guarantee Claims

Any defective product must be returned to the point of sale before replacement can be considered under the terms of this Guarantee If the costs of returning any defective parts are excessive or unreasonable, please contact Gainsborough on 1314 18 so that we can arrange a collection (if considered appropriate in the circumstances).

Gainsborough's contact details are as follows

ahisəles@awaaroup.com.au

Mortice Locks

Gainsborough has a range of mortice lock functions to suit a variety of commercial applications. Designed for compatibility with the Gainsborough door furniture range, Gainsborough's mortice locks suit a variety of commercial applications.







- This series features deadbolts for external doors; and sliding door locks for external sliding doors.*
- Various functions are available in each of the series shown.
- Choose from Chrome Plate or Satin Chrome.
- 60mm backset.
- * Depending on function selected, cylinder may or may not be supplied.







1800 Series			
• D	oor Loc	k for ex	ternal sliding doors (deadbolt)
sc			
	S2	Ť	D3
0	5/10	years	

- Choose the 3000 series Mortice locks to combine with your selected Architectural door hardware.
- See our website for the full range of functions available. www.gainsboroughhardware.com.au
- Choose from Stainless Steel or Polished Stainless Steel finishes.
- Can be used with the Gainsborough range of pull handles 9613PH, 9648PH and 9963PH.
- 60mm backset.
- Able to be used with Gainsborough ES1000 Series Electric Strikes (refer page 14).
- Cylinder below lever/knob.
- Now with kick off/anti-lockout function.










Vestibule Lock (deadlatching). Handle/knob locked on one side only by key/turnbutton. SS PS S2 T D3 5/10 years

3400 Series



3600) Series
• Pas	sage Latch only.
SS	PS
Ť	D3
0	5/10 years
O	

390	0 Serie	S		
Ke	eries Nigh ey or snib o handle/	retracti	on of lat	
SS	PS			
	S2	Ť	D3	
0	5/10	years		

2000-2200 Series Narrow Stile Mortice Locks, Deadlocking

- 2000, 2100 and 2200 series deadlocks to suit narrow stile hinged, pivot and sliding doors.
- All have 23mm backsets to suit narrow stile aluminium doors commercial grade.
- Various functions available.
- Cylinder escape return available for aluminium and timber doors.







2000 Series Cylinder Mortice Deadlock Short Throw

- Featuring a pivoting deadbolt action, this narrow stile deadlock is designed for hinged and pivot doors with standard jamb.
- The deadlock has a 22mm deadbolt projection and a positive deadlocking action.

CA

2100 Series Cylinder Mortice Deadlock Long Throw

- Featuring a pivoting deadbolt action, this narrow stile deadlock is designed for hinged and pivoted double doors.
- The deadlock has a 36mm deadbolt projection and a positive deadlocking action.

CA

2200 Series Cylinder Mortice Sliding Door Deadlock

- Narrow stile sliding door deadlock with a vee-cut deadbolt for positive engagement in strike when locked.
- The deadlock has a 29mm deadbolt projection.

CA

2400-2600 Series Narrow Stile Mortice Locks, Deadlatching

- 2400, 2500 and 2600 series vestibule, combination and passage deadlatches and latches.
- All have 23mm backsets to suit narrow stile aluminium doors – commercial grade.
- Various functions available.

- The 2400, 2500 and 2600 can be supplied with matching 7000N narrow stile furniture.
- Cylinder escape return available for aluminium and timber doors.
- Features cylinder below lever/knob.
- Now with anti-lockout function.







2400 Series Cylinder Mortice Vestibule Lock

- Functions of vestibule with cylinders or turnbuttons.
- Inside handle always free for exit.
- Deadlatched upon closing of door.
- Can be used with electric strikes.
- Now with kick off/anti-lockout.

PS SS

S2

5/10 years

D3

2500 Series **Cylinder Mortice Combination Locking Latch**

- Handles operated both sides by a series of cylinders or turnbuttons.
- Handles locked both sides.
- Deadlatched upon closing of door.
- Can be used with electric strikes.
- Now with kick off/anti-lockout.

PS SS

D3

5/10 years

2600 Series **Cylinder Mortice** Passage Latch

- Passage latch function.
- Handles locked both sides.
- Now with kick off/anti-lockout function.

PS SS

 Features a spring-latch and double throw 20mm deadbolt for added security. Choose from 50mm and 60mm backsets.


757 Rebate Kit

- For use in conjunction with a 755 series mortice lock on a rebated double door.
- Specify left or right-handed using the handing information diagram shown below.




9 8

Left-hand Door



Right-hand Door



755 Mortice Lock Double Cylinder

- Specify 758 for single cylinder version
- Extended strike plate to suit pivot doors is available separately PT755/SPEI SSS.

SC

757 Rebate Kit to suit 755 Series Mortice Lock

- 757 ** R Right-handed.
- 757 ** L Left-handed.

SC

^{**} Insert finish code here when ordering.

775 Series Roller Bolt Mortice Lock

Ideal for use with pull handles on exterior doors.
 Available in either 60mm backset or 45mm backset.
 Features a roller bolt and double throw 19mm deadbolt for added security.

777 RK Rebate Kit

- The 777 RK rebate kit can be used in conjunction with the 775 series roller bolt mortice lock for rebated double doors.
- Features non-handed design for left or right-handed doors.

777 RK Rebate Kit to suit Roller Bolt Mortice Lock 777 RK SC



SC


775 Roller Bolt Mortice Lock Double Cylinder 60mm Backset

775 SC 60

775 SC 45

- Extended strike plates to suit pivot doors are available separately.
- PT775/SPEIL SSS (Left-handed).
- PT775/SPEIR SSS (Right-handed).

SSS SC



Electric Strikes and Dual Sprung Tubular Latches

Gainsborough offers a range of monitored and un-monitored electric strikes, suitable for timber and aluminium frames, whilst Gainsborough's tubular latches are dual sprung to allow firm action during normal operation of door handles and soft door closure. The self-aligning cam allows for easy installation with Gainsborough door hardware.

ES1000 Electric Strike

- The ES1000 Electric Strikes are designed for use with deadlatching mortice locks having up to 12mm throw latchbolt.
- The ES1000 Electric Strikes are available in un-monitored and monitored 12 volt or 24 volt DC for use on aluminium or timber frames.
- Power to lock (fail safe) or power to open (fail secure), can be changed on site
 by simply changing position of a screw.
- Not suitable for 755 deadlocking mortice lock or 1700 series deadbolts.

Electric Strike • ES1000/12 SS • ES1000/12M SS (Monitored) • ES1000/24 SS • ES1000/24M SS (Monitored) SS





Dual Sprung Tubular Latches

- Gainsborough tubular latches feature a heavy duty main spring for firm action and positive return during normal operation.
- Secondary latchbolt spring for easy door closure.
- 480 series comes with delrin acetal plastic hub and 980 series comes with steel hub.
- 'D' or universal 'T' strikes available – refer specific catalogue number.
- Requires a 35mm diameter hole through door face and a 25mm diameter hole through door edge.





- 480 60mm backset
- 481 70mm backset

BC PB SC

4

5/10 years



480T Series Rectangular Face and Universal Strike

• 60mm backset

BC PB SC

0

5/10 years




488 Series Radius Corner Face and Strike

• 60mm backset

BC PB SC

5/10 years





- 980 60mm backset
- 981 60mm backset

P PB SC



Knob and Lever Locksets

These Gainsborough heavy duty cylindrical locksets are designed and manufactured for use in commercial buildings, including hotels and offices, but are also ideal for residential entrances and living areas.

Key in Knob Locksets

4000 Series Key in Knob Lockset



4000 Series

Key in Knob Lockset

SS



5/10 years



- Heavy duty cylindrical lockset.
- Stylish spherical knob design.
- Concealed fixing.
- Functions include:
 Entrance/Escape sets, Glass Door sets, Passage sets, Privacy sets,
 Patio sets, Classroom sets, Storeroom Escape sets, Communication sets, Exterior Escape sets, Exterior Escape half sets, Double Cylinder Gate sets and Dummy trims.
- Backsets: 127mm.
- Suits doors 35mm-45mm thick and requires a 54mm diameter drill hole through door face.

4700 Series Key in Knob Lockset with 4600 Style Inside Lever





4700 Series

Knob Lockset with 4600 Style Inside Lever

SC





- Stylish spherical knob design outside and lever inside.
- Functions include: Entrance/Escape sets, Classroom sets and Storeroom Escape sets.



Key in Lever Locksets

4200 Series Key in Lever Lockset



4500 Series Key in Lever Lockset



4600 Series Key Lever Lockset



4200 Series
Key in Lever Lockset
SC
5 /10 years
•

- The 4200 series key in lever locksets offer a range of competitively priced tubular leversets on large (75mm diameter) round resettes
- These leversets suit doors 35mm to 45mm thick and require a 54mm diameter drill hole through door face.
- Featuring satin chrome finish, the 4200 series is available in Entrance, Privacy, Passage, Storeroom and Classroom functions.
- Products feature concealed fixing and are available with an adjustable 60/70mm backset.



through door face.

 A range of functions are available:
 Entrance sets, Glass Door sets, Passage sets, Privacy sets, Patio sets, Classroom sets, Storeroom Escape sets,
 Communication sets, Exterior Escape sets,
 Exterior Escape Half sets and Dummy trims.


All products feature concealed fixing.

 Available in 60mm, 70mm and 127mm backsets.

4600	Series	3			
Key ir	1 Lever	Lockset			
sc					
	S2	Ť	D3		
0	5/10	years			

Door Furniture

Gainsborough's range of levers on round rosettes and square backplates provide the ideal product choice for today's door furniture requirements. Highly popular and aesthetic designs add the perfect finishing touch to new construction and fitout.





B6R Series Brass Levers on 65mm Brass Round Rosettes

- Range of brass levers on 65mm diameter brass round rosettes.
- Provides the ultimate in quality and durability.
- Choose from passage leverset or dummy lever.
- New rosette contemporary design and installation ease.
- For use with 3000 or 755 series mortice locks for exterior doors or with 480 or 980 series tubular latches for interior doors.
- Universal fixing method:
 four 9mm holes and one 35mm hole when used with a
 480/980 series tubular latch.
- Can be used on fire doors.
- To suit 32mm-48mm thick doors.
- Fully concealed fixing.











B6R11		
	er on Brass Round Rosette	
CP	SC	
Ť	D3	
0	5/10 years	
E	•	




B6R	48
Horiz Rose	on Lever on Brass Round tte
СР	sc
Ť	D3
0	5/10 years
O	











Z6R Series Levers on 65mm Round Rosettes

- Features an array of stylish levers on 65mm diameter rosettes.
- New rosette contemporary design and installation ease.
- Choose from passage leverset or dummy lever options.
- For use with 3000 or 755 series mortice locks for exterior doors or with 480 or 980 series tubular latches for interior doors.
- Concealed fixing.
- Universal fixing method: four 9mm holes and one 35mm hole when used with a 480 or 980 series tubular latch.
- To suit 32mm-48mm thick doors.*














Z6R6	5
Senate	or Lever on Round Rosette
СР	sc
Ť	D3
0	5/10 years
O	

















Z6R Series Accessories

Privacy Adaptor

Z5R Series Levers on 55mm Round Rosettes

- Selection of fashionable and innovative lever styles on 55mm diameter round rosettes.
- Choose from passage leverset or dummy lever options.
- Non-handed to suit left or right-handed doors.
 Note: certain dummy levers are handed as shown.
- For use with 3000 or 755 series mortice locks for exterior doors and with 480 or 980 series tubular latches for interior doors.
- Concealed fixing.
- Fixing method same for all: four 9mm holes and one 35mm hole when used with a 480/980 series tubular latch.
- To suit 32mm-48mm thick doors.

Brass Lever/Alloy Rose







Z6RPA


Privacy Adaptor with Aero Leverset


CP SC


45.

- Economical and clever way to add privacy locking to the Z6R series leversets.
- Innovative one piece design installed to the inside of the door.
- Concealed fixing.
- Internal locking, panic release from the inside and emergency access from the outside.
- Requires a 44mm diameter hole through door face.









Z5R Series Levers on 55mm Round Rosettes continued













 Z5R4	18
Horizo	on Lever on Round Rosette
СР	SC
Ť	D3
0	5/10 years
U	

















Z5R Series Levers on 55mm Round Rosettes continued












Z5R4	-
Radiu	s Lever on Round Rosette
СР	sc
Ť	D3
0	5/10 years
E	•





Z5R80			
Cuba Lever on Round Rosette • New design			
СР	sc		
Ť	D3		
0	5/10 years		
E	•		












Z5R Series Levers on 55mm Round Rosettes continued









Z5R7	6
	Lever on Round Rosette design
СР	SC
Ť	D3
0	5/10 years
Ġ	•



Z5R7	'8	
Metro Lever on Round Rosette		
• New	design	
СР	sc	
Ť	D3	
0	5/10 years	
V		







Z5R Series Accessories

Privacy Adaptor



Z5R82

Viva Lever on Round Rosette


• New design

CP SC











Z5RPA

Privacy Adaptor with Horizon Leverset

CP SC



- Economical and clever way to add privacy locking to the Z5R series leversets.
- Innovative, one piece design installed to the inside of the door.
- Internal locking, panic release from the inside and emergency access from the outside.
- Suits the Z5R series leversets and will not suit the B6R, S5R, S5S, Z6R and Z5S series door furniture or 300 series door furniture.
- Concealed fixing.
- Requires a 44mm diameter hole through door face.

Z5R Series Accessories continued

Auxiliary Privacy Set

Sliding Bolt Set





Specify Z5RPSI for privacy set with "Emergency" release indicator escutcheon. Red for engaged, green for vacant - can also be used as an indicator bolt.





Specify Z5RPSIDA for disabled access privacy set with "Emergency" release indicator escutcheon.









Specify Z5SIB for sliding bolt set with "Emergency" release indicator escutcheon. Red for engaged, green for vacant - can also be used as an indicator bolt.





Specify Z5RSIBDA for disabled access privacy set with "Emergency" release indicator escutcheon on reverse.

R

- Normally installed above passage leverset to add privacy locking to internal doors.
- 55mm diameter rosettes to complement the Z5R series levers.
- Incorporates privacy bolt, internal turnbutton and external emergency indicator release escutcheon.
- Concealed fixing.
- 60mm backset.
- Suits a 25mm diameter hole through door face.
- For doors 35mm to 45mm thick.

- Suits sliding doors.
- 55mm diameter round rosettes to complement the Z5R series levers.
- Incorporates latch, internal turnbutton and external emergency indicator release escutcheon.
- Concealed fixing.
- Suits a 35mm diameter hole through door face.
- For doors 35mm to 45mm thick.
- 60mm backset.
- Not able to be recessed into sliding door pocket.

Z5RPSI, Z5RPSIDA

Privacy Set

CP SC



5/10 years

(3)

* Only applies to Z5RPSIDA

Z5RSIB, Z5RSIBDA

Sliding Bolt Set

CP SC



5/10 years



* Only applies to Z5RSIBDA

Round Cylinder, Turnbutton and **Emergency Release Escutcheons**

- Range of round cylinder, turnbutton and emergency release escutcheons.
- Coordinates with the Z5R series levers when used in conjunction with mortice locks.
- Concealed fixing.
- 55mm diameter x 12mm thick.





Z5REOI

Oval Cylinder Escutcheon* to suit 1000 or 3000 series mortice locks.

SC

5/10 years



Z5REO

External oval Cylinder Escutcheon* to suit the 3000 series mortice locks. For use with Z5RTB and Z5REOI.

- Through fixing for
 Double cylinder function
 Single cylinder and turnbutton function

CP SC



Z5R Series Accessories continued









Z5REEU

Euro Profile Cylinder Escutcheon* to suit 755 series mortice locks

SC



Z5RERI

Emergency Release Indicator Escutcheon. Red for engaged, green for vacant.

CP SC

5/10 years



Z5RTL*

Interior Disabled Access Turnbutton Escutcheon

CP SC

5/10 years



* old version of Z5RTL is shown – newer version with slight modification will be supplied

Z5RTB

Interior Turnbutton Escutcheon

CP SC

5/10 years

U

Z5S Series Levers on 58mm Square Backplates

- Contemporary range of levers on square backplates (58mm by 58mm).
- Concealed fixing.
- To suit 32mm-48mm thick doors.*
- Choose from passage leverset or dummy lever options.
- Non-handed to suit left or right-handed doors.
 Note: Viva dummy lever is handed.
- For use with 3000 or 755 series mortice locks for exterior doors and with 480 or 980 series tubular latches for interior doors.
- Universal fixing method:
 four 9mm holes and one 35mm hole when
 used with a 480/980 series tubular latch.
- Can be used on fire doors.

Brass Lever/Alloy Backplate








Z 5S1	3
Linear	Lever on Square Backplate
СР	sc
Ť	D3
0	5/10 years
V	



Z5S	50
Presi	ident Lever on Square Backplate
СР	SC
Ť	D3
0	5/10 years
E	0







Z5S Series Levers on 58mm Square Backplates continued

Alloy Lever/Alloy Rose





Radius Lever on Square Backplate

Z5S44

CP SC

D3







Z 5S6	55
Senat	or Lever on Square Backplate
CP	SC
Ť	D3
0	5/10 years
V	











Alloy Lever/Alloy Rose









255	74
Inca	Lever on Square Backplate

New lever design

CP SC

D3

5/10 years

0



Z5S78

Metro Lever on Square Backplate


• New lever design

CP SC

D3

5/10 years

O



Z5S76

Urban Lever on Square Backplate

New lever design

CP SC

D3

....

5/10 years



Z5S82

Viva Lever on Square Backplate

New lever design

CP SC

5/10 years

E 1



Z5S Series Accessories

Privacy Adaptor

Square Cylinder, Turnbutton and **Emergency Release 58mm Escutcheons**









Z5SPA

Privacy Adaptor with Linear Leverset



5/10 years



Concealed fixing.

- Internal locking, panic
- release from the inside and emergency access from the outside.
- Requires a 44mm diameter hole through door face.
- Suits Z5S series leversets. Will not suit B6R, Z6R, Z5R, S5R and S5S.

Z5SEOI

Oval Cylinder Escutcheon* to suit 3000 Series Mortice Locks



5/10 years



Z5SEO

External Oval Cylinder Escutcheon* to suit 3000 series Mortice Locks. For use with Z5STB and Z5SOE

CP SC



5/10 years

U

Z5SEEU

Euro Profile Cylinder Escutcheon* to suit 755 series Mortice Lock







Z5SERI

Emergency Release Indicator Escutcheon. Red for engaged, green for vacant

CP SC

0

5/10 years

U

Z5STB

Interior Turnbutton Escutcheon

CP SC

5,

5/10 years

U

Z5STL*

Interior Disabled Access Turnbutton Escutcheon

CP SC

5/10 years

Ė

* old version of Z5STL is shown – newer version with slight modification will be supplied

Z5S Series Accessories continued

Auxiliary Privacy Set

Sliding Bolt Set





Specify Z5SPSI for privacy set with "Emergency" release indicator escutcheon. Red for engaged, green for vacant - can also be used as an indicator bolt.



Specify Z5SPSIDA for disabled access privacy set with "Emergency" release indicator escutcheon.







External emergency indicator escutcheon.



Specify Z5SSIBDA for disabled access privacy set with "Emergency" release indicator escutcheon.



* old version of Z5STL is shown newer version with slight modification will be supplied

- Normally installed above passage leverset to add privacy locking to internal doors.
- Incorporates privacy bolt, internal turnbutton and external emergency release escutcheon.
- Concealed fixing.
- 60mm backset.
- Suits a 25mm diameter hole through door face.
- For doors 35mm to 45mm thick.
- **Z5SPSI, Z5SPSIDA**

Auxiliary Privacy Set

CP SC







*only applies to Z5SPSIDA

- Suits sliding doors.
- Incorporates latch, internal turnbutton and external emergency release escutcheon – shows red for engaged and green for vacant.
- Concealed fixing.
- 60mm backset.
- Suits a 35mm diameter hole through door face.
- For doors 35mm to 45mm thick.
- Not able to be recessed into cavity door pocket.

Z5SSIB, Z5SSIBDA

Sliding Bolt Set

CP SC





*only applies to Z5SSIBDA

S5R Series Stainless Steel Levers on 55mm Round Rosettes

- Stainless Steel for higher corrosion resistance.
- Fashionable lever designs with concealed fixing.
- Non-handed to suit left or right-handed doors.
- For doors 32mm to 48mm thick.*
- For use with 3000 and 755 series mortice locks for exterior doors and with 480 or 980 series tubular latches for interior doors.
- New improved fixing method and holes sizes. Fixing method same for all: four 9mm holes and one 35mm hole when used with a 480/980 series tubular latch.


Stainless Steel Levers - Premium quality design options










S5R2	20
	_ever on Round Rosette
• Soli	d lever
SS	PS
Ť	D3
0	5/10 years
U	



S5R	27			
Pelor	Peloris Lever on Round Rosette			
• Sol	Solid lever			
SS				
Ť	D3			
0	5/10 years			
U				







S5R Series Stainless Steel Levers on 55mm Round Rosettes continued

S5R Series Accessories

Privacy Adaptor


Tubular Stainless Steel Levers - Economical tubular design options.







S5R2	21
Metax	Lever on Round Rosette
SS	
Ť	D3
0	5/10 years
O	



S5R2	1	
Asgar	Lever on Round Rosette	
SS		
Ť	D3	
0	5/10 years	
V		



S5RP	A	
Privac	Adaptor with Asgard Leverset	
SS		
0	5/10 years	

- Economical and clever way to add privacy locking to the S5R series stainless steel leversets.
- Innovative one piece design installed to the inside of the door.
- Internal locking, panic release from the inside and emergency access from the outside.
- Suits the S5R series stainless steel leversets and will not suit the B6R, S5S, Z6R and Z5S series door furniture or 300 series door furniture. Not suitable for Z5R.
- Concealed fixing.
- Requires a 44mm diameter hole through door face.

Round Cylinder, Turnbutton and Emergency Release Escutcheons

- Concealed fixing.
- Coordinates with the S5R series levers when used in conjunction with mortice locks.
- 55mm diameter x 12mm thick.







S5REO

- External oval cylinder escutcheon* to suit 3000 series mortice locks.
- For use with S5RTB and S5REOI.

- Through fixing for
 Double cylinder function
 Single cylinder and turnbutton function.

SS PS



5/10 years



S5REOI

Oval Cylinder Escutcheon* to suit 1000 or 3000 series Mortice Locks

SS PS



5/10 years



S5REEU

Euro Cylinder Escutcheon*

SS



S5R Series Accessories continued

Round Cylinder, Turnbutton and Emergency Release Escutcheons





S5RTB							
 Interior Turnbutton Escutcheon							
SS	PS						
0	5/10 years						
V							

S5R	ER
Emer	gency Release Escutcheon
SS	PS
0	5/10 years
U	

Auxiliary Privacy Set

Sliding Bolt Set





External emergency release escutcheon





External emergency release escutcheon

Auxiliary Privacy Set

SS PS



5/10 years

- Normally installed above passage leverset to add privacy locking to internal doors.
- 55mm diameter rosettes to complement the S5R series levers.
- Incorporates privacy bolt, internal turnbutton escutcheon and external emergency release escutcheon.
- Concealed fixing.
- Suits a 25mm diameter hole through door face.
- For doors 35mm to 45mm thick.
- 60mm backset.

Note: Faceplate and strike plate are finished in Satin Chrome

S5RSB

Sliding Bolt Set

SS PS



5/10 years

- Suits sliding doors.
- 55mm diameter rosettes to complement the S5R series stainless steel levers.
- Incorporates latch, internal turnbutton escutcheon and emergency release escutcheon.
- Concealed fixing.
- Suits a 35mm diameter hole through door face.
- For doors 35mm to 45mm thick.
- 60mm backset.
- Not able to be recessed into sliding door pocket.

Note: Faceplate and strike plate are finished in Satin Chrome

S5S Series Stainless Steel Levers on 58mm Square Backplates

- Stainless Steel for higher corrosion resistance.
- Fashionable lever designs on square backplates (58mm x 58mm) with concealed fixing.
- Non-handed to suit left or right-handed doors.
- For doors 32mm to 48mm thick.**
- For use with 3000 or 755 series mortice locks for exterior doors and with 480 or 980 series tubular latches for interior doors.
- New universal fixing method- one 35mm hole and four 9mm holes when used with a tubular latch.


Stainless Steel Levers - Premium quality design options










S55	220	
	Lever on Square Backplate Ilid lever	
SS	PS	
Ť	D3	
0	5/10 years	
O		



S5S2	27
	s Lever on Square Backplate d lever
SS	
Ť	D3
0	5/10 years
U	







S5S Series Accessories

Privacy Adaptor


Tubular Stainless Steel Levers - Economical tubular design options







S5S2	21
Metax	Lever on Square Backplate
SS	
Ť	D3
0	5/10 years
O	



S5	iS24
As	gard Lever on Square Backplate
SS	5
1	D3
•	5/10 years
V]



S5SF	PA			
Privacy Adaptor with Metax Leverset				
SS	PS			
0	5/10 years			

- Economical and clever way to add privacy locking to the S5S series stainless steel leversets.
- Innovative one piece design installed to the inside of the door.
- Internal locking, panic release from the inside and emergency access from the outside.
- Suits the S5S series stainless steel leversets and will not suit the B6R, Z5R, Z5S, Z6R, S5R series door furniture or 300 series door furniture.
- Concealed fixing.
- Requires a 44mm diameter hole through door face.

S5S Series Accessories continued

Square Cylinder, Turnbutton and **Emergency Release Escutcheons**

- Concealed fixing.
- Coordinates with the S5S levers when used in conjunction with mortice locks.
- 58mm diameter x 12mm thick.







S5SEO

- External oval cylinder escutcheon* to suit 3000 series mortice lock.
- For use with S5STB and S5SEOI.

- Through fixing for
 Double cylinder function
 Single cylinder and turnbutton function.

SS PS

5/10 years



S5SEOI

Oval Cylinder Escutcheon* to suit 1000 or 3000 series Mortice Locks

SS PS

5/10 years



S5SEEU

Euro Cylinder Escutcheon*

PS SS





S5STB Interior Turnbutton Escutcheon SS PS S5SER Emergency Release Escutcheon SS PS SS PS 5/10 years 5/10 years

S5S Series Accessories continued

Auxiliary Privacy Set

Sliding Bolt Set





External emergency release escutcheon





External emergency release escutcheon

S5SPSI

Auxiliary Privacy Set

SS PS



5/10 years

- Normally installed above passage leverset to add privacy locking to internal doors.
- 58mm square backplates to complement the S5S series levers.
- Incorporates privacy bolt, internal turnbutton escutcheon and external emergency release escutcheon.
- Concealed fixing.
- Suits a 25mm diameter hole through door face.
- For doors 35mm to 45mm thick.
- 60mm backset.

Note: Faceplate and strike plate are finished in Satin Chrome

S5SSIB

Sliding Bolt Set

SS PS



5/10 years

- Suits sliding doors.
- 58mm square backplates to complement the S5S series stainless steel levers.
- Incorporates latch, internal turnbutton escutcheon and emergency release escutcheon.
- Concealed fixing.
- Suits a 35mm diameter hole through door face.
- For doors 35mm to 45mm thick.
- 60mm backset.
- Not able to be recessed into sliding door pocket.

Note: Faceplate and strike plate are finished in Satin Chrome

7000W Series Brass Levers on Brass Long Plates

- A selection of levers on tapered brass long plate furniture.
- Brass backplate with brass lever.
- Furniture backplate (W for wide plate) – 220mm x 50mm x 15mm.
- Various options available to suit 3000 series mortice locks and latches.
- Exterior plate with lever and cylinder hole.
- Interior plate with lever and cylinder hole.
- Exterior plate with lever and emergency release.
- Exterior plate with lever, indicator and emergency release.
- Interior plate with lever and turnbutton.
- Exterior plate with lever.
- Interior plate with lever.
- Exterior plate-plain.
- Interior plate-plain.
- Can be used on fire doors.

Brass Lever/Brass Plate











7111	W				
Exterior Plate, Cylinder Hole & D Lever					
СР	SC				
Ť	D3				
0	5/10 years				
E	•				







7000W Series Brass Levers on Brass Long Plates continued

7000W Series Levers on Brass Long Plates

Brass Lever/Brass Plate Alloy Lever/Brass Plate 7144W 7145W 7161W 7150W Exterior Plate, Cylinder Hole & President Lever Exterior Plate, Cylinder Hole & Crescent Lever Exterior Plate, Cylinder Hole & Aero Lever Exterior Plate, Cylinder Hole & Radius Lever СР SC SC СР SC PS D3 D3 D3 D3 5/10 years 5/10 years 5/10 years 5/10 years U U U U

7000N Series Levers on Brass Narrow Stile Long Plates

- A selection of levers on narrow stile tapered brass long plate furniture.
- Brass backplate, brass/alloy levers.
- Furniture backplate (N for narrow plate) 220mm x 25mm x 15mm.
- Various options available to suit 3000 series and 2000 series mortice locks and latches.
- Exterior plate with lever and cylinder hole.
- Interior plate with lever and cylinder hole.
- Exterior plate with lever and emergency release.
- Interior plate with lever and turnbutton.
- Exterior plate with lever plain.
- Interior plate with lever plain.
- Exterior plate plain.
- Interior plate plain.
- Levers shown are those that suit the 2400, 2500 and 2600 series 23mm backset mortice locks.

Brass Lever/Brass Plate



Alloy Lever/Brass Plate



Exterior Plate, Cylinder Hole & D Lever						
СР	sc					
†	D3					
0	5/10 years					



7111N








Pull Handles

Gainsborough's range of pull handles are designed to fully complement other architectural products in the range.



Pull Handle Sets

- Shown below are examples of Linear, Horizon and Senator pull handles combined with matching leverset, 755 series mortice lock and key escutcheons to suit exterior door applications.
- Door is opened from exterior by retracting latchbolt with key; or from interior by retracting latchbolt with lever. Operate key to throw deadbolt. (Part numbers for pull handle sets are detailed.)

Back to Back Pull Handle Set



Horizon Pull Handle Set

9648PHSET370

Contents:

- 9648PH370 Horizon 370mm Pull Handle
- Z5R48
 Horizon Leverset on 55mm
 Round Rosettes (inside of door)
- 755SC60 Mortice Lock
- Z5REEU Key Escutcheons (2)

SS PS



5/10 years



Linear Pull Handle Set

9613PHSET370

Contents:

- 9613PH370 Linear 330mm Pull Handle
- Z5R13 Linear Leverset on 55mm Round Rosettes (inside door)
- 755SC60 Mortice Lock
- Z5REEU Key Escutcheons (2)

CP SC



5/10 years



Senator Pull Handle Set

9963PHSET370

Contents:

- 9963PH370
 Senator 370mm Pull Handle
- Z5S65 Senator Leverset on 58mm Square Backplates (inside of door)
- 755SC60 Mortice Lock
- Z5SEEU Key Escutcheons (2)

CP SC



5/10 years



Horizon Back To Back Set

9648BBSET370

Contents:

- 9648PH370 Horizon 370mm Pull Handle x 2
- 775SC60 Mortice Lock
- Z5REEU Key Escutcheons (2)
- PT775/SPEIL SSS
- PT775/SPEIR SSS

CP SC



- The Horizon pull handle design is also available as a back to back pull handle set with roller bolt mortice lock and accessories.
- The Horizon pull handle set features two 370mm length Horizon pull handles, roller bolt mortice lock, two key escutcheons and accessories. Please refer to detail above.

Pull Handle Sets

- Gainsborough now offers an even broader range of pull handles, with the introduction of the 9200 series 600mm Grade 316 Stainless Steel Pull Handles.
- Choose from an impressive array of handles, including the Horizon, Curved, Styled, and Oblong designs, all 600mm in length.
- Featuring 316 grade stainless steel for higher corrosion resistance and durability, each product comprises a single pull handle with all the relevant screws and accessories for single fix-visible; or single fix-concealed; or back to back fixing. Note: For back to back fixing, please order 2 handles.







600mm Horizon Pull Handle

9248PH600

- Includes: screws for single fix – visible; single fix – concealed; or back to back fixing* (order 2 units for back to back fixing)
- 450mm length centre to centre.
- 600mm length end to end.
- 25mm diameter.
- 70mm stand off from door face.

SS



5/10 years

600mm Oblong Pull Handle

9266PH600

- Includes:
- screws for single fix visible; single fix concealed; or back to back fixing* (order 2 units for back to back fixing)
- 580mm length centre to centre.
- 600mm length end to end.
- 40mm wide; 20mm deep.
- 65mm stand off from door face.

SS



5/10 years

600mm Styled Pull Handle, left-handed

9281PHL600

- Includes:
- screws for single fix visible; single fix concealed; or back to back fixing* (order 2 units for back to back fixing 1 left-handed, 1 right-handed)
- 450mm length centre to centre.
- 600mm length end to end.
- 25mm diameter.
- 70mm stand off from door face.

SS





600mm Styled Pull Handle, right-handed

9281PHR600

- Includes: screws for single fix – visible; single fix – concealed; or back to back fixing* (order 2 units for back to back fixing – 1 left-handed, 1 right-handed)
- 450mm length centre to centre.
- 600mm length end to end.
- 25mm diameter.
- 70mm stand off from door face.

SS



5/10 years

600mm Curved Pull Handle

9282PH600

- Includes screws for single fix –
 visible; single fix concealed;
 or back to back fixing* (order 2 units for back to back fixing)
- 3000mm length centre to centre.
- 600mm length end to end.
- 25mm diameter.
- 90mm stand off from door face.


SS



750mm Pull Handles

- Gainsborough now offers a selection of 750mm stainless steel pull handle options to meet the needs of today's residential and commercial building requirements.
- Choose from the 750mm length Horizon pull handle or the Oblong pull handle design.
- Featuring 316 grade stainless steel for higher corrosion resistance and durability, each product comprises a single pull handle with all the relevant screws and accessories for single fix-visible; or single fix-concealed; or back to back fixing.

Note: For back to back fixing, please order 2 handles.



750mm Horizon Pull Handle

9248PH750

- 540mm length centre to centre.
- 750mm length end to end.
- 25mm diameter.
- 65mm stand off from door face.

SS



5/10 years

750mm Oblong Pull Handle

9266PH750

- 729mm length centre to centre.
- 750mm length end to end.
- 40mm wide, 20mm deep.
- 65mm stand off from door face.

SS



750mm Pull Handle Sets

- The Gainsborough 750mm Horizon pull handle set includes the 750mm Horizon back to back pull handles complete with roller bolt mortice lock, key escutcheons and left and righthanded extended strike plates. The extended strike plates are included as an accessory for pivot door applications.
- (Standard left and right-handed strike plates are also included with the 775 roller bolt).
- Suits 35mm-50mm thick doors.
- Double or single acting function.
- Concealed fix back to back.
- Roller bolt holds door closed but not locked.
- Lock or unlock deadbolt with key from inside or outside.

750mm Horizon pull handle set is available in Stainless Steel only, however the 775SC60 Roller Bolt mortice lock is finished in Satin Chrome, as



750mm Pull Handle Set

9248BBSET750

Contents:

• 9248PHBB750

750mm Horizon Pull Handles (2) – back to back

Roller Bolt Mortice Lock with standard left or right-handed strike plates

• Z5REEU

Key Escutcheons (2)

• PT775/SPE1L

Extended Strike Plate - left-handed

• PT775/SPE1R

Extended Strike Plate
- right-handed

SS





Cabinet Handles and Knobs

Gainsborough's range of cabinet hardware is designed to fully complement other architectural products in the range.



Cabinet Handles and Knobs

 A distinctive styled range of cabinet handles and knobs in satin stainless steel 304 grade. Complementing levers of the leading designs in Gainsborough's lever handles - Z6R and Z5R series.

Handles





Arc Style 6533 274mm L (240mm C-C) 10mm Dia. Bow SSS



5 years

President Style

6513 (240mm C-C)

252mm L x 12mm Square x 35mm H

SSS

5 years

Senator Style


6522 150mm L (140mm C-C) **6523** 250mm L (240mm C-C)

20mm W x 10mm Thick Oblong x 35mm H

SSS



Cabinet Handles and Knobs



Knobs







1	Notch	ed	Style			
	6572 25mm Diameter 6573 30mm Diameter					
5	SS					
(D	5	years			



Squa	are	Style	
6593	25n	ım Diameter square	
SS			
0	5	years	



Door Closers

Gainsborough's range of surface mounted door closers are designed to meet the needs of residential and commercial applications.



3000 Series Hydraulic Door Closers

- Range of surface mounted hydraulic door closers.
- Suitable for interior and exterior timber or metal door installations.
- Adjustable arm and bracket, backcheck, independent latching and closing speed adjustment valves.
- Parallel arm bracket is supplied as standard.
- Slide arm version and optional cover plates are available to complement the 3063, 3101 and 3205 series door closers.
- 3003ABC, 3063, 3101 and 3205 series have adjustable backcheck valve as standard.



3003ABC

Slimline Hydraulic Door Closer without Cover Plate

- Hold open.
- Size 3 closer.
- Suits 25kg-65kg doors.



5/10 years





3063

Slimline Hydraulic Door Closer without Cover Plate

- Hold open.
- Size 3 closer.
- Suits 40kg-65kg doors.



5/10 years





3101

Hydraulic Door Closer without Cover Plate

- Hold open.
- Delayed action.
- Suits 40kg-120kg doors.





3000 Series Hydraulic Door Closers continued







3205

Hydraulic Door Closer without Cover Plate

- Hold open.
- Delayed action.
- Suits 40kg-120kg doors.



5/10 years



3063SS

Slimline Hydraulic Door Closer with Cover Plate

- Hold open.
- Size 3 closer.
- Suits 40kg-65kg doors.

s ss



5/10 years



3101PS

Hydraulic Door Closer with Cover Plate

- Hold open.
- Delayed action.
- Size 2-4 closer.
- Suits 25kg-70kg doors.

PS SS











3205SS

Hydraulic Door Closer with Cover Plate

- Hold open.
- Delayed action.
- Size 2-5 closer.
- Suits 40kg-120kg doors.

PS SS



5/10 years



3101SR, 3063SR*, 3205SR

Hydraulic Door Closer with Slide Arm Function

PS SS



5/10 years





* Slide arm channel & arm are silver finish only.



Auxiliary Hardware

Gainsborough offers a complete range of architectural door hardware to fully complement other architectural products offered in the range.



Brass Padlocks

- Designed to fully complement other architectural products.
- Extensive range in a variety of sizes and finishes.

Hinges

 Quality architectural hinges to suit commercial and upper residential building requirements.

400 Series Brass Padlocks



445 Series

45mm Brass Padlock

Brass padlocks, latching action. shackle locking type (key can be removed when unlocked).

450 Series

50mm Brass Padlock

Brass padlocks, deadlock action. Key locking type (key cannot be removed in unlocked position).

- 45mm and 50mm padlocks.
- Shackle or key locking types.
- Brass and steel materials.
- 6 pin cylinder security.
- Hardened steel shackles are available in 19mm, 38mm, 48mm and 90mm sizes.

Broad Butt Hinges



GA1075FCLSS

- Fixed pin also available.
- Available in sizes:
 100 x 75 x 2.5mm and
 100 x 100 x 2.5mm
- Stainless steel flat capped 2.5 broad butt hinge, loose pin.
- Other products available in above sizes.
- Stainless steel flat capped bearing hinge, fixed pin only.
- Satin chrome and chrome plated steel flat capped, loose pin or fixed pin.
- Satin chrome plated steel flat capped bearing hinge, fixed pin only.
- Extruded brass, polished brass finish, loose pin or fixed pin (Also available in 100 x 75 x 2.0mm).
- Broad butt hinge in size 100 x 75 x 1.5mm.
- Stainless steel and polished stainless steel medium duty, loose pin or fixed pin.

Quick Fix Hinge



GA1070BBQFSS

- Suits aluminium door fixing.
- Stainless steel flat capped 2.5 bearing quick fix hinge, fixed pin.

Lift-off Hinge



GA1075FCLOSSL

Left-handed.

GA1075FCLOSSR

- Right-handed.
- 100 x 75 x 2.0mm.
- Stainless steel flat capped 2.0 lift-off hinge.

D-Pull Handles









6401

D-Pull Handle

• 100 x 10mm (other sizes available).

PS SS

5 years

6413

D-Pull Back to Back Handle

• 150 x 16mm.

SS

0

5 years

6400VF

Visible Fix Rose

• 50 x 2mm.

• Suits D-Pull handles 6403-6406.

s ss

5/10 years

6420/02

Pull Handle on Plate, Visible Fix with Countersunk Holes

• Plate size: 250 x 65 x 1.8mm.

• Handle size: 150 x 12mm (other sizes available).

SS



Push Plates









6450/04SSOPL

Pull Handle on Plate, Visible Fix with Countersunk Holes

- Plate size: 300 x 100 x 1.8mm.
- Handle size: 200 X 16mm (other sizes available).

SS



5 years

6420

Push Plate, Visible Fix, with Countersunk Holes

Plate size: 250 x 65 x 1.8mm (other sizes available).

SS



5 years

6455

Push Plate, Concealed Fix with Stainless Steel Studs

 Plate size: 300 x 100 x 1.8mm (other sizes available).

SS



5 years

6450SSOPH

Push Plate, Visible Fix, with Countersunk Holes

• Plate size: 300 x 100 x 1.8mm (other sizes available).

SS



Flush Pulls

- Gainsborough offers a range of 304 grade stainless steel flush pulls to complement the S5R or the S5S series stainless steel door furniture.
- Choose from a rectangular design featuring the finger pull recess with rounded ends (96FP); or a rectangular design which offers the recess with square ends (99FP).
- All flush pulls feature
 concealed fixing with screw
 holes located within the cutout of the flush pull at top
 and bottom. Round head
 screws are also featured for
 convenience.

96FP and 99FP Series Stainless Steel Flush Pulls (304 Grade)









96FP120

Rectangular Flush Pulls with Rounded Ends

• 120mm x 50mm x 13mm.

SS

5 years

96FP150

Rectangular Flush Pulls with Rounded Ends

• 150mm x 50mm x 13mm.

SS

0

5 years

99FP120

Rectangular Flush Pulls with Rectangular Ends

• 120mm x 50mm x 13mm.

SS

5 years

99FP150

Rectangular Flush Pulls with Rectangular Ends

• 150mm x 50mm x 13mm.

SS

U

Indicator Bolts/Sets







6100

Indicator Bolt

- Surface mounted indicator bolt with staple, turn and emergency access from outside.
- Indicator 'Engaged' or 'Vacant'.

SC

6101

Indicator Bolt with Safety Release Turn External

- Surface mounted indicator bolt with staple, turn and emergency access from outside.
- Features safety release turn external. Indicator 'Engaged' or 'Vacant'.

SC

6100HOI

Indicator Set

- Surface mounted indicator bolt with door bumper staple, hold open spring hinges, door hat and coat hook and fixing bolts and nuts.
- Indicator 'Engaged' or 'Vacant'.

SC

Flush Bolts, Skeleton Bolts and Barrel Bolts



Barrel Bolts









6002

Barrel Bolt

• 100 x 10mm with 25mm projection (other sizes available).

SC CP

6010

Necked Barrel Bolt

• 150 x 10mm with 25mm projection.

SC

6009

Reverse Barrel Bolt

• 150 x 32mm x 9mm with 25mm projection.

SC CP

6000FP

Floor Plate to suit 25mm Throw Barrel Bolts

• 150 x 32mm x 9mm with 25mm projection.

PS SS SC

Hat and Coat Hooks

Floor and Wall Stops









6208

Hat and Coat Hook

• 80mm projection.

CP SC

6219

Hat and Coat Hook with Bumper

CP SC

6204

Wall Stop with Rubber Buffer

• 93mm length.

SC

5 years

6207

Wall Stop with Rubber Buffer

• 75mm length.

• Tube: 19mm diameter.

5 years

SC

0









6203

Wall Stop with Rubber Buffer

• 75mm length.

CP PB SC

5 years

6209

Extendable Wall & Floor Stop – Magnetic

• 75 to 92mm length, 38mm diameter.

SC

5 years

6211

Wall Stop – Square with Rubber Buffer

• 80mm length.

SC

0

5 years

Shown here as wall stop, special design also allows installation vertically as floor stop

6205SP

20mm Spacer

• To suit 6205 or 6206 floor stop.

SC

0 5 years

(Spacer increases height of floor stop by 20mm).

Floor and Wall Stops continued













6201					
	loor Stop				
• 50m	ım diame	ter, 44	mm hi	gh.	
CP	РВ	SC			
0	5 year	rs			















6205
New Stop
45mm diameter, 23mm high.


CP	PB	SC	
0	5 ye	ears	

6213	3
	e Floor Stop nm diameter, 25mm high.
CP	SC
0	5 years

6206					
New S	Stop with	12mm	n Rise		
• 45m	m diame	eter, 35	mm hi	gh.	
СР	РВ	SC			
0	5 yea	ırs			

6214
Wedge Floor Stop • 76.5mm diameter, 28mm high.
sc
5 years

Brass Double Ball and Roller Catches



Rim Nightlatches









6200

Rim Nightlatch with Cylinder and Escutcheon*

6200NC Rim Nightlatch without

Cylinder

PB CP SC

5/10 years

U

*Case brown finish only

6200F

Rim Nightlatch – fire-rated with Cylinder and Escutcheon

6200FNC Rim Nightlatch without Cylinder

PB CP SC

5/10 years

V

1000/CYLR

Rim Cylinder and Escutcheon

CP PB SC

5/10 years

6200/SP01

Opening Out Strike



www.gainsboroughhardware.com.au Email: ghisales@gwagroup.com.au

Tel: 13 14 18 Fax: 13 18 14

Victoria

31-33 Alfred Street BLACKBURN VIC 3130 Tel: 03 9877 1555 Fax 03 9894 1599

New South Wales

Suite 1B, 126 Taren Point Road TAREN POINT NSW 2229 Tel: (02) 9524 4855 Fax: (02) 9524 5670

South Australia

31 Lansdowne Terrace VALE PARK SA 5081
Tel: Melb (03) 9877 1555 Fax: Melb (03) 9894 1599

Tasmania

PO Box 330 BLACKBURN VIC 3130

Tel: Melb (03) 9877 1555 Fax: Melb (03) 9894 1599

Queensland

433 Logan Road STONES CORNER QLD 4120 Tel: (07) 3394 8323 Fax: (07) 3847 5444

Western Australia

12 Juna Drive MALAGA WA 6945 Tel: (08) 9241 7700 Fax: (08) 9209 2611

New Zealand

Unit 5E 269A Mt Smart Road Penrose AUCKLAND Tel: 0064 9 525 6970 Fax: 0064 9 525 6982

The Gainsborough limited guarantee, shown on the pages within, applies only when properly installed and subjected to no more than fair wear and tear.

This guarantee does not extend to labour costs, personal loss, death or injury or economic, consequential or property damage of any kind whatsoever.

Due to the nature of the printing process, colours may vary from those shown in this brochure.

Note: Measurements shown in this brochure are nominal only.

999/ARB OCT 2012