



## The ASKO way

We are aware that our environmental footprint will affect our future. It's essential that we make informed choices and take their green consequences into account. We are proud to say that commitment to the environment has traditionally been an important part of ASKO's ethos. Perhaps because the factories have always had nature on their doorstep.

Today ASKO is a leader in environmental responsibility. We do much more than make water and energy efficient appliances. Much more than having the intelligent technology that automatically selects the minimum amount of water needed.

For us it's not about how much we use, but how little we waste. By adhering to stringent manufacturing standards we keep our wastage to a minimum; in production, in use and at the end of the life cycle. In fact, all our machines are marked for recycling. This has awarded us with the ISO I 400 I Environmental Accreditation which ensures that ASKO's products are ecologically aware from the cradle to the grave.

So when you choose to purchase an ASKO appliance for its design and functions, we can promise many years of dependable service. And as your ASKO toils away, year after year, you can relax in the certain knowledge that your choice is environmentally responsible.





## Hidden Helpers

ASKO offers practical, integrated solutions in the laundry. Don't let the fact that they are hidden fool you. In fact, you are looking at your new best friends in the laundry.

The pull-out shelf with an integrated basket can be used for extra bench space or for folding and sorting garments in the shrinking laundries of modern homes.

The Hidden Helper ironing board is a simple, yet well considered solution. It's always readily available, but easy to hide away when not in use.

The spacious pedestal drawer is made of steel for durability, in true ASKO tradition. It has been designed to look seamless when matched with our washer or dryer and will not only act as a useful storage area, but also makes loading and unloading the machine simple.

Each of the ASKO Hidden Helpers is integrated with the washing machine and tumble dryer, preserving the chosen design theme. All handles have been removed in favour of a push-pull solution.









## Make it simple.

Scandinavian design is unique, with its own aesthetic expression and appearance. It is pure, simple and minimalist. It is also extremely functional and ergonomic. ASKO's new range of laundry appliances focuses on these characteristics. Being coordinated and integrated these products are simple and easy to use. The In Line control panel displays what the machine is doing, and program changes can be made by one simple turn of the control knob.

The tactile feel and durability of the control knob, communicates the quality of the product. This multifunctional single control simplifies the complexity of the machines operation.





A ASKO





## Make it disappear.

We are proud to present the world's most coordinated range of laundry appliances.

By integrating the appliances with your cabinetry the laundry will become a pleasant and harmonious environment in which to work. But it also gives you the freedom of putting your laundry appliances into any part of the home.

When buying an ASKO washing machine or tumble dryer you can choose between different doors: stainless steel, white, black or integrate the door to match your cabinetry. That's what we call flexibility.









## The age of change in the laundry.

When our designers adopted the motto 'less is more' it was the beginning of the simplicity of ASKO designs. ASKO became the first whitegoods manufacturer to apply this principle to the laundry and kitchen.

The new laundry solutions do more than offer form and function. They adhere to ASKO's core values; caring for the environment, offering you durability and Scandinavian design. In short, ASKO's laundry solutions will cater for your every need.









## W6903

Front Loading Washing Machine with concealed door.

### Models:

W6903Fi - Customize with your own door or an ASKO Door

W6903SS - TouchProof $^{\text{TM}}$  stainless steel as depicted

W6903WH - White

### Programs:

- 13 Programs

### Options:

- Pre-soak
- Anti-crease
- High water level
- Rinse: Economy, Normal, Super
- Temperature: cold or 30°- 95° C
- Temperature: cold or 30 73 C
- Spin speed: No drain, 0 2000 rpm
- Delayed start: I 24 hours

### Capacity:

- 6kg wash

### Environment:

- 4 Star Water Rating
- 4 Star Energy Rating
- All components marked for future recycling
- ISO I 400 I Envrionmentally Certified

### Technology:

- SensiSave™
- Temperature sensor
- Balance control

### Construction:

- Quattro™
- SmartSeal™ no rubber bellows
- 307mm door opening for easy access
- Stainless steel inner/outer drum
- Quiet Induction Motor
- Induction motor without carbon brushes
- ISO 9001 certified production

### Convenience:

- Logic Line Control panel with easy to use dial
- Easy to read display with all program information and status
- Program memory
- Audible end signal
- Delayed start
- Door can be opened during wash

### Safety:

- 7 Step Aqua Safety System™
- Kidsafe Controls™



## W6983

### Front Loading Washer W6983 all features the same as the W6903 except for the following

- Only available in white
- 1800 Rpm maximum spin speed
- No side opening door
- ASKO's new Heat Safe Door available on W6983

### Key Features:

### Logic Line Control

 - ASKO's simple one dial operation. A new machine can be daunting in the beginning so ASKO has simplified it by having a clear and easy to read screen combined with a durable steel control dial.

### Quattro™

 ASKO's unique construction of mounting the washer onto 4 shock absorbers which stop the machine from severe vibration or moving from its original location.

### SmartSeal™

- ASKO is the only machine not to have rubber bellows, which means no more cleaning of unsightly rubber seals. SmartSeal™ also makes the machine easier to load and unload as you don't have to drag the clothes through wet rubber bellows.

### Steel Construction

- ASKO has reduced the use of plastic in our machines in favour of more durable steel. In addition to that, we quality test everything before it leaves our factory.

### Stainless Steel inner and outer drums

 We use stainless steel on both drums quite simply because it is more durable. Secondly it is much more hygienic than plastic, which many of our competitors use.



## T793C

Sensor condenser dryer

 $\label{eq:models:T793CFI-Fully Integrated, depicted} Models: T793CFI - Fully Integrated, depicted with TouchProof TM stainless steel door T793CSS - TouchProof TM stainless steel door$ 

### T793CWH - White door

### Programs:

- Auto Extra dry
- Auto Dry
- Auto Normal dry
- Auto Iron dry
- Timed drying 5 180 min
- Airing program 5 180 min

### Options:

- Temperatures: low/normal
- Anti-crease: 60/120/180 min
- Garment cool down
- Delayed start: I 24 hours

### Capacity:

- III litre drum /6kg

### Environment:

- 2 star energy rating
- All components marked for future recycling
- ISO I 400 I Environmentally Certified

### Technology:

- SensiDry™
- Temperature sensor

### Construction:

- Butterfly™: non-stop tumbling
- Drum in Stainless steel
- Ball bearing suspension
- Double lint filter
- Cleanable fan
- ISO 9001 certified production

### Convenience:

- Display with program information and remaining time indication
- Internal light
- Audible end signal

### Safety:

- KidSafe™



## DC7181

### Drying Cabinet "The Internal Clothes Line"

Colour: White, titanium

Height: 184 cm

### Programs:

- Normal 0 4 hours
- Medium 0 4 hours
- Low 0 4 hours

### Capacity:

- Dehumidification capacity: 17.5 g/min
- Total drying length: 16 m
- Drying time, Normal, 120 min
- Airing capacity: 180 m3/h

### Environment:

- Energy consumption: Normal 0.8 kWh/kg
- Marked for recycling
- ISO 14001 certified production

### Comfort:

- Folding hangers for extra room
- Slide out hangers make loading and unloading
- Shoe rack
- Door hanger
- Glove hanger
- Variable timer up to 4 hours
- Door can be hung left or right
- I metre of venting duct included

#### Please Note:

The drying cabinet is a vented product. Please read instruction manual before building any cabinetry.

# The DuoPro<sup>TM</sup> The before and after dinner dishwasher

Imagine never having to wash up by hand again. Then think of the ASKO DuoPro $^{TM}$ .

The before and after dinner dishwasher is here. With this combination you can wash just about anything. What you can't fit in one, you can fit in the other. For instance, the predinner dishwasher has 38cm in the lower basket to take everything you used to have to wash by hand; saucepans, frying pans, large baking trays, casseroles and other large utensils.

While the after-dinner dishwasher has an extra 4cm in the top basket for your long-stemmed wine glasses and champagne flutes. Together they can take up to 22 place settings.

You couldn't wish for a better combination. And at 86cm high they complement today's trend in higher bench tops. You can also integrate the doors to match the rest of your kitchen cabinetry.

The ASKO DuoPro™ combination brings a new dimension to the kitchen.







## D3730

### D3730XL Fully Integrated

Depicted with Optional ASKO Door, can also have your own cabinetry door attached

### Programs:

- Heavy wash
- Normal wash
- Delicate wash
- Ouick wash
- Sani
- Rinse & Hold

### Programing options:

- Delayed start 0.5 -24hours
- Express
- SuperRinse™
- CoolTouch  $^{\mathrm{TM}}$
- Drying (short, normal, extra)
- 9 Temperatures:

Cold/30/40/50/55/60/65/70/75° C

### Capacity:

- XL 86cm Height
- 4cm extra height in the upper basket compared to an ASKO standard model
- 8 place settings

### Consumption, Normal Wash:

- Water: II litres
- Detergent: 25g

### FlexiRacks™

### Upper basket

- Flat basket with utensil basket

### Lower basket

- Flat basket with:

One dividable & foldable plate rack, two dividable & foldable Maxi glass holders

### Cleaning System:

- PowerZone™ Pots-and-Pans
- AquaLevel™ Sensor
- 7Spray™
- SuperCleaningSystem™

### Drying System:

- Turbo Drying

### Simplicity/Comfort:

- Read out display/LCD
- Audible end signal
- Interior Light
- Rinse-aid indicator
- Fault-tracing/fault indication
- Noise level: 46 dB(A)

### Safety:

- KidSafe™
- SteamSafe™
- AquaDetect™ Sensor
- AguaSafe™

### D3530

### D3530XL Fully Integrated

Depicted with Optional ASKO Door, can also have your own cabinetry door attached

### Program:

- Auto wash
- Heavy wash
- Normal wash
- Mix wash
- ½ Load Upper Rack
- ½ Load Lower Rack
- Delicate wash
- Quick wash
- Rinse & Hold
- Rinse & Dry

### Program options:

- Delayed start 0.5 24hours
- Express
- SuperRinse™
- CoolTouch™
- 9 Temperatures:

### Cold/30/40/45/50/55/60/70/75°C

- Drying: (short/normal/extra)

### Capacity:

- XL 86cm Height
- 4cm extra height in the upper basket compared to an ASKO standard model
- 14 place settings

### Consumption, Normal Wash:

- 4 star water rating
- 3 star energy rating
- Detergent: 25g

### FlexiRacks™

Upper basket

- Dividable cup shelf
- Foldable glass support rack
- Height-adjustable wine shelf
- Adjustable pin racks
- China guard
- Knife basket
- Knife Stop/knife stand

### Lower basket

- Foldable plate rack
- Handle
- 2 Cutlery baskets with lids

### Cleaning System:

- PowerZone™ Pots-and-Pans
- PowerZone™ Cutlery
- AguaLevel™ Sensor
- SensiClean™ Sensor
- 8Spray™

### Drying System:

- Turbo Drying
- SensiDry™ Sensor

### Simplicity/Comfort:

- Read out display/LCD
- Audible end signal
- Interior Light
- Rinse-aid indicator
- Fault-tracing/fault indication
- Noise level: 46 dB(A)

### Safety:

- SteamSafe™
- AquaDetect™ Sensor



## Hidden helpers, doors and accessories

With an individual door, your washing machine and tumble dryer blend nicely into the environment. Choose between stainless steel, white or black.



A Bar Door - Black Article no: 8080696-86



A Bar Door - White Article no: 8080696-0



TouchProof Stainless Steel Door - Article no: 8080696-91



This image shows an ASKO washer and dryer with a customer's own doors matching existing cabinetry.



Hidden Helper ironing board - White Article no: 8080708-0 Hidden Helper ironing board - Titanium Article no: 8080708-81



Hidden Helper double pull-out shelf - White Article no: 8080443-0 Hidden Helper double pull-out shelf - Titanium Article no: 8080443-81





Hidden Helper single pull-out shelf - White Article no: 8079977-0 Hidden Helper single pull-out shelf - Titanium Article no: 8079977-81



Hidden Helper pedestal drawer - White Article no: 8080701-0 Hidden Helper pedestal drawer - Stainless Article no: 8080701-91 Hidden Helper pedestal drawer - Titanium Article no: 8080701-81


## Cut-Out Dimensions for washer, dryer and drying cabinet






For built-in Drying Cabinet add 10mm to all dimensions and provide 30cm airspace above cabinet to allow for venting and ducting.

## Cabinet cut-out and door dimensions for dishwasher



## Possible Configurations and dimensions.




Laundry Board between washer and dryer 600mm width 1830mm height 600mm depth



Drying Cabinet 600mm width 1850mm height 600mm depth




Single pull-out drawer located between washer and dryer 1730 height 600mm width 600mm depth




Pedestal Drawer with washer and dryer. 1200mm width 1170mm height 600mm depth



Pedestal Drawer 600mm width 320mm height 600mm depth



Double Pull Out Shelf placed above the washer and dryer 600mm width 1000mm height 600mm depth



Washer and dryer side by side 1200mm width 850mm height 600mm depth

### Please note:

Products have height/level adjustable feet of up to 30mm.
The above dimensions are for product only allow 10mm around product.
\*ASKO stacking frame available from ASKO stockists.

## **Product Specifications**

All descriptions and dimensions in this brochure are a guide only. ASKO does not recommend their use for the manufacture or cutting of kitchen/laundry cabinetry prior to reading the installation manuals. ASKO reserves the right to vary specifications without giving prior notice. Images depicted are as close as printing limitations allow. If you have any concerns please contact ASKO on 1300 002 756.

Hidden Helpers Pull-out shelf 600mm width 150mm height 600mm depth



ASKO Appliances (Aust.) Pty. Ltd. A.B.N. 65 007 007 329

For more detailed information

www.asko.com.au phone: 1300 00 2756

35 Sunmore Close MOORABBIN VIC 3189