


# lauxes

GRATES

*For grate peace of mind...*



## **PRODUCT CATALOGUE**

[www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

# CONTENTS

About Lauxes Grates	2
What is anodised aluminium?	4
Cleaning	4
<b>NEXT GENERATION</b>	
Next Generation 14	6
Next Generation 26	8
Next Generation 35	10
<b>STANDARD</b>	
Standard Floor Grate	12
Midnight Standard Floor Grate	14
<b>WIDE</b>	
Wide Standard Floor Grate	16
Midnight Wide Standard Floor Grate	18
<b>TILE INSERT</b>	
Slimline Tile Insert	20
Midnight Slimline Tile Insert	22
Tile Insert Plus	24
<b>TRADE SECTION</b>	
How to cut grate	26
Grate specs	28
Accessories	
Pop Waste	30
End Caps, 90°/180° Joiners	32
Hole Saws	33



# About Lauxes Grates

Lauxes Grates is one of Australia and New Zealand's most exclusive designers and manufacturers of versatile linear indoor/outdoor drainage solutions.


Established in 2010 under the trading name Lauxes Products, our developers have over 20 years combined trade experience and with this knowledge have created unique and innovative products to meet Australia and New Zealand specifications.

With Head Office located on the Gold Coast, Queensland and warehouses in Western


Australia and Victoria, Lauxes Grates supplies product to over 1,200+ distributors and growing daily.

Our in-depth product knowledge and constant innovation keeps us at the forefront of the tiling industry.

All our products have been customised and developed to the highest level of WaterMark Certification in accordance with the Australian Technical Specifications WMTS.040.



BATHROOMS



BALCONIES



POOL AREAS



OUTDOOR AREAS



## What sets us apart from all the others?

- ✓ Constantly staying at the forefront of technology, innovation and introducing new products into today's market.
- ✓ We understand that square pegs do not fit into round holes, which is why we develop products designed for trade as a problem solver.
- ✓ We have designed a work culture based on structure, yet entrepreneurial in how we encourage all team members to be innovative and develop a healthy mindset. We welcome transparency and openness which is reflected through our dealings with others.
- ✓ All Lauxes Grates come with a Lifetime Rustproof Warranty giving customers peace of mind when choosing to install our product.
- ✓ Our customisable options and easy on-site installation make us a builder's choice for functionality, durability and affordability. Lauxes Grates are the number one choice for our consumers!

**Superior  
Service**

**LIFETIME**  
*Rustproof*  
**WARRANTY**

# Material

All aspects of our grates and their corresponding accessories are made of triple anodised aluminium. They can be easily cut down to size on site or joined beyond 5.6m with Lauxes joiners.

- Lifetime Guarantee: YES
- Rustproof Guarantee: YES
- Environmentally Friendly: YES



## What is Anodised Aluminium?

Anodised aluminium is an electrochemical where the surface of the aluminium and its alloys are coated to a porous aluminium oxide. Anodising is used to increase the thickness of the natural oxide layer on the surface of the metal parts. Anodising increases common erosion resistance and wear resistance, making it the second hardest substance known to man (only to be surpassed by diamond). The oxide on aluminium is naturally corrosion resistant, making it a very hard, abrasive resistant and an insulator.

## Why Anodise?

Anodising is an electrolytic process for producing thick oxide coating producing a bonded finish that resists corrosion, abrasion and exposure to high industrial, marine and other severe environments. The result of the finish can include either a clear finish or coloured anodic films which will retain




and enhance its inherent beauty of the aluminium. Its robust features and aesthetics of the anodised aluminium makes it ideal for both residential or commercial projects.

## Cleaning

Contrary to what many believe, linear floor grates are easier to maintain than regular grates. The anodised finish should be washed down on a regular basis. Soapy water is the recommended method of cleaning with mild detergents being used to wipe and remove any matter or debris caught in the drainage area. Use a nylon cleaning pad or brush to run over surface, rinse with warm water and dry with a clean cloth.

Do not use abrasive or harsh chemicals such as acidic products on the grates. Also, do not use excessive force to remove any stubborn marks.

# BE INSPIRED BY GRATE IDEAS!





ASK US TODAY ABOUT  
**LAUXES GRATES**

LEADING THE WAY WITH INNOVATIVE, VERSATILE,  
LINEAR DRAINAGE SOLUTIONS.

## NEXT GENERATION 14 (NXT14)


- 14MM DEPTH
- NO BEDDING REQUIRED
- THICK AS TILE AND GLUE
- NO TRACKING
- EASY ROLL-OUT FEATURE
- AVAILABLE IN LENGTHS UP TO 3M
- INDOOR/OUTDOOR USAGE



# NEXT GENERATION 14 (NXT14)



Size	3000 x 100 x 14
Code	LFGNXT14
Length	Up to 3m
Colour	Silk Silver

Triple anodised aluminium drainage for indoor and outdoor applications. Can be cut to desired length.



## NEXT GENERATION 26 (NXT26)


- NO TRACKING
- CHOICE OF WASTE OUTLETS
- JOINERS FOR EASY EXTENSION
- EASY ROLL-OUT FEATURE FOR CLEANING AND MAINTENANCE
- INDOOR/OUTDOOR USAGE



# NEXT GENERATION 26 (NXT26)



Size	5600 x 100 x 26
Code	LFGNXT26
Length	Up to 5.6m
Colour	Silk Silver

Triple anodised aluminium drainage for indoor and outdoor applications. Can be cut to desired length or extended with Lauxes joiners.



## NEXT GENERATION 35 (NXT35)


- PERFECT FOR LARGE FORMAT TILES
- MORE WATER FLOW THAN EVER BEFORE (DEEPEST GRATE CURRENTLY AVAILABLE)
- NO TRACKING
- INDOOR/OUTDOOR USAGE



# NEXT GENERATION 35 (NXT35)


Size	5600 x 100 x 35
Code	LFGNXT35
Length	Up to 5.6m
Colour	Silk Silver

Triple anodised aluminium drainage for indoor and outdoor applications. Can be cut to desired length or extended with Lauxes joiners.



## STANDARD FLOOR GRATE (SFG)


- CHOICE OF WASTE OUTLETS
- JOINERS AVAILABLE FOR EASY EXTENSION
- TRIPLE ANODISED FOR EASY CLEANING AND MAINTENANCE
- INDOOR/OUTDOOR USAGE



# STANDARD FLOOR GRATE (SFG)


Size	5600 x 70 x 23
Code	LCFGRATE
Length	Up to 5.6m
Colour	Silk Silver

Triple anodised aluminium drainage for indoor and outdoor applications. Can be cut to desired length or extended with Lauxes joiners.



## MIDNIGHT STANDARD FLOOR GRATE (MSFG)

- CHOICE OF WASTE OUTLETS
- TRIPLE ANODISED FOR EASY CLEANING AND MAINTENANCE
- INDOOR USE ONLY



# MIDNIGHT STANDARD FLOOR GRATE (MSFG)

Size	5600 x 70 x 23
Code	LCMFGRATE
Length	Up to 5.6m
Colour	Midnight Black

Triple anodised aluminium drainage solution for indoor applications.  
Can be cut to desired length.



## WIDE STANDARD FLOOR GRATE (WSFG)


- 100MM WIDE
- PERFECT FOR LARGE FORMAT TILES
- VERSATILITY TO CHANGE TO TOP TRAY FOR VARIETY
- INDOOR/OUTDOOR USAGE



# WIDE STANDARD FLOOR GRATE (WSFG)


Size	5600 x 100 x 26
Code	LCWFGRATE
Length	Up to 5.6m
Colour	Silk Silver

Triple anodised aluminium drainage solution for indoor applications.  
Can be cut to desired length.



## MIDNIGHT WIDE STANDARD FLOOR GRATE (MWSFG)

- 100MM WIDE
- PERFECT FOR INDOOR WET AREAS
- VERSATILITY TO CHANGE TO TOP TRAY FOR VARIETY



# MIDNIGHT WIDE STANDARD FLOOR GRATE (MWSFG)



Size	5600 x 100 x 26
Code	LCMWFGRATE
Length	Up to 5.6m
Colour	Midnight Black

Triple anodised aluminium drainage for indoor applications only.  
Can be cut to desired length or extended with Lauxes joiners.



## SLIMLINE TILE INSERT (STI)

- NO MORE VISIBLE HOLES
- EASY ROLL-OUT FEATURE
- INDOOR/OUTDOOR USE
- TAKES TILES UP TO 11MM THICK



NEW & IMPROVED  
DESIGN

# SLIMLINE TILE INSERT (STI)



Size	5600 x 100 x 26
Code	LCSTIGRATE
Length	Up to 5.6m
Colour	Silk Silver

Triple anodised aluminium drainage for indoor and outdoor applications. Can be cut to desired length or extended with Lauxes joiners.



## MIDNIGHT SLIMLINE TILE INSERT (MSTI)

- NO MORE VISIBLE HOLES
- EASY ROLL-OUT FEATURE
- CHOICE OF WASTE OUTLETS
- INDOOR USAGE ONLY
- TAKES TILES UP TO 11 MM THICK



NEW & IMPROVED  
DESIGN

# MIDNIGHT SLIMLINE TILE INSERT (MSTI)


Size	5600 x 100 x 26
Code	LCMSTIGRATE
Length	Up to 5.6m
Colour	Midnight Black

Triple anodised aluminium drainage for indoor applications only.  
Can be cut to desired length.



## TILE INSERT PLUS (TIP)

- 100MM WIDE
- PERFECT FOR LARGE FORMAT TILES SUCH AS TRAVERTINE OR STONE
- RECOMMENDED FOR OUTDOOR USAGE
- TAKES TILES UP TO 18MM THICK



# TILE INSERT PLUS (TIP)

Size	5600 x 100 x 35
Code	LFGNXT14
Length	Up to 5.6m
Colour	Silk Silver

Triple anodised aluminium drainage recommended for outdoor applications. Can be cut to desired length or extended with Lauxes joiners.




# TRADE SECTION


## How to cut a grate

Precaution should always be taken when handling a drop saw, no matter how experienced you may be. The key benefit of Lauxes linear grates is that they are easily customisable on site with a Lauxes Drop Saw. They might be loud, powerful and precise, however, please refer to the Lauxes Grates YouTube tutorial for proper use of the equipment.

Lauxes Grates recommends the use of a Lauxes TCT Hole Saw, specifically designed for multiple use when pairing with a Lauxes grate.



For complete cutting demonstrations, as well as all other tech talk and company information, visit our YouTube channel or website.





VISIT


[WWW.LAUXESGRATES.COM.AU](http://WWW.LAUXESGRATES.COM.AU)



**Standard Floor Grate (SFG)**

Size: 5600mm(l) x 70mm(w) x 23mm(d)  
 Code: LCFGRATE  
 Length: Up to 5.6m  
 Colour: Silk Silver


Triple anodised aluminium drainage recommended for indoor/outdoor applications. Can be cut to desired length.



**Standard Floor Grate Midnight (MSFG)**

Size: 5600mm(l) x 70mm(w) x 23mm(d)  
 Code: LCMFGRATE  
 Length: Up to 5.6m  
 Colour: Midnight Black


Triple anodised aluminium drainage recommended ONLY for indoor applications. Can be cut to desired length.



**Wide Standard Floor Grate (WSFG)**

Size: 5600mm(l) x 100mm(w) x 26mm(d)  
 Code: LCWFGRATE  
 Length: Up to 5.6m  
 Colour: Silk Silver


Triple anodised aluminium drainage recommended for indoor/outdoor applications. Can be cut to desired length.



**Wide Standard Floor Grate Midnight (MWSFG)**

Size: 5600mm(l) x 100mm(w) x 26mm(d)  
 Code: LCMWFGRATE  
 Length: Up to 5.6m  
 Colour: Midnight Black


Triple anodised aluminium drainage recommended ONLY for indoor applications. Can be cut to desired length.



**Tile Insert Plus (TIP)**

Size: 5600mm(l) x 100mm(w) x 35mm(d)  
 Code: LCTIGRATE  
 Length: Up to 5.6m  
 Colour: Silk Silver


Triple anodised aluminium drainage recommended for indoor/outdoor applications. Can be cut to desired length.



### Slimline Tile insert (STI)

Size: 5600mm(l) x 100mm(w) x 26mm(d)  
 Code: LCSTIGRATE  
 Length: Up to 5.6m  
 Colour: Silk Silver


Triple anodised aluminium drainage recommended for indoor/outdoor applications. Can be cut to desired length.



### Slimline Tile Insert Midnight (MSTI)

Size: 5600mm(l) x 100mm(w) x 26mm(d)  
 Code: LCMSTIGRATE  
 Length: Up to 5.6m  
 Colour: Midnight Black



Triple anodised aluminium drainage recommended ONLY for indoor applications. Can be cut to desired length.



### Next Generation 14 (NXT14)

Size: 3000mm(l) x 100mm(w) x 14mm(d)  
 Code: LFGNXT14  
 Length: Up to 3m  
 Colour: Silk Silver


Triple anodised aluminium drainage recommended for indoor/outdoor applications. Can be cut to desired length.



### Next Generation 26 (NXT26)

Size: 5600mm(l) x 100mm(w) x 26mm(d)  
 Code: LFGNXT26  
 Length: Up to 5.6m  
 Colour: Silk Silver

Triple anodised aluminium drainage recommended for indoor/outdoor applications. Can be cut to desired length.



### Next Generation 35 (NXT35)

Size: 5600mm(l) x 100mm(w) x 35mm(d)  
 Code: LFGNXT35  
 Length: Up to 5.6m  
 Colour: Silk Silver

Triple anodised aluminium drainage recommended for indoor/outdoor applications. Can be cut to desired length.



Size: 40mm  
Code: LCFGRATEW40  
Colour: Silk Silver

Ensure outlet size meets regulatory state/territory requirements before installing into application.



Size: 50mm  
Code: LCFGRATEW50  
Colour: Silk Silver

Ensure outlet size meets regulatory state/territory requirements before installing into application.



Size: 72mm  
Code: LCFGRATEW72  
Colour: Silk Silver

Ensure outlet size meets regulatory state/territory requirements before installing into application.



Size: 80mm  
Code: LCFGRATEW80  
Colour: Silk Silver

Ensure outlet size meets regulatory state/territory requirements before installing into application.



Size: 40mm  
Code: LCFGRATEW40M  
Colour: Midnight Black

Ensure outlet size meets regulatory state/territory requirements before installing into application.



Size: 50mm  
Code: LCFGRATEW50M  
Colour: Midnight Black

Ensure outlet size meets regulatory state/territory requirements before installing into application.



Size: 72mm  
Code: LCFGRATEW72M  
Colour: Midnight Black

Ensure outlet size meets regulatory state/territory requirements before installing into application.



Size: 80mm  
Code: LCFGRATEW80M  
Colour: Midnight Black

Ensure outlet size meets regulatory state/territory requirements before installing into application.

	<p>Type: End Caps (pair)                  NXT14-EC 14mm x 100mm                  Code: LCFGRATEC100-14                  Colour: Silk Silver</p>
	<p>Type: End Caps (pair)                  SFG - EC 23mm x 70mm                  Code: LCFGRATEC                  Colour: Silk Silver</p>
	<p>Type: End Caps (pair)                  STI/WSFG/NXT26 - EC 26mm x 100mm                  Code: LCFGRATE100S                  Colour: Silk Silver</p>
	<p>Type: End Caps (pair)                  TIP/NXT35-EC 35mm x 100mm                  Code: LCFGRATEC100                  Colour: Silk Silver</p>
	<p>Type: End Caps (pair)                  MSFG - EC 23mm x 70mm                  Code: LCFGRATECM                  Colour: Midnight Black</p>
	<p>Type: End Caps (pair)                  MSTI/MWSFG-EC 26mm x 100mm                  Code: LCFGRATE100SM                  Colour: Midnight Black</p>
	<p>Type: 90° Joiners (pair)                  Code: LCFJOINER90-22                  Colour: Silk Silver                  Joiners for LCFGRATE (SFG)</p>
	<p>Type: 90° Joiners (pair)                  Code: LCFJOINER90-26                  Colour: Silk Silver                  Joiners for LCSTIGRATE (STI), LCWFGRATE (WSFG) &amp; LFGNXT26 (NXT26)</p>
	<p>Type: 90° Joiners (pair)                  Code: LCFJOINER90-35                  Colour: Silk Silver                  Joiners for LCTIGRATE (TIP) &amp; LFGNXT35 (NXT35)</p>
	<p>Type: 180° Joiners (pair)                  Code: LCFJOINER180-22                  Colour: Silk Silver                  Joiners for LCFGRATE (SFG)</p>
	<p>Type: 180° Joiners (pair)                  Code: LCFJOINER180-26                  Colour: Silk Silver                  Joiners for LCSTIGRATE (STI), LCWFGRATE (WSFG) &amp; LFGNXT26 (NXT26)</p>
	<p>Type: 180° Joiners (pair)                  Code: LCFJOINER180-35                  Colour: Silk Silver                  Joiners for LCTIGRATE (TIP) &amp; LFGNXT35 (NXT35)</p>



Size: 40mm  
Code: LHSTCT40

Suitable for 40mm pop waste.

Complete assembly included - there is no requirement to purchase a separate arbor and pilot drill.



Size: 50mm  
Code: LHSTCT50

Suitable for 50mm pop waste.

Complete assembly included - there is no requirement to purchase a separate arbor and pilot drill.



Size: 72mm  
Code: LHSTCT72

Suitable for 72mm pop waste.

Complete assembly included - there is no requirement to purchase a separate arbor and pilot drill.



Size: 80mm  
Code: LHSTCT80  
Suitable for 80mm pop waste.

Complete assembly included - there is no requirement to purchase a separate arbor and pilot drill.



t: 1300 214 510

e: [admin@lauxesproducts.com.au](mailto:admin@lauxesproducts.com.au)

w: [www.lauxesgrates.com.au](http://www.lauxesgrates.com.au)

#### ADDRESS

PO Box 23, Ashmore City QLD 4214  
Warehouse locations in QLD, WA and VIC.

Follow us on social media

