

DESSO

Grezzo

CARPET TILES

Raw
textures
for refined
spaces

 **Tarkett**

DESSO® Grezzo


Celebrating the pure, untouched beauty of the world's natural rocky landscapes, this striking 100% recyclable carpet tile supports Tarkett's ongoing commitment to protect the planet's fragile natural resources.

Reminiscent of the Earth's petrous planes and flint-covered cliff faces, DESSO Grezzo comprises of 12 distinctive colourways. These range from cool concrete hues mimicking organic minerals, through to warmer earthy greens and clay-like terracotta browns.

The rugged, irregular weave forms an untamed, rock-ribbed texture, adding depth and natural movement to expansive spaces. Close up views reveal an intricately unique pattern with no two tiles the same, while from afar the tiles form a seamless appearance – perfect for creating a refined finish in a variety of workspaces.

The 50 x 50cm structured loop pile carpet tiles are easy to apply in a variety of settings and can be effortlessly combined with other flooring solutions, including Tarkett's LVT, to shape versatile design schemes.

DESSO Grezzo is Cradle to Cradle® Silver level certified and comes with DESSO EcoBase backing as standard and optional with the SoundMaster Thrive acoustic backing. The tiles are 100% recyclable.



Grezzo 8927, 9027

Inspired by the world's natural rocky landscapes



Grezzo 8927, 9027




9027



8927




Add depth with untamed, rock-ribbed textures





For a refined finish in a variety of workspaces



Grezzo 9930, 9033



9033



9930

Intricately unique pattern




Grezzo 9930, 9033



Grezzo 9930, 9106, 9024



Colour range



AB64 8904
711793005




AB64 9035
711793011



AB64 8913
711793006



AB64 9033
711793010



AB64 8927
711793007




AB64 9027
711793009



AB64 7923
711793004




AB64 7844
711793003



AB64 9930
711793013



AB64 2067
711793002



AB64 9106
711793012



AB64 9024
711793008

DESSO EcoBase®

DESSO ECOBASE BACKING

DESSO EcoBase is 100% recyclable in our own production process and contains an average of 80% recycled chalk from the local drinking water industry.* In 2015, the DESSO EcoBase backing achieved Cradle to Cradle® Gold level certification and reached Platinum level for Material Health..

* Lloyd's Register assured the EcoBase backing as 100% recyclable and the chalk as 100% pre-consumer recycled material.



Grezzo 8904, 8913, 9035, 9033

DESSO® Grezzo

Preliminary specification according to EN 1307

Type of manufacture	ISO 2424	Tufted 1/10" Structured loop pile	
Pile Fibre	ISO 2424	Solution dyed BCF PA6	
Dimensions	EN ISO 24342	50cm x 50cm / 19.68" x 19.68" (20 tiles per box)	
Primary backing	ISO 2424	Polyester fleece	
Secondary backing	ISO 2424	DESSO EcoBase®*	
Total thickness	ISO 1765	7.0 mm	0.3 inch
Effective pile thickness	ISO 1766	3.5 mm	0.14 inch
Total mass	ISO 8543	4350 g/m ²	128.4 oz/yd ²
Total pile mass	ISO 2424	650 g/m ²	19.2 oz/yd ²
Effective pile mass	ISO 8543	395 g/m ²	11.7 oz/yd ²
Pile density	ISO 8543	0.113 g/cm ³	0.0041 lb/in ³
Number of tufts	ISO 1763	1580 /dm ²	132104 /yd ²
Stroll test	ISO 6356	≤ 2.0 kV	
Vertical resistance	ISO 10965	≤ 1 x 10 ⁹ Ohm	
Classification for use	EN 1307	33 Commercial - heavy use	
Dimensional stability	EN 986	≤ 0.2 %	
Impact sound reduction ΔL _w	ISO 10140	25 dB	
Noise reduction	ISO 354	0.20 α _w	
Flammability	EN 13501-1	B _{f1} - s1 (loose laid tested)	

Preliminary specification
 DESSO Flooring products are to be installed in full accordance with the Tarkett's installation instructions and recognised trade standards. An effective, regular cleaning and maintenance programme is vital for retaining a high appearance level. DESSO Flooring products should only be used as floorcoverings. Note: Tarkett reserves the right to amend this specification without giving prior notice. For the latest versions of the technical specifications, check our internet site: www.tarkett.com




 Manufactured by:
 Fabriqué par:
 Geproduceerd door:
 Hergestellt von:
 Tarkett BV
 PO BOX 169
 NL - 5140AD Waalwijk

EN 14041
 0493-CPR-0002



* DESSO EcoBase® is a polyolefin based backing. Positively defined means: all ingredients have been assessed as either Green (optimal) or Yellow (tolerable) according to the Cradle to Cradle® assessment criteria. As described in Cradle to Cradle® Certified™ Product Standard Version 3.1. The total % of recycled content varies per product and per colour which can be found on our website: www.tarkett.com

© Tarkett, September 2020

Descriptions, colours and specifications are subject to change without notice. Tarkett is not responsible for typographical/photographical errors. Actual product may differ from illustration. All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent or other industrial or intellectual property rights. In case of doubt or differences of interpretation, the English version shall prevail over all other language versions.

Photography / post processing: Alexander van Berge
 Styling: Bregje Nix
 Thanks to:
 Armchair: www.palau.nl
 Floorlamp: www.tonone.com
 Chairs: www.vitra.com

Photo front page: Grezzo 9930, 9033

www.tarkett.com.au

