

www.premiumfloors.com.au

# **Material Safety Data Sheet**

Product Name: ARC Bamboo Flooring Issue Date: OCT 2011

Classified as non-hazardous according to the criteria of Worksafe Australia

## 1. COMPANY DETAILS

PremiumFloors Company: Address: 6 Dumic Pl

Dee Why NSW 2099

Australia

Telephone: +61 2 9982 3777 Facsimile: +61 2 9982 7680 Emergency telephone: 0418 449 259

## 2. IDENTIFICATION

Product name: ARC Bamboo flooring

Product code:

ER SPECIALS Product use: Pre-finished Bamboo floor covering

UN number. N/A DG class and subsidiary N/A

risk:

Packaging group: Hazchem code: N/A

## 2a. Ingredients

**Re-constituted Bamboo Fibres** 

**UV Cured Acrylic Coating** 

**Heat Cured Phenolic Adhesive** 

## 2b. Physical Data

Appearance: 5 colours 1850mm x 135mm x 14mm

Odour. slight. Boiling point: n/a Vapour pressure: n/a

Material Safety Data Sheet

Premium Aqua Floor Finish FAF01 - June 2008

Page 1 of 4

Vapour density (Air=1): n/a
Solubility in water. no
Specific gravity: n/a
Flash point: N/A

Flammability limits: Combustible solid

Volatile organics (VOC): Green Building council green star rated

Formaldehyde Certified Low emission E0

## 3. HEALTH HAZARD DATA

Dust mask or dust extraction should be used to minimise inhalation of wood dust.

Continued and chronic inhalation of wood dust has been linked to respiratory illness, including cancer of the respiratory system.

## 3a. Health Effects

Acute- ingestion: N/A.

Acute- eye: N/A.

Acute-skin: N/A

Acute- inhalation: Dust mask or dust extraction should be used to minimise inhalation of

wood dust.

#### 3b. First Aid

Eye: flush with water

Skin: n/a.
Ingestion: n/a.
Inhalation: n/a

First aid facilities: Eye wash facilities, soap and water.

## 3c. Advice to Doctor

Advice to doctor: Treat symptomatically.

#### 4. PRECAUTIONS FOR USE

Very Heavy Packs. Safe lifting procedures should be followed.

## 4a. Exposure Standards

Exposure guidelines: None established by the National Occupational Health and Safety

Commission for this specific product.

Engineering controls: n/a

#### 4b. Personal Protection

Respiratory protection: Use with local exhaust ventilation or while wearing dust mask

Skin protection: n/a.

Eye protection: Use safety goggles when cutting to minimise dust in eyes.

Hygiene: n/a.

Material Safety Data Sheet Page 2 of 4

Premium Aqua Floor Finish FAF01 - June 2008

## 4c. Flammability

Fire hazards: Combustible Solid

#### 5. SAFE HANDLING INFORMATION

Handling caution with heavy weights

## 5a. Storage and Transport Information -

Storage: Dry temperate conditions

Transport: Not classified as a Dangerous Good according to the Australian Code for

the Transport of Dangerous Goods by road or rail.

UN number: Unrestricted

DG class and subsidiary risk:

Packaging group: -

Hazchem code:

Poisons schedule: N/A
Shipping name: n/a

## 5b. Environmental and Disposal Information

Spills and leaks: n/a

Disposal method: Land fill, fully bio degradable

## 5c. Fire and Explosion Data

Fire & explosion hazard: Combustible solid

Extinguishing media: Water fog, carbon dioxide, foam, dry chemical, sand.

Fire fighting equipment: Under fire conditions, product generates irritating and hazardous vapours

and toxic fumes. Fire fighters should wear self-contained breathing

apparatus in addition to the protective clothing usually worn.

Hazardous reactions:

Stability: n/a

Hazardous decomposition

Products: n/a

Hazardous polymerisation: Cannot occur.

## 6. ADDITIONAL INFORMATION

Toxicology: n/a
Environmental protection: n/a

Packaging and labelling

information: n/a

7. CONTACT POINT

Premium Floors

6 Dumic PI

Dee Why NSW 2099

Ph 61 2 9982 3777

F 61 2 9982 7680

Emergency 0418 449 259

ORK & TIMBER SPECIA

All information is given in good faith without warranty.

Users are encouraged to assess the product under their own conditions and for their own application