



ACOUSTIC TILES

DESIGN FREEDOM WITH ACOUSTIC PERFORMANCE

Decorative acoustic tiles are the perfect product range for designers looking to achieve acoustic function with a quality design.

The portfolio boasts an extensive solid colour palette as well as printed, precision cut and 3D formed tiles, providing an endless stream of design configurations.

COMMERCIAL INTERIOR APPLICATIONS

Whether you're looking for floor to ceiling coverage or to create smaller design features, acoustic tiles are a stylish way to control noise in interior spaces including:

- Open-plan offices, meeting rooms and collaborative workspace
- Cafés and restaurants
- Lobby's and public spaces
- · Classrooms and music rooms

EASY INSTALLATION

Our acoustic tiles are lightweight and easy to install. Designs pattern match without the need for trimming. Tiles are either mounted using adhesive or, with our 3D tile range, installed using a sophisticated clip system.

ENVIRONMENTALLY CONSCIOUS

Most tiles in the collection are made from EchoPanel $^{\circ}$, which achieves Global GreenTag $^{\text{TM}}$ certification (Green Rate: Level A) 1 .


EchoPanel® is made using 60% post-consumer PET from single-use bottles that would otherwise end up in landfill or our oceans.

Impressively, in 2018/19, Woven Image diverted in excess of 590 tonnes of PET plastic from landfill. This equates to 17.5 million bottles.

To date, 107 million 1L PET bottles have been repurposed to produce EchoPanel® products.

For more information, full product specifications or to request a sample, please contact your local Woven Image representative, call +61 1800 888 650 or visit www.wovenimage.com

THE ECHOPANEL® PRODUCTION PROCESS




 ^1V isit Wovenimage.com for further information, or a copy of our full Environmental Product Declaration


PAGE 2 FEB-2019



ECHOPANEL® COLOUR RANGE



MURATM COLOUR RANGE



ECHO™TILE COLLECTION



IMAGE FEATURES HEX TILES IN COLOURWAYS #580, #579, #381 & #362

PRODUCT NAME: **DELTA**

OBLONG SQUARE HEX PENTA

CELLULAR PANEL

COLOURS: ALL 27 COLOURS IN THE ECHOPANEL® RANGE - SEE PAGE 4

NRC: 0.35 WITH NO AIR GAP

QUANTITY: DELTA - BOX OF 20 TILES

OBLONG - BOX OF 20 TILES
SQUARE - BOX OF 10 TILES
HEX - BOX OF 10 TILES
PENTA - BOX OF 10 TILES

CELLULAR PANEL - SOLD INDIVIDUALLY

ECHO™TILE COLLECTION




IMAGE FEATURES CELLULAR IN COLOURWAY #402 WITH PENTA #551, #362, #381 & #151


PENTA

CELLULAR

CORNER RADIUS:

25мм





CELLULAR PANELS AND PENTA TILES ARE SOLD SEPARATELY.

TILE DIMENSIONS MAY VARY +/- 2MM.
ACTUAL PRODUCT MAY VARY IN COLOUR FROM THE IMAGES SHOWN THROUGHOUT THIS BROCHURE.
PLEASE CONTACT US FOR A SAMPLE PRIOR TO ORDERING.

ECHO™TILE COLLECTION





IMAGE FEATURES OBLONG TILES IN COLOURWAY #542


DELTA

CORNER RADIUS: 5_{MM} & 2.5_{MM}




OBLONG

CORNER RADIUS:




SQUARE

CORNER RADIUS:



HEX



GROOVE 45 COLLECTION



IMAGE FEATURES GROOVE 45 TILES IN COLOURWAY #551

PRODUCT NAME: GROOVE 45

COLOURS: 15 COLOURS IN THE ECHOPANEL® RANGE - SEE PAGE 4

#101 / #276 / #295 / #330 / #338 / #365 / #381 / #402 /


#442 / #444 / #454 / #500 / #551 / #542 / #908

ALSO AVAILABLE IN THE FULL ECHOPANEL® COLOUR RANGE, SUBJECT TO MINIMUM

ORDER QUANTITIES. PLEASE DISCUSS YOUR PROJECT REQUIREMENTS WITH YOUR

LOCAL WOVEN IMAGE REPRESENTATIVE.

NRC: 0.35 WITH NO AIR GAP



GROOVE 90 COLLECTION



IMAGE FEATURES GROOVE 90 TILES IN COLOURWAY #101

PRODUCT NAME: GROOVE 90

COLOURS: 15 COLOURS IN THE ECHOPANEL® RANGE - SEE PAGE 4

#101 / #276 / #295 / #330 / #338 / #365 / #381 / #402 /


#442 / #444 / #454 / #500 / #551 / #542 / #908

ALSO AVAILABLE IN THE FULL ECHOPANEL® COLOUR RANGE, SUBJECT TO

MINIMUM ORDER QUANTITIES. PLEASE DISCUSS YOUR PROJECT REQUIREMENTS

WITH YOUR LOCAL WOVEN IMAGE REPRESENTATIVE.

NRC: 0.35 WITH NO AIR GAP



BALANCE COLLECTION




IMAGE FEATURES BALANCE TILES 1300 IN COLOURWAY #365

PRODUCT NAME: BALANCE 325

BALANCE 650 BALANCE 1300

COLOURS: 10 COLOURS IN THE ECHOPANEL® RANGE - SEE PAGE 4

#101 / #325 / #330 / #365 / #402 / #442 / #468 / #542 / #550 / #908

BACKING: PRESSURE SENSITIVE ADHESIVE (PSA)

NRC: 0.65 WITH NO AIR GAP

QUANTITY: BALANCE 325 - BOX OF 16 TILES


BALANCE 650 - BOX OF 8 TILES
BALANCE 1300 - BOX OF 4 TILES

BALANCE COLLECTION




IMAGE FEATURES BALANCE TILES 325 / 650 / 1300 IN COLOURWAY #468


BALANCE 325



BALANCE 650



BALANCE 1300



KALEIDOSCOPE COLLECTION




IMAGE FEATURES KALEIDOSCOPE TILES IN COLOURWAY #201


PRODUCT NAME: KALEIDOSCOPE


COLOURS: 6

PATTERN REPEAT: ONE TILE - 550mm (+/- 2mm) x 550mm (+/- 2mm)

NRC: 0.30 WITH NO AIR GAP

QUANTITY: BOX OF 10 TILES
















276 (PEARLESCENT INK)

468

384 (PEARLESCENT INK)

201 (PEARLESCENT INK)

447

330 (PEARLESCENT INK)

TILE DIMENSIONS MAY VARY +/- 2MM.
ACTUAL PRODUCT MAY VARY IN COLOUR FROM THE IMAGES SHOWN THROUGHOUT THIS BROCHURE.
PLEASE CONTACT US FOR A SAMPLE PRIOR TO ORDERING.

BLOCK COLLECTION



IMAGE FEATURES BLOCK TILES IN COLOURWAY #384


PRODUCT NAME: **BLOCK**

COLOURS:

PATTERN REPEAT: ONE TILE - 550MM (+/- 2MM) x 550MM (+/- 2MM)

NRC: 0.30 WITH NO AIR GAP

QUANTITY: BOX OF 10 TILES
















276 (PEARLESCENTINK) 468

384 (PEARLESCENT INK) 201 (PEARLESCENT INK) 447

330 (PEARLESCENT INK)

SPLICE COLLECTION



IMAGE FEATURES SPLICE 45 TILES IN COLOURWAY #389

PRODUCT NAME: **SPLICE 45**


> **SPLICE 90 SPLICE ARC**

COLOURS:

ONE TILE - 195mm (+/- 2mm) x 195mm (+/- 2mm) PATTERN REPEAT:

NRC: 0.45 WITH NO AIR GAP

QUANTITY: **BOX OF 8 TILES**



SPLICE 45



389







110

906

TILE DIMENSIONS MAY VARY +/- 2MM. ACTUAL PRODUCT MAY VARY IN COLOUR FROM THE IMAGES SHOWN THROUGHOUT THIS BROCHURE. PLEASE CONTACT US FOR A SAMPLE PRIOR TO ORDERING.



IMAGE FEATURES SPLICE 90 TILES IN COLOURWAY #548

SPLICE ARC











SPLICE 90











110

VEE COLLECTION



IMAGE FEATURES VEE TILES IN COLOURWAY #338

PRODUCT NAME: VEE

COLOURS: 15 COLOURS IN THE ECHOPANEL® RANGE - SEE PAGE 4

#101 / #276 / #295 / #330 / #338 / #365 / #381 / #402 /


#442 / #444 / #454 / #500 / #551 / #542 / #908

ALSO AVAILABLE IN THE FULL ECHOPANEL® COLOUR RANGE, SUBJECT TO MINIMUM

ORDER QUANTITIES. PLEASE DISCUSS YOUR PROJECT REQUIREMENTS WITH YOUR

LOCAL WOVEN IMAGE REPRESENTATIVE.

NRC: 0.35 WITH NO AIR GAP



MUSE TILE COLLECTION




IMAGE FEATURES MUSE TILES IN COLOURWAYS #101, #458, #629, #577, #609 & #489

PRODUCT NAME: MUSE TILE

COLOURS: 17

NRC: 0.30 WITH NO AIR GAP





ASCENT COLLECTION




IMAGE FEATURES ASCENT TILES IN COLOURWAY #501



ASCENT TILE DIMENSIONS MAY VARY +/- 5MM.
ACTUAL PRODUCT MAY VARY IN COLOUR FROM THE IMAGES SHOWN THROUGHOUT THIS BROCHURE.
PLEASE CONTACT US FOR A SAMPLE PRIOR TO ORDERING.

DUNE COLLECTION



IMAGE FEATURES DUNE TILES IN COLOURWAY #908

PRODUCT NAME: DUNE


COLOURS: ALL COLOURS IN THE MURA™ RANGE - SEE PAGE 4

COMPONENTS: INCLUDES 16 INSTALLATION CLIPS

NRC: 0.60 WITH NO AIR GAP







WAVE COLLECTION



IMAGE FEATURES WAVE TILES IN COLOURWAY #361


PRODUCT NAME: WAVE

COLOURS: ALL COLOURS IN THE MURA™ RANGE - SEE PAGE 4

COMPONENTS: INCLUDES 16 INSTALLATION CLIPS

NRC: 0.55 WITH NO AIR GAP

QUANTITY: BOX OF 9 TILES



TILE DIMENSIONS MAY VARY +/- 2MM.
ACTUAL PRODUCT MAY VARY IN COLOUR FROM THE IMAGES SHOWN THROUGHOUT THIS BROCHURE.
PLEASE CONTACT US FOR A SAMPLE PRIOR TO ORDERING.

DIRECTION COLLECTION



IMAGE FEATURES DIRECTION TILES IN COLOURWAYS #108, #442 #551, #542 & #908

PRODUCT NAME: DIRECTION

COLOURS: 6 COLOURS IN THE ECHOPANEL® RANGE - SEE PAGE 4


#108 / #402 / #442 / #542 / #551 / #908

ALSO AVAILABLE IN THE FULL ECHOPANEL® COLOUR RANGE, SUBJECT TO

MINIMUM ORDER QUANTITIES. PLEASE DISCUSS YOUR PROJECT REQUIREMENTS

WITH YOUR LOCAL WOVEN IMAGE REPRESENTATIVE.

NRC: 0.35 WITH NO AIR GAP



PLUS COLLECTION



IMAGE FEATURES PLUS TILES IN COLOURWAY #908

PRODUCT NAME: PLUS

COLOURS: 6 COLOURS IN THE ECHOPANEL® RANGE - SEE PAGE 4


#108 / #402 / #442 / #542 / #551 / #908

ALSO AVAILABLE IN THE FULL ECHOPANEL® COLOUR RANGE, SUBJECT TO

MINIMUM ORDER QUANTITIES. PLEASE DISCUSS YOUR PROJECT REQUIREMENTS

WITH YOUR LOCAL WOVEN IMAGE REPRESENTATIVE.

NRC: 0.35 WITH NO AIR GAP





SPECIFICATIONS

PRODUCT:	ECHO™TILE COLLECTION	GROOVE 45 & GROOVE 90	BALANCE
DESIGNER:	WOVEN IMAGE	WOVEN IMAGE	WOVEN IMAGE
ORIGIN:	MADE IN AUSTRALIA	MADE IN AUSTRALIA	MADE IN AUSTRALIA
COLOURS:	27	15	10
DIMENSIONS:	SEE PAGES 6-7	550мм (+/- 2мм) х 550мм (+/- 2мм)	SEE PAGE 11
COMPOSITION:	100% PET (60% RECYCLED)	100% PET (60% RECYCLED)	100% PET (60% RECYCLED)
WEIGHT:	APPROX. 2400g/m² (+/- 10%) 3.8kg PER PANEL (CELLULAR ONLY)	APPROX. 8.5kg PER BOX	APPROX. 5.07KG PER BOX
THICKNESS:	12мм (+/- 7%)	12мм (+/- 7%)	24мм (+/- 7%)
TILES PER BOX:	CELLULAR - SOLD INDIVIDUALLY BOX OF 10 (FOR HEX, PENTA, SQUARE)	BOX OF 10	BOX OF 16 (for BALANCE 325) BOX OF 8 (for BALANCE 650) BOX OF 4 (for BALANCE 1300)
	BOX OF 20 (FOR DELTA, OBLONG)		
ADDITIONAL INFORMATION:			BALANCE TILES ARE BACKED WITH PRESSURE-SENSITIVE ADHESIVE

PERFORMANCE

COLOUR FASTNESS:	ISO 105-B02-1994 RATING: 6-7	ISO 105-B02-1994 RATING: 6-7	ISO 105-B02-1994 RATING: 6-7
FIRE TEST:	ISO 9705: GROUP 1 AS 1530.3, GB 8624 B1, BS EN 13501.1: CLASSIFICATION B-s1, d0	ISO 9705: GROUP 1 AS 1530.3, GB8624 B1 BS EN 13501.1: CLASSIFICATION B-s1, d0	ISO 9705: GROUP 1 ASTM E84 UNADHERED: CLASS 2 OR B
SOUND ABSORPTION:	AS ISO 354 - 2006 NRC VALUE: 0.35 (WITH NO AIR GAP)	AS ISO 354 - 2006 NRC VALUE: 0.35 (WITH NO AIR GAP)	AS ISO 354 - 2006 NRC VALUE: 0.65 (WITH NO AIR GAP)
VOC EMISSIONS:	ASTM D5116 RATE: LESS THAN 0.02 mg/m²/HR (7 DAYS)	ASTM D5116 RATE: LESS THAN 0.02 mg/m²/hr (7 DAYS)	ASTM D5116 RATE: LESS THAN 0.02 mg/m²/HR (7 DAYS)
ENVIRONMENTAL:	ECHOPANEL® ACHIEVES GREEN TAG CERTIFICATION GREEN RATE: LEVEL A	ECHOPANEL® ACHIEVES GREEN TAG CERTIFICATION GREEN RATE: LEVEL A	ECHOPANEL® ACHIEVES GREEN TAG CERTIFICATION GREEN RATE: LEVEL A
		_	_
	Low	Low	Low



PRODUCT:	KALEIDOSCOPE	BLOCK	SPLICE
DESIGNER:	WOVEN IMAGE - AMY SAUNDERS	WOVEN IMAGE	WOVEN IMAGE
ORIGIN:	MADE IN AUSTRALIA	MADE IN AUSTRALIA	MADE IN AUSTRALIA
COLOURS:	6	6	5
DIMENSIONS:	550мм (+/- 2мм) х 550мм (+/- 2мм)	550мм (+/- 2мм) х 550мм (+/- 2мм)	195 (+/- 2мм) х 195 мм (+/- 2мм)
COMPOSITION:	100% PET (68% RECYCLED)	100% PET (68% RECYCLED)	100% PET (60% RECYCLED)
WEIGHT:	APPROX. 7KG PER BOX	APPROX. 7KG PER BOX	APPROX. 1.13kg PER BOX
THICKNESS:	APPROX. 9MM (+/- 7%)	APPROX. 9MM (+/- 7%)	14мм (+/- 7%) 16мм (+/- 7%) COLOUR #906 ONLY
TILES PER BOX:	BOX OF 10	BOX OF 10	BOX OF 8

COLOUR FASTNESS:	ISO 105-B02-1994 RATING: 6	ISO 105-B02-1994 RATING: 6	ISO 105-B02-1994 RATING: 6-7
FIRE TEST:	AS 3837: GROUP 3 BS EN 13501.1: CLASSIFICATION C-s1,d2	AS 3837: GROUP 3 BS EN 13501.1: CLASSIFICATION C-s1,d2	AS 3837: GROUP 3 ISO 5660: GROUP 3
SOUND ABSORPTION:	AS ISO 354 - 2006 NRC VALUE: 0.30 (WITH NO AIR GAP)	AS ISO 354 - 2006 NRC VALUE: 0.30 (WITH NO AIR GAP)	AS ISO 354 - 2006 NRC VALUE: 0.45 (WITH NO AIR GAP)
VOC EMISSIONS:	ASTM D5116 RATE: LESS THAN 0.004 Mg/M²/HR (7 DAYS)	ASTM D5116 RATE: LESS THAN 0.004 mg/m²/HR (7 DAYS)	ASTM D5116 RATE: LESS THAN 0.055 Mg/M²/HR (7 DAYS)
ENVIRONMENTAL:	68% RECYCLED CONTENT	68% RECYCLED CONTENT	ECHOPANEL® ACHIEVES GREEN TAG CERTIFICATION GREEN RATE: LEVEL A
	(Invi)	(law)	(law)
	(VOC)	(LOW)	(LOW)

SPECIFICATIONS

PRODUCT:	VEE	MUSE TILE	ASCENT
DESIGNER:	WOVEN IMAGE	WOVEN IMAGE	WOVEN IMAGE
ORIGIN:	MADE IN AUSTRALIA	MADE IN AUSTRALIA	MADE IN AUSTRALIA
COLOURS:	15	17	5
DIMENSIONS:	550мм (+/- 2мм) х 550мм (+/- 2мм)	550мм (+/- 2мм) х 550мм (+/- 2мм)	500мм (+/- 2мм) х 900мм (+/- 5мм)
COMPOSITION:	100% PET (60% RECYCLED)	100% PET (68% RECYCLED)	3D-FORMED TILE: 100% PET (67% RECYCLED)
WEIGHT:	APPROX. 8.5KG PER BOX	APPROX. 7KG PER BOX	APPROX. 5KG PER BOX
THICKNESS:	12мм (+/- 7%)	APPROX 9MM (+/- 7%)	4MM (+/- 0.5MM) - MEASURED 10MM ABOVE TRIMMED EDGE. OVERALL TILE DEPTH 50MM (+/- 5MM)
TILES PER BOX:	BOX 0F 10	BOX 0F 10	BOX OF 6
ADDITIONAL INFORMATION:			INCLUDES 16 CLIPS (4x CLIP A, 8x CLIP B, 4x CLIP C) & CLIP LAYOUT TEMPLATE

PERFORMANCE

COLOUR FASTNESS:	ISO 105-B02-1994 RATING: 6-7	ISO 105-B02-1994 RATING: 6	ISO 105-B02 RATING: 6
FIRE TEST:	ISO 9705: GROUP 1 AS 1530.3, GB 8624 B1, BS EN 13501.1: CLASSIFICATION B-s1, d0	ISO 9705: GROUP 1 BS EN 13501.1: CLASSIFICATION C-s1,d2	AS 3837: GROUP 3
SOUND ABSORPTION:	AS ISO 354 - 2006 NRC VALUE: 0.35 (WITH NO AIR GAP)	AS ISO 354 - 2006 NRC VALUE: 0.30 (WITH NO AIR GAP)	AS ISO 354 - 2006 NRC VALUE: 0.70 (TILE ONLY) NRC VALUE: 0.90 (TILE + OPTIONAL INFILL)
VOC EMISSIONS:	ASTM D5116 RATE: LESS THAN 0.02 mg/m²/hr (7 DAYS)	ASTM D5116-17 RATE: LESS THAN 0.023mg/m²/HR (7 DAYS)	
ENVIRONMENTAL:	ECHOPANEL® ACHIEVES GREEN TAG CERTIFICATION GREEN RATE: LEVEL A	68% RECYCLED CONTENT	REFER TO WWW.WOVENIMAGE.COM FOR MORE INFORMATION
	Low VOC	Low VOC	



PRODUCT:	DUNE & WAVE	DIRECTION	PLUS
DESIGNER:	BANG DESIGN FOR WOVEN IMAGE	WOVEN IMAGE	WOVEN IMAGE
ORIGIN:	MADE IN AUSTRALIA	MADE IN AUSTRALIA	MADE IN AUSTRALIA
COLOURS:	16	6	6
DIMENSIONS:	500мм (+/- 2мм) х 500мм (+/- 2мм)	500мм (+/- 2мм) х 370мм (+/- 2мм)	500мм (+/- 2мм) х 500мм (+/- 2мм)
COMPOSITION:	3D-FORMED TILE: 100% PET (45% RECYCLED)	100% PET (60% RECYCLED)	100% PET (60% RECYCLED)
WEIGHT:	APPROX. 4KG PER BOX	APPROX. 3KG PER BOX	APPROX. 3.5KG PER BOX
THICKNESS:	4MM (+/- 0.5MM) - MEASURED 10MM ABOVE TRIMMED EDGE. OVERALL TILE DEPTH 50MM (+/- 2.5MM) DUNE / 60MM (+/- 2.5MM)WAVE	12мм (+/- 7%)	12мм (+/- 7%)
TILES PER BOX:	BOX OF 9	BOX OF 10	B0X 0F 10
ADDITIONAL INFORMATION:	INCLUDES 16 CLIPS (4x CLIP A, 8x CLIP B, 4x CLIP C) & CLIP LAYOUT TEMPLATE		

COLOUR FASTNESS:	ISO 105-B02-1994 RATING: 6	ISO 105-B02-1994 RATING: 6-7	ISO 105-B02-1994 RATING: 6-7
FIRE TEST:	AS 3837: GROUP 3, ASTM E84: CLASS 1, BS 476 PART 7: CLASS 2Y	ISO 9705: GROUP 1 AS 1530.3, GB8624 B1 BS EN 13501.1: CLASSIFICATION B-s1, d0	ISO 9705: GROUP 1 AS 1530.3, GB8624 B1 BS EN 13501.1: CLASSIFICATION B-s1, d0
SOUND ABSORPTION:	AS ISO 354 - 2006 NRC VALUE: 0.55 (WAVE TILE) NRC VALUE: 0.60 (DUNE TILE) NRC VALUE DEPENDS ON DESIGN CONFIGURATION	AS ISO 354 - 2006 NRC VALUE: 0.35 (WITH NO AIR GAP)	AS ISO 354 - 2006 NRC VALUE: 0.35 (WITH NO AIR GAP)
VOC EMISSIONS:	ASTM D5116 RATE: LESS THAN 0.07 mg/m²/HR (7 DAYS)	ASTM D5116 RATE: LESS THAN 0.02 Mg/M²/HR (7 DAYS)	ASTM D5116 RATE: LESS THAN 0.02 mg/m²/HR (7 DAYS)
ENVIRONMENTAL:	ACHIEVES GREEN TAG CERTIFICATION GREEN RATE: LEVEL A	ECHOPANEL® ACHIEVES GREEN TAG CERTIFICATION GREEN RATE: LEVEL A	ECHOPANEL® ACHIEVES GREEN TAG CERTIFICATION GREEN RATE: LEVEL A
	Low VOC	Low VOC	Low VOC

