

About Lauxes Grates

Lauxes Grates is one of Australia and New Zealand's most exclusive designers and manufacturers of versatile linear indoor/outdoor drainage solutions.

Established in 2010 under the trading name Lauxes Products, our developers have over 20 years combined trade experience and with this knowledge have created unique and innovative products to meet Australia and New Zealand specifications.

With Head Office located on the Gold Coast, Queensland and warehouses in Western Australia and Victoria, Lauxes Grates supplies product to over 1,200+ distributors and growing daily.

Our in-depth product knowledge and constant innovation keeps us at the forefront of the tiling industry.

All our products have been customised and developed to the highest level of WaterMark Certification in accordance with the Australian Technical Specifications WMTS.040.





What sets us apart from all the others?



Constantly staying at the forefront of technology, innovation and introducing new products into today's market.



We understand that square pegs do not fit into round holes, which is why we develop products designed for trade as a problem solver.



We have designed a work culture based on structure, yet entrepreneurial in how we encourage all team members to be innovative and develop a healthy mindset. We welcome transparency and openness which is reflected through our dealings with others.



All Lauxes Grates come with a Lifetime Rustproof Warranty giving customers peace of mind when choosing to install our product.



Our customisable options and easy on-site installation make us a builder's choice for functionality, durability and affordability. Lauxes Grates are the number one choice for our consumers!



Material

All aspects of our grates and their corresponding accessories are made of triple anodised aluminium. They can be easily cut down to size on site or joined beyond 5.6m with Lauxes joiners.

Lifetime Guarantee: YES
Rustproof Guarantee: YES
Environmentally Friendly: YES





What is Anodised Aluminium?

Anodised aluminium is an electrochemical where the surface of the aluminium and its alloys are coated to a porous aluminium oxide. Anodising is used to increase the thickness of the natural oxide layer on the surface of the metal parts. Anodising increases common erosion resistance and wear resistance, making it the second hardest substance known to man (only to be surpassed by diamond). The oxide on aluminium is naturally corrosion resistant, making it a very hard, abrasive resistant and an insulator.

Why Anodise?

Anodising is an electrolytic process for producing thick oxide coating producing a bonded finish that resists corrosion, abrasion and exposure to high industrial, marine and other severe environments. The result of the finish can include either a clear finish or coloured anodic films which will retain


and enhance its inherent beauty of the aluminium. Its robust features and aesthetics of the anodised aluminium makes it ideal for both residential or commercial projects.

Cleaning

Contrary to what many believe, linear floor grates are easier to maintain than regular grates. The anodised finish should be washed down on a regular basis. Soapy water is the recommended method of cleaning with mild detergents being used to wipe and remove any matter or debris caught in the drainage area. Use a nylon cleaning pad or brush to run over surface, rinse with warm water and dry with a clean cloth.

Do not use abrasive or harsh chemicals such as acidic products on the grates. Also, do not use excessive force to remove any stubborn marks.

BE INSPIRED BY GRATE IDEAS!




ASK US TODAY ABOUT


LAUXES GRATES


LEADING THE WAY WITH INNOVATIVE, VERSATILE, LINEAR DRAINAGE SOLUTIONS.

TILE INSERT PLUS (TIP)

- 100MM WIDE
- PERFECT FOR LARGE FORMAT TILES SUCH AS TRAVERTINE OR STONE
- RECOMMENDED FOR OUTDOOR USAGE
- TAKES TILES UP TO 18MM THICK







TILE INSERT PLUS (TIP)

Size	5600 x 100 x 35
Code	LFGNXT14
Length	Up to 5.6m
Colour	Silk Silver

Triple anodised aluminium drainage recommended for outdoor applications. Can be cut to desired length or extended with Lauxes joiners.

