



### What is Kerlite Easy

It is the only dry laying installation system without the use of adhesives, and CERTIFIED with KERLITE – superior ultra-thin porcelain slabs.



With a thickness of only 7mm or 8mm this system and highly durable porcelain stoneware flooring is perfect for interior RESIDENTIAL and LIGHT COMMERCIAL use.





# Renovate Easily and Quickly



It is now possible to renovate quickly without demolishing, because Kerlite Easy can be laid over pre-existing floors.





# **Key Project Uses**





Homes, Hotels & Resorts



Offices,
Bars &
Restaurants



Exhibition
Stands & Pop
Up Shops




Retail Stores & Commercial Fitouts

Any project requiring a quick, clean and cost effective fit out with the highest quality porcelain – be it a new build or renovation.



1





Large-sized porcelain slabs, light, resistant and reinforced with fiberglass with 140 aesthetic options to choose from.





2 Silent

SOUNDPROOFING

Soundproofing that reduces footfall noise by approx. 16 times more than ordinary adhered tiled floors.







2







Sounds as if glue fixed to substrate.

Adheres perfectly to the Kerlite fiberglass backing.

Separates Kerlite from the substrate.





Kerlite easy FLOATING FLOOR SYSTEM

3





Filler is a highly elastic and mould-resistant pure acetic silicone sealant that allows laying without expansion joints.



# The Advantages of Kerlite Easy



#### **Shock Resistant**

with superior durability because of Kerlite & Silent properties.



#### **Antimicrobial**

with PROTECT technology Kerlite guarantees a safe environment.



### Sound Absorbing

thanks to the combined action of the SILENT mat and Kerlite.



#### Safe

and compliant with strict European and American standards for flooring.



#### Stable

by combining Kerlite Plus with the unique Soundproof Matting & Sealant Filler.



### **Environmentally Green**

with the possibility to periodically replace the materials and re-use in other environments



### Waterproof

and guaranteed by combining Kerlite and the FILLER sealant.



### Removable

making it possible to create a beautiful floor solution for trade fairs and temporary shops.



### Light Weight

being only 13Kg/m2 there is less weight on existing structure.



#### Fast Installation

that is straight forward and easy to prepare and install.



### Easy To Install

using a new laying method for porcelain tiles that is simple.



#### Cost Effective


because of no demolition, no re-waterproofing and less time for installation.





## Kerlite 5 plus and 6 plus





Porcelain slabs of the highest standards in quality & performance, with excellent aesthetics thanks to exclusive surface processing technologies.



## Assembling The System

Kerlite easy FLOATING FLOOR SYSTEM



### Unroll and extend the base matt

After ensuring the subfloor is clean and level, proceed with laying the SILENT soundproofing matt on the entire floor.



### Lay the Kerlite slabs

Lay the chosen 5plus or 6plus colour Kerlite directly on the matt without the use of adhesives. Use 2mm spacers to maintain a constant space between the slabs.



### Seal the grout joints

After laying the Kerlite floor, to seal the spaces between the slabs with FILLER. Once dry, this sealant guarantees a perfect walkable and waterproof surface.





Available to view by appointment in the Rocks On Alexandria showroom