


FIBERSHIELD - Vs insulated fire curtain system

2 hour integrity and insulation protection from fire and smoke (-/120/120) with Sprinkler Drenching



1300 665 471

www.smokecontrol.com.au



Smoke Control's Full Life Cycle Service ensures that at any stage of the project – from design through to commissioning – the only company responsible is Smoke Control.

100% QUALITY

The Fibershield - Vs long span fire curtain was invented by Stoebich Brandschutz GmbH in 1997. It is the first and still the only type of long span curtain that offers a single compact head box with fire integrity and insulation ratings, truly maximising open plan designs.

The Fibershield - Vs can be fully certified to a -/120/120 FRL when drenched with sprinklers both sides (sprinkler spacing and flow rates advised post order placement)

So why the Fibershield - Vs ? While others have tried their best to copy this system, they have missed the detail. The important details, that give you value for money and an asset that will last the life of your building with no unexpected or hidden maintenance costs.



The original and the best;

- Complete system cycle tested for 10,000 maintenance free cycles
- Unbreakable side guide restraint system consisting of the unique double stitched pocket and rod.
- High quality fittings that will last the life of the product
- High quality motors tested to 50,000 fault free cycles
- High quality CE Labelled (third party certified) controllers
- Mechanical upper and lower limit settings for ease of adjustment throughout the life of the product
- Fully concealed system with quality building finishes in mind
- The worlds most experienced installation team
- Full life time conditional warranty for your asset.
- 2 hour fire integrity and insulation rating in accordance with AS1530.4

100% Customer Service



Smoke Control offers obligation free technical support throughout your design and documentation stage. We are also happy to provide obligation free pricing so that you can accurately prepare your budgets

We have also prepared a complete kit for your documentation requirements. Simply download from our web site a complete set of specifications and drawings. If you would like our drawings in DWG format, simply give our technical department a call or email your request.

We will respond the same day !

info@smokecontrol.com.au

TECHNICAL SUPPORT by qualified engineers and drafts people

**MASTER
SPECIFICATIONS**

Download

DESIGN DETAILS

Download

100% Flexibility



Built for distance, the Fibershield - V long span vertical fire curtain is tough and reliable, resisting pressures up to 100Pa (50m² system) and 50Pa (100m² system) when fully deployed

Full scale fire tested and approved to AS1530.4 & AS1905.1. Smoke (air) leakage tested to AS1530.7 for complete and reliable fire and smoke compartmentation

