



Timber

2014 / 2015



DISCOVER A WORLD YOU'D LOVE TO LIVE IN



A photograph of a person's arm leaning against a tree trunk in a lush, green forest. The background is filled with dense foliage and trees, creating a natural and serene atmosphere. The text is overlaid on the right side of the image.

Share the Passion FOR WOOD

If you want warmth and grace in your home, nothing surpasses the glory of a wood floor. You'll never tire of its exceptional beauty, and it will give you a lifetime of pleasure. Moreover, a beautiful wood floor is the ideal basis for every style and every interior.

As a dedicated flooring company, Quick-Step is delighted to bring you a line of innovative, real wood engineered flooring.

Discover



Why
CHOOSE
QUICK • STEP®
WOOD
FLOORING? 6



- 6 A FLOOR YOU WON'T HAVE TO WORRY ABOUT!
- 8 WHY CHOOSE QUICK • STEP®

10 BE INSPIRED

3 different styles, a choice for every taste and every room in your home

12 AUTHENTIC

The warmth and character displayed by these floors bring the story of real wood

18 NATURAL

Together with natural structures and materials, these floors bring the best of nature to your home

24 CHARMING

The simple elegance of this floor brings light, refinement and romance to your interior

.

Choose



30 YOUR GUIDE

We help you make a perfect choice; which dimension, structure, and design fits your home best?

34 OUR SINGLE PLANKS

Imperio and Palazzo

35 OUR PATTERN PLANKS

Variano

Start



36 OUR ACCESSORIES

38 HOW TO INSTALL YOUR QUICK • STEP® TIMBER

Your choice: glued down or floating, both made easy thanks to the Uniclic® Multifit click system

41 A PERFECTLY FINISHED FLOOR

Matching wood profiles for Australian applications

44 CLEAN, CARE AND REPAIR

NEW

A *Wood floor* YOU WON'T HAVE TO WORRY ABOUT


Quick-Step is a pioneer in innovation and quality, and knows how to create a perfectly engineered wooden floor. As wood is particularly influenced by fluctuations in temperature and humidity, it's essential that the various layers of the planks are perfectly attuned to each other. Only with a careful selection of raw materials combined with a perfect control of moisture content during the production process, optimum stability and durability of your floor can be guaranteed.

Quality IN EVERY LAYER

Quick • Step® Timber consists of 3 layers of stable, hard and durable wood with a protective finish applied in the factory!



We use recycled rubber wood (also known as Hevea) for the durable hardwood core of most of our wooden floors.



1
2
3
4



Unlike other wooden floors, there's no post installation work to your Quick-Step flooring. This means there's no sanding of the floor, no mess with dust, and no staining or coating at all.

NATURAL FINISH

Enjoy the strong natural look of the Quick-Step finishes. Discover more on the advantages of our oil and lacquer finishes on page 32.

PREFINISHED

As soon as you have installed your Quick-Step wood flooring, you'll be able to enjoy and use it. It will save you a considerable amount of time and effort! In addition, the cost of installing Quick-Step Timber compared to traditional types of timber will be significantly lower.

1. FINISHING



MATT

S.R.T. (Scratch Resistant Technology). 7 layers of UV-cured lacquer ensure maximum protection against wear, scratches and stains. It makes our timber flooring as easy to maintain as a laminate or tile floor!

OR



OIL

2 layers of quality oil create an extra matt and authentic look and age gracefully with some simple care.

2. FACE LAYER

A carefully selected, solid wood layer in a vast array of colours and structures. Our engineered planks have a nominal 4 mm top layer that can be sanded and refinished just like traditional wood flooring.

FIND OUT MORE about the different grading groups and structures on pages 32-33.

3. CORE

It's the core of our engineered wooden floors that ensures you end up with a durable and stable floor. This layer perfectly absorbs stress and strain and ensures that our product remains stable in all conditions. The balance between the hardness and the flexibility of the core material is key in ensuring a smooth click and a strong connection.

4. VENEER BACKING

Carefully dried for perfectly balanced boards.

Why

CHOOSE QUICK-STEP®



A Heart FOR NATURE

Wood is an exceptionally renewable source material for floor coverings and for many years Quick-Step has been actively doing its best to limit the environmental impact of its activities. All incoming raw materials have been carefully screened and selected in order to be sure about their ecological origin. Moreover, our lacquer meets the strictest international emission standards and we only work with efficient and durable production processes. All of this means you can simply enjoy your wood floor knowing it was made with the utmost respect for the environment.

HEVEA CORE

Originally planted for its latex production, Hevea - the core of most of our wooden flooring - is made from trees that are better known as 'rubber trees'. After 25 years, these trees no longer yield sufficient latex and are logged. In the past, farmers used to burn them, but now Quick-Step recycles and uses the wood to produce quality Quick-Step wood flooring.



For a long time already, Quick-Step has had the PEFC forest certification. This programme guarantees that all the wood and HDF used to manufacture our engineered wood is sourced from sustainably managed forests.

Passion FOR WOOD AND DESIGN

Any idea for a new wood floor needs to be in keeping with all facets of the nature of wood. Finding the perfect balance between the character of real wood, the craftsmanship of adding coloured stains, texture and high quality finishes is key to obtain a beautiful wood floor and is what we do best at Quick-Step. Our innovative mindset, even in the very traditional wood market has enabled us to create unique products like Variano: reclaimed multi-width planks.





Discover how our wood flooring is made: WATCH THE MOVIE!
www.youtube.com/quickstepfloor
 Scan this with your smartphone.



Ease OF INSTALLATION

In 1997, Quick-Step launched the first integrated no-glue click system: Uniclic®. At the moment, this click system is renowned all over the world and preferred by numerous installers. We even developed a unique drop down click system specifically for our wood flooring: Uniclic® Multifit. With this system included in every Quick-Step Timber plank, your floor can be installed quickly and easily. You can install your floor yourself or have it done by a professional.



All our Quick-Step Timber floors are labeled. This signifies that our products have met EU consumer, safety, health and environmental standards. Indeed, all our floors are tested in recognised laboratories, meet and exceed all of the minimum requirements of quality.

TOP Quality

At Quick-Step, we combine our expertise in wood and commitment to create perfect quality floors that give you a lifetime of pleasure. We carry out that concept by giving you, up to a lifetime warranty on our floors and profiles.

REAL Warranties

Any company can offer a lifetime warranty, but, more often than not, the warranty support is found to be lacking. Quick-Step doesn't just talk about giving you a lifetime warranty, we are there when you need us. With qualified representatives all over Australia, Quick-Step offers full ground support no matter where you live.

TOTAL FLOOR Solution

Not many floor specialists are able to provide the same full-service package as Quick-Step. The services we offer do not only include the floor itself, but also all of the necessary tools for a perfect installation such as profiles and maintenance products. This way, we are able to guarantee the quality of your wooden floor. On top of this, our Quick-Step store professionals will gladly provide you with valuable suggestions on how to install, finish and maintain your timber floor. Never before has a wood floor range been available with the matching profiles for all applications the Quick-Step wood range.



Authentic



NATUR

ENTER THE WORLD OF
QUICK•STEP® *inspiration*



AL



CHARMING

Enter the world of Quick-Step Timber, where we put the nature of wood in the spotlight, granting your whole interior an ageless, timeless quality beyond comparison. The unique quality of our wood floors combines well with any kind of design material, contributing to a warm and cozy atmosphere that is second to none.

WATCH OUR CAMPAIGN MOVIE
Showcasing the beauty of our
timber floors.



Authentic

Nothing can surpass the warmth and classic appearance of a long and wide oak plank. The warmth and character displayed by these floors bring the story of real wood.

CARAMEL OAK OILED | IMPERIO | IMP 1625

These oiled engineered wood floors call to mind old cottages and castles, with a flooring that has turned a lovely brown courtesy of the crackling fireplace, and owing their authentic charm, large knots and cracks included, to a series of manufacturing techniques that serve to highlight the authentic character of the floor.

NEW

Imperio

CARAMEL OAK OILED | IMPERIO | IMP 1625

The deep structure, the rustic look of the knots and cracks created by the dark filling and handsanded edges accentuate the authentic character of these large wood planks.

IMP 1625



NOUGAT OAK OILED | IMPERIO | IMP 1626

The Imperio Nougat Oak Oiled floor planks with their rustic beauty and long wide boards stand out, with its hand-sanded knots, the heavy brushing it has been given and the dark coloured knots and cracks.



PURE OAK MATT | IMPERIO | IMP1623



PURE OAK MATT | IMPERIO | IMP1623



NOUGAT OAK OILED | IMPERIO | IMP 1626

The Imperio Pure Oak Matt floor has been treated with a matt laquer to give an extra protection coat, and coloured with a very light white pigment. This lends the engineered wood floor a softer, whiter look instead of the somewhat yellow tint of a natural treated oak.



NATURAL HERITAGE OAK OILED | IMPERIO | IMP 1624

The Imperio Natural Heritage Oak Oiled also uses European white oak as its base but has been finished with a natural oil. The combination of large knots with a gentle brushing and subtle joints around the planks vouch for this floor doing an excellent job inside warm and cosy home interiors.



NATURAL HERITAGE OAK OILED | IMPERIO | IMP 1624





NATURAL

Together with natural structures and materials, these floors bring the best of nature to your home.

OLD GREY OAK MATT | PALAZZO | PAL 1346

With uncompromised depth and warmth, these oak matt floors embrace a cosiness like a favourite winter coat. Dazzling with both light and dark furnishings, this exotic grey hue in the Palazzo range recreates old charm in a contemporary space.

Palazzo



VINTAGE OAK MATT | PALAZZO | PAL 1344

The wide luscious boards in the vintage oak matt give any room a feeling of light and space, without compromising on ambience. The extraordinary detail and authentic modern charm is copied with its purity and exquisite quality.



LIMED GREY OAK | PALAZZO | PAL 1345

The new natural hue direct from the fashion houses of Europe exudes clean lines and distinctive glamour. The Limed Grey Oak sets the scene for any Australian living space to be smart and beautiful.



LIMED GREY OAK | PALAZZO | PAL 1345

Palatial by name, polished by nature - the Limed Grey Oak creates an alluring presence that demands to be noticed. Its stylish wood structure makes this flooring classic and charming at the same time.




FOSSIL OAK MATT | PALAZZO | PAL 1342

First impressions count and with the Fossil Oak Matt, its distinctive look and natural highlights ooze uniqueness and individuality. Contemporary and classic furnishings simply pop.



MOCCA OAK MATT | PALAZZO | PAL 1348



PURE OAK MATT | PALAZZO | PAL 1341

The Mocca Oak Matt epitomises a clean palette and provides a perfect foundation for a room that demands style and chic.

The new Pure Oak Matt natural hue direct from the fashion houses of Europe exudes clean lines and distinctive glamour and sets the scene for any Australian living space to be smart and beautiful.



QUICK-STEP®
FLOOR ADVISOR

Mocca tip: Not sure about the effect of a dark floor in combination with your furniture and walls?

Visit www.quick-step.com.au and try out our online floor advisor!

Upload your interior, select your favourite floor and determine which floor fits best.

Variano

NEW



CHARMING

The simple elegance of this floor brings light, refinement and romance to your interior.

ROYAL GREY OAK OILED | VARIANO | VAR 1631

It is the warm greys with a tint of brown especially, the so-called greiges, that are currently extremely popular in home interiors. Greige combines well with bright colours, but every bit as well with pastel colours, which are back in the limelight courtesy of the retro and vintage design revival.



**QUICK-STEP®
FLOOR ADVISOR**

Want to see this wood floor in **your own interior**? Visit www.quick-step.com.au and try out our online floor advisor! Upload your interior, select your favorite floor and determine which floor fits best.



PAINTED WHITE OAK OILED |
VARIANO | VAR 1629



CHAMPAGNE BRUT OAK OILED |
VARIANO | VAR 1630



ESPRESSO BLEND OAK OILED |
VARIANO | VAR 1632



VAR 1631

This floor will make your interior stand out. Each aged edge, cracked knot, saw cut structure and variation in colour and dimension tells its own story. It is utterly unique, a novelty that will add value to any kind of interior.



ESPRESSO BLEND OAK OILED | VARIANO | VAR 1632

The various finishes, lengths and widths of the wooden plank do the natural, authentic look and the mysterious dark shades of this warm, dark brown floor full justice. The oiled finish creates a cosy atmosphere in your home interior!




Variano Champagne Brut Oak Oiled brings a natural, warm feel and an extra matt aspect, same as an untreated, rough oak floor. The neutral colour is timeless and, combined with the design and the texture, makes for a fascinating whole.



PAINTED WHITE OAK OILED | VARIANO | VAR 1629

Combined with the white paint, the wood grain is subtly exposed and as a result produces an authentic reclaimed and romantic feel.



Variano
Unique planks with
a reclaimed look
and pattern.

The wood of the Variano Painted White Oak was first finished with white, after which the surface was given a gentle sanding. Doing so, the higher pieces were slightly toned down, giving them that 'worn underfoot' look. Some of the cross-joints, which hold the most white, were given an extra bout of sanding. The result is a unique combination of texture and colour shades.



Long planks, wide planks, king size planks, elegant planks, vivid patterns,... size does matter! Choose the perfect plank size with or without grooves in one of our Quick-Step ranges: A wide and extra long plank best suited for grand living rooms or a vivid pattern floor to enlarge a smaller bedroom.

SINGLE PLANKS

PATTERN PLANKS



2200 X 220 • 14 MM THICK

QUICK-STEP® IMPERIO

Extra long and extra wide planks with an authentic look.



HEVEA




1820 X 190 • 14 MM THICK

QUICK-STEP® PALAZZO

Long wide oak planks.



HEVEA



2200 X 190 • 14 MM THICK

QUICK-STEP® VARIANO

Unique planks with a reclaimed look and pattern.



HEVEA



Timber is a living product. If not properly manufactured, prepared, treated or installed, timber flooring can warp, twist or delaminate and generally behave in a manner quite contrary to your expectations.

IT'S ONLY NATURAL...

Remember that timber is a natural product so gum veins, knots and other natural features are often present, adding to the natural beauty of your timber floor. Colour variation is also to be expected and distinguishes your Quick-Step Timber as natural timber, not a manufactured imitation. While Quick-Step Timber is certainly resistant to day-to-day life in both residential or commercial applications, Quick-Step Timber is genuine timber flooring therefore proper care and maintenance is required to avoid unnecessary marking and scratching. Also remember that there is always some slight noise associated with any wood flooring systems, this is a normal part of wood flooring and may vary from time to time with the climate. More tips and tricks on page 44.

IT IS ESSENTIAL TO CREATE A HABITABLE AND TIMBER FRIENDLY INDOOR ENVIRONMENT

Timber floors should not be installed more than two weeks prior to a new dwelling being occupied and curtains, blinds and/or window tinting being installed so that the floor will experience normal 'interior' conditions. Otherwise, extreme indoor conditions may lead to cracking, shrinking, cupping or other distortion of the wood flooring. Such damage resulting from extreme conditions is not covered by warranty.

LIFETIME WARRANTY

DOMESTIC USE

Our manufacturing methods are regarded as among the finest in the world. That's why all Quick-Step Timber is sold with a Lifetime Structural Warranty and a Lifetime Domestic Warranty. It's your assurance of a naturally beautiful floor for many, many years.

Quick-Step Timber Lifetime Structural Warranty covers warping, twisting and delamination of any board in your floor as a result of manufacturing fault.

All laquered floors using the superior S.R.T. Coating is sold with a 25 Year Residential Wear Warranty covering wear through of the finished surface to raw timber.

Of course, both warranties offered are conditional on your floor being installed and maintained in accordance with our instructions. Full terms and conditions of all warranties, installation and maintenance instructions should be viewed at www.quick-step.com.au or requested from your local Quick-Step Retailer.

LIFETIME UNICLIC[®] MULTIFIT[®] WARRANTY

DOMESTIC USE

YOUR *guide*

FOR A PERFECT WOOD FLOOR

GRADING

Each tree is unique, and different parts of the same tree produce different surface textures and appearances. We have a unique grading system that's easy to understand and transparent. Our floors are sorted into 3 different categories. This is to give you a better idea of how your floor will look.



NATURE

Wood with knots. Variation in colour and structure allowed.




MARQUANT

Wood with large knots. Lively variation in colour and structure.



CHARACTER

Wood with large dark filled knots and cracks. Lively variation in colour and structure with a rustic appearance.



TYPES OF FINISHES


HIGH QUALITY *oil* FINISH

- brings out the authenticity of real wood
- gives an extra matt look
- ages gracefully
- allows fixing of micro-scratches by applying Quick-Step Oil Care
- can be renewed and repaired with Quick-Step maintenance oil
- prefinished in the factory



PROTECTIVE 7 LAYERS OF *lacquer*

- highly scratch- and wear-resistant compared to other lacquered wood floors
- dirt-repellent, the result is an easy to clean wood floor
- enlarges the resistance to water and household chemicals
- prefinished in the factory



TYPES OF STRUCTURES

NEW

BRUSHED



OLD GREY OAK MATT | PALAZZO | PAL 1346

By brushing the surface of a woodplank the natural grain structure is accentuated. Some of our floors even have a deep brushing to create an extra authentic feel.



SAWCUTS



CHAMPAGNE BRUT OAK OILED | VARIANO | VAR 1630

Feel the texture of the SAWCUTS in the wood surface, it has grandeur in this light brown Variano plank.



TIMEWORN



VINTAGE OAK MATT | PALAZZO | PAL 1344

You can sense the hand of a master-craftsman in every plank of this Vintage oak. It's what gives the floor that TIMEWORN look.



Imperio

NEW

EXTRA LONG AND EXTRA WIDE PLANKS WITH AN AUTHENTIC LOOK

LENGTH: 220 CM | WIDTH: 22 CM | THICKNESS: 14 MM | 1 BOX*: 4 PLANKS : $\pm 1.936 \text{ M}^2$ | 1 PALLET: 64 BOXES : $\pm 123.904 \text{ M}^2$ 


14mm

1820 mm x 190 mm

2200 mm x 190 mm

2200 mm x 220 mm


* max 1 split plank per pack



NEW

PURE OAK MATT
IMPERIO IMP 1623
MARQUANT

P 15



NEW

NATURAL HERITAGE OAK OILED
IMPERIO IMP 1624
MARQUANT

P 16



NEW

NOUGAT OAK OILED
IMPERIO IMP 1626
CHARACTER

P 14



NEW

CARAMEL OAK OILED
IMPERIO IMP 1625
CHARACTER

P 12

Palazzo

LONG AND WIDE OAK PLANKS

LENGTH: 182 CM | WIDTH: 19 CM | THICKNESS: 14 MM | 1 BOX* : 6 PLANKS : $\pm 2.0748 \text{ M}^2$ | 1 PALLET: 55 BOXES : $\pm 114.11 \text{ M}^2$ 


14mm

1820 mm x 190 mm

2200 mm x 190 mm

2200 mm x 220 mm


* max 1 split plank per pack



NEW

PURE OAK MATT
PALAZZO PAL 1341
NATURE


P 23



NEW


VINTAGE OAK MATT
PALAZZO PAL 1344
MARQUANT

P 19




FOSSIL OAK MATT
PALAZZO PAL 1342
NATURE

P 22




LIMED GREY OAK MATT
PALAZZO PAL 1345
MARQUANT

P 21



OLD GREY OAK MATT
PALAZZO PAL 1346
MARQUANT

P 18



MOCCA OAK MATT
PALAZZO PAL 1348
MARQUANT

P 23

Variano

NEW

UNIQUE PLANKS WITH A RECLAIMED LOOK AND PATTERN

LENGTH: 220 CM | WIDTH: 19 CM | THICKNESS: 14 MM | 1 BOX*: 6 PLANKS : $\pm 2.508 \text{ M}^2$ | 1 PALLET: 55 BOXES : $\pm 137.94 \text{ M}^2$



HEVEA

14mm

2200 mm x 190 mm

1820 mm x 190 mm

2200 mm x 220 mm

*max 1 split plank per 2 packs


NEW


PAINTED WHITE OAK OILED
VARIANO VAR 1629
MARQUANT

P 29


NEW

CHAMPAGNE BRUT OAK OILED
VARIANO VAR 1630
MARQUANT

P 27


NEW

ROYAL GREY OAK OILED
VARIANO VAR 1631
MARQUANT

P 24


NEW

ESPRESSO BLEND OAK OILED
VARIANO VAR 1632
MARQUANT

P 26



Matt lacquer



Oil



Brushed



Deep brushed



Sawcuts



Timeworn

The illustrated patterns and colours are only an image and not a full overview of all the different nuances within the natural unique design of a wood floor. For a representative view of the surface structure and variation of a plank, take a look at the big samples on display and ask your dealer for more advice.



IT'S THE *details* THAT
MAKE THE DIFFERENCE



Discover all Quick-step accessories for a perfectly finished floor. There's a solution for every situation, it's easy and you get a professional result.

WARRANTY

The use of products other than the Quick-Step accessories might cause damage to the Quick-Step floor. In such cases the guarantee provided by Quick-Step will be void. We therefore strongly recommend to use only Quick-Step accessories as these have been especially designed and tested for use with Quick-Step floor panels.

Installing A WOOD FLOOR HAS NEVER BEEN SO EASY



You can install your floor yourself or have it done by a professional, but thanks to the fantastic Uniclic® Multifit system, you can install your wood planks in a click. In contrast to most other click profiles or traditional tongue and groove profiles, your engineered wood floor can be installed fast and in all kinds of situations.

QUICK

The design of the Uniclic® Multifit system is such that the installation of long planks has never been faster and easier. Professional installers claim you can install Quick-Step wood flooring up to 30% faster than wood flooring with traditional installation methods.

EASY

Simply your planks together using the method that works best for you and there's no chance of you damaging the floor panels. Even if you want to reinstall your planks, the Uniclic® Multifit system makes it easy to lift them up and replace them when necessary.

VERSATILE

With a single Uniclic® Multifit profile, you can install your engineered wood floor anywhere using one of the 3 possible methods:



TIP

Check
www.quick-step.com.au
for an installation
demo.




No other click system can match the combination of all these advantages. That's why Quick-Step provides a lifetime warranty on the Uniclic® Multifit System.



1 TO INSTALL A LARGE AREA FAST & EASILY

METHOD 1: DROP DOWN

Click the panel in the long side, slide your floorboard towards each other on the short side and press down.



2 TO INSTALL THE FIRST ROW OF PLANKS

METHOD 2: ANGLING

Click the panels first on the short side and click the long sides together.



3 TO INSTALL IN DIFFICULT AREAS

METHOD 3: HORIZONTAL INSERTION

In contrast to many other brands, Quick-Step® timber floors can also be inserted horizontally. This is very important when installing the last row of planks, or in places where it is difficult or even impossible to tilt them (under door frames or radiators, for example).



QUICK • STEP® INSTALLATION KIT

For the best installation of your floor without damaging it.

Content: 1 pulling bar, 1 tapping block, 40 spacers (to guarantee the correct expansion gap)

Click the panel in the long side, use hammer and tapping block and slide the floorboards together.



IMPORTANT NOTE:

Quick-Step Multifit is generally installed without any need for hammer and block, however, tapping on the end of panels may sometimes be necessary to fit into profiles or under door jams. Care should be taken when tapping up end joints, to not make contact with the plastic tongue. Damage to the tongue may result in poor joint strength and possible end joint variation.



THE *right* underfloor PREPARATION

FLOATING

AN UNDERLAY IS NOT AN IDLE LUXURY

PERMANENTLY SOUND-ABSORBING

Quick-Step underlays are top quality and maintain their initial thickness over the years. Which means they will continue to dampen sounds such as the tapping of high heels. Combi-Lay sets the industry benchmark as quality underlay.

IDEAL FOR UNICLIC® MULTIFIT

The smooth surface of the underlays prevents parts of the underlay from getting stuck in between the Uniclic® tongue and groove during installation. Moreover all Quick-Step underlays offer a stable base protecting the Uniclic® Multifit system.

2 IN 1: PROTECTS AGAINST DAMP TOO

A Quick-Step underlay will reduce preparation time for the installation of your floor by half. The damp-proof and moisture-resistant membrane (DPM) with an adhesive strip has already been integrated into the levelling underlay. This will save you a lot of time and effort.

SUITABLE FOR FLOOR HEATING

All Quick-Step underlays are suitable on top floor heating systems. Check the website for more information or ask your retailer for advice.

GLUED DOWN



QUICK • STEP® COMBI-LAY STANDARD

Combi-Lay Standard is no normal underlay. The dense, closed cell polyolefin foam provides excellent support, with good reduction of both reflected and impact noise.

QUIET • STEP® COMBI-LAY

Quiet-Step Combi-Lay is the first choice where a quiet step sound and maximum reduction in multi-storey noise is required. This high density underlay has no match in the market when it comes to reducing foot fall noise, with a reduction of up to 30% over standard underlays.

Quick-Step Timber can also be directly adhered to a well prepared sub floor. More information can be obtained from your local Quick-Step dealer.



YOUR QUICK • STEP® FLOOR DESERVES A *perfect finish!*



WHY QUICK • STEP® ACCESSORIES

Never before has such a comprehensive solution been offered for finishing of a wood floor collection in Australia. From the stairs to the thresholds, Quick-Step offers the perfect profile in real oak for all applications. The matching texture, colour and gloss level is used on every profile for that seamless and professional finish.

SCOTIA

No need to remove existing skirting boards, just cover the expansion joint with this handy solution.



TIP
Finish your floor perfectly with Quick-Step's veneered Scotia.

PROFILES

The patented Incizo is a 5 in 1 profile for all applications including stairs. See next page for more details.



5 QUESTIONS,

1 Answer

Quick-Step's patented Incizo® profile is a multifunctional finishing tool. One and the same profile can be used for all the finishes of your floor and stairs.



1. HOW CAN I JOIN TWO FLOORS OF THE SAME HEIGHT?

With the Incizo® profile, cut as an expansion profile.



2. HOW CAN I SOLVE TRANSITION FROM ONE FLOOR DOWN TO ANOTHER?

Use the Incizo® profile, cut as an adapter/ramp profile.



3. HOW DO I FINISH MY QUICK-STEP® WOOD FLOOR UP TO A SLIDING DOOR OR THRESHOLD?

You can cut the Incizo® profile into a clean end profile.



4. HOW CAN I FINISH MY WOOD FLOOR TO A CARPET, AND HAVE A BEAUTIFUL FINISH?

Use the Incizo® profile, cut as a clean end profile.

5. HOW DO I PERFECTLY FINISH MY STAIRS?

Use the Incizo® profile in one of the 4 ways.





1. Glue the plank to the riser. The spacers ensure that sufficient space is left underneath to fit in the step.



2. Glue and screw the aluminium sub-profile on the step.



3. Apply glue to the sub-profile and the step. Spread out the glue across the sub-profile.



4. Place a plank on the step against the rising edge of the sub-profile.



5. Apply glue to both sides of the Incizo® base.



6. Press the Incizo® profile onto the sub-profile.



INCIZO® SUBPROFILE FOR STAIR APPLICATION QSWINCPBASE(-)

- Dimensions: 215 cm x 1,2 cm x 7,35 cm
- To be ordered separately

INCIZO® WOOD PROFILE QSWINCP(-)

- Dimensions: 215 cm x 1.6 cm x 7.35 cm
- Content: 1 Incizo®, 1 cutter, 1 plastic rail

WHY QUICK • STEP® INCIZO®?

- **5 DIFFERENT APPLICATIONS**
with a single product.
- **PRACTICAL**
You create the profile you need for a perfect finish to your floor.
- **ECONOMICAL**
You can use any spare pieces of profile for other purposes, you won't have any excess profiles or leftovers.
- **SIMPLE**
You always have the right solution at hand.
- **NO INCONVENIENT SEAMS**
In comparison with other types of multifunctional profiles.

KEEPING YOUR FLOOR IN *top condition* IS EASY

We recommend dry cleaning of your wood floor with the Quick-Step microfibre mop. Once in a while, you can also clean your floor with a damp mop.



MATT



OIL


CLEAN

All Quick-Step floors are easy to maintain and to keep clean especially if you use our purpose-made cleaning-kit, also available individually:


- > Quick • Step® Cleaning mop
- > Quick • Step® Cleaning product 750 ml



QSCLEANINGKIT



QSCLEANINGMOP



QSCLEANING750

FOR



CARE

If you take care of your Quick-Step oiled floor from the start and use felt floor protectors on the underside of all moving furniture as well as clear vinyl chair mats under any office chairs or castor wheels that may be used in areas where Quick-Step Timber is installed, it will age beautifully.

The Quick-Step Oil care protects and maintains your floor, preventing it from drying out and looking dull, restoring it to its original beauty. Compare this to moisturizing your hands; you wash them regularly, but by doing so your hands become dry. A good moisturizer protects your hands. > Quick • Step® Oil care



QSCARE750

FOR



For wood floors that need intense care and repair, Quick-Step offers the Quick • Step® Maintenance oil. This natural hard drying oil will restore and replace your floor's wear layer. Unlike normal lacquer it can be applied with a soft cloth when and where required to restore your floor in those high traffic areas. It will not show lap or application marks, so it can be applied only in the areas needed. Apply with a soft cloth before you go to bed, then it is ready for use in the morning. Available in white and transparent.

- > Quick • Step® Maintenance oil white
- > Quick • Step® Maintenance oil transparent

QSWMAINTOILW
QSWMAINTOILN

REPAIR

Recreate the colour of damaged planks quickly and easily with 7 wax pieces selected to cover all Quick-Step colours. Content: one melting knife, one cleaning comb, 7 wax blocks.

Quick • Step® Repair kit



WATCH OUR REPAIR MOVIE

Showcasing how to repair your timber floor.



If you clean your floor on a weekly basis with Quick • Step® Cleaning products, you should use Quick • Step® Oil care once a month. If, for example, you clean your floor every two weeks, you should use the Quick • Step® Oil care once every 2 months.

QUICK • STEP® MAINTENANCE OIL


For intense care and repair, use the Quick • Step® maintenance oil when necessary.



TRY OUR *Floor Advisor*

Design your interior by selecting the layout of your room, and choosing the colour scheme for both your furniture and walls.

Chop and change the floor designs until you find what suits you best.



VISIT
WWW.QUICK-STEP.COM.AU

UPLOAD AN
IMAGE OF
YOUR ROOM





MATCHING *Accessories Guide*







NEW





YOUR FLOOR DESERVES A PERFECT FINISH

Flawlessly matching accessories are now available in all Quick-Step timber products. This all-new technology sees Quick-Step's commitment in perfecting all aspects of flooring by meticulously colour-matching trims and profiles for all applications including stairs across all timber ranges. See pages 41-43 for more information on available accessories.

Product code	Product description	Quick-Step SCOTIA More info see page 41	Quick-Step INCIZO More info see page 42
--------------	---------------------	--	--

IMPERIO				
	IMP 1623	PURE OAK MATT	QSWSCOT 01341	QSWINCP 01341
	IMP 1624	NATURAL HERITAGE OAK OILED	QSWSCOT 01334	QSWINCP 01334
	IMP 1625	CARAMEL OAK OILED	QSWSCOT 01354	QSWINCP 01354
	IMP 1626	NOUGAT OAK OILED	QSWSCOT 01626	QSWINCP 01626

PALAZZO				
	PAL 1341	PURE OAK MATT	QSWSCOT 01341	QSWINCP 01341
	PAL 1342	FOSSIL OAK MATT	QSWSCOT 01342	QSWINCP 01342
	PAL 1344	VINTAGE OAK MATT	QSWSCOT 01344	QSWINCP 01344
	PAL 1345	LIMED GREY OAK MATT	QSWSCOT 01345	QSWINCP 01345
	PAL 1346	OLD GREY OAK MATT	QSWSCOT 01346	QSWINCP 01346
	PAL 1348	MOCCA OAK MATT	QSWSCOT 01348	QSWINCP 01348

VARIANO				
	VAR 1629	PAINTED WHITE OAK OILED	QSWSCOT 01629	QSWINCP 01629
	VAR 1630	CHAMPAGNE BRUT OAK OILED	QSWSCOT 01630	QSWINCP 01630
	VAR 1631	ROYAL GREY OAK OILED	QSWSCOT 01631	QSWINCP 01631
	VAR 1632	ESPRESSO BLEND OAK OILED	QSWSCOT 01632	QSWINCP 01632


Premium

FLOORS AUSTRALIA

Sydney	Tel.: (02) 9982 3777
Melbourne	Tel.: (03) 9798 0808
Brisbane	Tel.: (07) 3273 3111
Adelaide	Tel.: (08) 8345 0455
Tasmania	Tel.: (03) 9798 0808
Northern Terr.	Tel.: (08) 8345 0455
Perth	Tel.: (08) 9240 1966

Commercial Division Tel.: (03) 9798 0808

► QUICK•STEP® FLOOR ADVISOR



Want to see this floor in your interior?
Visit www.quick-step.com.au and try out our
online floor advisor! Upload your interior,
select your favourite floor and determine
which floor fits best inside.



www.facebook.com/QuickStepFloors



@QuickStepFloor

► YOUR QUICK•STEP® POINT OF SALE

