

Fall Protection for Tools®

2015 Australia/New Zealand Catalogue



REQUEST A **FREE** DROP PREVENTION AWARENESS PACKAGE



DROP PREVENTION AWARENESS POSTER

The Drop Prevention Awareness Package comes with a 610 mm x 915 mm awareness poster.



LOOPING AWARENESS VIDEOS

Get immediate access to high definition videos that can be used in training and awareness materials at your work location.



HARD HAT STICKERS

Make your safety awareness efforts stick with these Drop Prevention Awareness Hard Hat Stickers. Included with the package are stickers that fit on virtually every hard hat.



TETHER READY™ POCKET REFERENCE GUIDE

Learn how to make virtually any tool tether ready with the “Tether Ready Pocket Reference Guide”.



GET THE PACKAGE:

PYTHONSAFETY.COM/AWARENESS



DBI-SALA® and Python Safety®, two highly respected brands in the fall protection industry, have come together to bring a new level of innovation to safety.

DBI-SALA is known as the premier brand of fall protection and rescue equipment around the world. For more than 40 years DBI-SALA has provided the best solutions for workers at height, no matter which industry you work in.

Python Safety has more than a decade of experience developing products to prevent dropped tools and equipment. Its innovative line of products makes work environments safer and more productive by protecting workers from hazards that can result in personal injury, equipment damage, and tool loss.

With a relentless commitment to innovation, and a tireless determination to respond to the needs of our customers and deliver the best products and services in the industry, we employ the best teams to create innovative solutions to keep workers at height safe around the world.

THIRD PARTY TESTED

Python Safety third-party tests products with Applied Technical Services (ATS), an Atlanta-based consulting engineering firm with sophisticated testing and inspection capabilities. ATS is ISO 9001 Certified, and an accredited testing lab of the Nuclear Regulatory Commission. As a part of Python Safety’s product development and quality assurance processes, ATS conducts static or dynamic load tests to determine the safe working load limits based on the solution’s intended use.



TABLE OF CONTENTS

Attachment Points 2

Tool Lanyards 8

Tool Holsters.....12

Tool Belts.....17

Tool Pouches18

Spill Control Buckets 20

Wristbands.....24

CALL TODAY

1800 245 002 (AUS)
0800 212 505 (NZ)

CapitalSafety.com.au | PythonSafety.com
Sales@capitalsafety.com.au

PRODUCT AVAILABILITY

All products highlighted in **YELLOW** throughout this catalogue are locally stocked items. All other products are available however attract longer lead times. Please contact Capital Safety if you require any further information.



1500003
DR-0.5X2.25



1500005
DR-0.5X2.25NC



1500007
DR-1X3.5



1500001
DDR-SMALL

PATENT PENDING

D-RINGS

VIDEO AVAILABLE

<http://pythonsafety.com/vid/tape>

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	LOAD RATING	DIMENSIONS	NON-CONDUCTIVE
1500003	DR-0.5X2.25-10PK	D-Ring 13 X 57 mm (10 Pack)	0.9 kg	13 X 57 mm	No
1500004	DR-0.5X2.25-100PK	D-Ring 13 X 57 mm (100 Pack)			
1500005	DR-0.5X2.25NC-10PK	D-Ring 13 X 57 mm Non-conductive (10 Pack)	0.9 kg	13 X 57 mm	Yes
1500006	DR-0.5X2.25NC-100PK	D-Ring 13 X 57 mm Non-conductive (100 Pack)			
1500007	DR-1X3.5-10PK	D-Ring 25 X 89 mm (10 Pack)	2.3 kg	25 X 89 mm	No
1500008	DR-1X3.5-50PK	D-Ring 25 X 89 mm (50 Pack)			
1500001	DDR-SMALL-10PK	Dual D-Ring Small (10 Pack)	0.9 .kg	13 X 57 mm	No
1500002	DDR-SMALL-100PK	Dual D-Ring Small (100 Pack)			

- D-Rings can be attached to virtually any tool under 2.3 kg or 0.9 kg using **Python Safety Quick Wrap Tape** (pg. 3).
- Creates an instant attachment point in less than a minute.
- Dual D-Rings allow for 100% Tool Tie-Off during tool transfers.





1500044
QW-HDYLW1



1500035
QW-HDBLU1



1500041
QW-HDGRN1




1500038
QW-HDBLU1X2

QUICK WRAP TAPE

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	QUANTITY	LENGTH
1500044	QW-HDYLW1	Quick Wrap Yellow Heavy Duty 25.4 mm Wide	1	2.7 m
1500045	QW-HDYLW1-10PK	Quick Wrap Yellow Heavy Duty 25.4 mm Wide	10	2.7 m
1500046	QW-HDYLW1-CASE	Quick Wrap Yellow Heavy Duty 25.4 mm Wide	240	2.7 m
1500035	QW-HDBLU1	Quick Wrap Blue Heavy Duty 25.4 mm Wide	1	2.7 m
1500036	QW-HDBLU1-10PK	Quick Wrap Blue Heavy Duty 25.4 mm Wide	10	2.7 m
1500037	QW-HDBLU1-CASE	Quick Wrap Blue Heavy Duty 25.4 mm Wide	240	2.7 m
1500041	QW-HDGRN1	Quick Wrap Green Heavy Duty 25.4 mm Wide	1	2.7 m
1500042	QW-HDGRN1-10PK	Quick Wrap Green Heavy Duty 25.4 mm Wide	10	2.7 m
1500043	QW-HDGRN1-CASE	Quick Wrap Green Heavy Duty 25.4 mm Wide	240	2.7 m
1500038	QW-HDBLU1X2	Quick Wrap Blue Heavy Duty 25.4 mm Wide 2X Length	1	5.5 m
1500039	QW-HDBLU1X2-10PK	Quick Wrap Blue Heavy Duty 25.4 mm Wide 2X Length	10	5.5 m
1500040	QW-HDBLU1X2-CASE	Quick Wrap Blue Heavy Duty 25.4 mm Wide 2X Length	120	5.5 m

- Conforms to the shape of whatever it is applied to.
- Used with **Python Safety D-Rings** (pg. 2) and **Tool Cinch Attachments** (pg. 4) to create instant tethering points on virtually any tool.
- Made from a self-fusing silicone rubber that leaves no adhesive or residue behind.
- Inner fibreglass webbing increases the strength of the tape and makes the tape resistant to sharp objects.



TOOL CINCH ATTACHMENTS

VIDEO AVAILABLE

<http://pythonsafety.com/vid/cinch>

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING	STABILISATION WINGS	COMMON TOOLS
1500015	VR-2ATTACHMD	15.9 kg	2	Pinch Bars, Sledge Hammers, Slugging Wrenches, Clamps.
1500016	VR-2ATTACHMD-10PK	15.9 kg	2	Pinch Bars, Sledge Hammers, Slugging Wrenches, Clamps.
1500013	VR-1ATTACHMD	15.9 kg	1	Impact Wrenches, Band Saws and Drills, etc.
1500014	VR-1ATTACHMD-10PK	15.9 kg	1	Impact Wrenches, Band Saws and Drills, etc.
1500011	VR-ATTACHMD	15.9 kg	None	Closed handled tools without triggers such as some Magnetic Drills and Wrenches
1500012	VR-ATTACHMD-10PK	15.9 kg	None	Closed handled tools without triggers such as some Magnetic Drills and Wrenches
1500017	VR-2ATTACHHD	36.3 kg	2	Rivet Busters, Slugging Wrenches, Super Wrenches.
1500018	VR-2ATTACHHD-10PK	36.3 kg	2	Rivet Busters, Slugging Wrenches, Super Wrenches.

- Tool Cinch Attachments feature a cinch design that allows users to quickly secure equipment up to 15.9 kg or 36.3 kg.
- Stabilisation Wings can be used to keep Tool Cinch Attachments in place using **Python Safety Quick Wrap Tape** (pg. 3).
- See real-world examples of Python Safety Tool Cinch Attachments in use at PythonSafety.com/tools





HEAT SHRINK

VIDEO AVAILABLE

<http://pythonsafety.com/vid/heatshrink>

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DIMENSIONS
1500019	HS-0.75X1.75-25pk	19 mm X 45 mm
1500020	HS-1X1.75-25pk	25 mm X 45 mm
1500021	HS-1.5X2-25PK	38 mm X 51 mm
1500022	HS-2X4-10PK	51 mm x 102 mm
1500023	HS-3X4-10PK	76 mm x 102 mm

- Protect your investment and connection point!
Heat Shrink protects Python **Safety Quick Wrap Tape** (pg. 3) from abrasives and harsh work environments.
- Heat Shrink Links shrink 200% in size when heat is applied.



D-RING CORD

VIDEO AVAILABLE

<http://pythonsafety.com/vid/drcord>

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	LOAD RATING
1500009	DR-CORD-10PK	D-Ring Cord	2.3 kg



PATENT PENDING

1500009
DR-CORD-10PK

- Easily cinches to tools weighing up to 2.3 kg.
- Simply pass the loop end of a D-Ring Cord through a pre-drilled hole or closed handle to create an instant attachment point.
- Extremely durable, and reusable.

QUICK SPINS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DIAMETER	LOAD RATING
1500027	QS-S-10PK	15 mm	0.5 kg
1500028	QS-M-10PK	20 mm	0.5 kg
1500029	QS-L-10PK	25 mm	0.5 kg
1500030	QS-XL-10PK	31 mm	0.5 kg
1500031	QS-P-10PK	8 mm	
1500032	QS-PCOIL-10PK	8 mm	
1500033	QS-PM-10PK	13 mm	
1500034	QS-PMCOIL-10PK	13 mm	

- Simply slides onto the handle of a tool in seconds.
- Swivel spin top makes Quick Spins tangle resistant.
- Reusable and suitable for non-conductive use.



MICRO D-RING

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION
1500010	DR-MICRO-10PK	Micro D-Ring

- Designed to allow for easy tethering of small devices such as mobile phones, cameras, and radios.
- Adheres to most surfaces creating an attachment point in a matter of seconds.
- Load rated for 0.9 kg when used with **Python EXT-C2LCOIL** (pg. 9).

1500010
DR-MICRO





1500026
QR-01.5



1500025
QR-01



1500024
QR-00.75

QUICK RINGS

VIDEO AVAILABLE

<http://pythonsafety.com/vid/quicksrings>

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING	DIAMETER
1500024	QR-00.75-25PK	0.9 kg	19 mm
1500025	QR-01-25PK	0.9 kg	25 mm
1500026	QR-01.5-25PK	0.9 kg	38 mm

- Quick Rings are an economical solution for tethering tools quickly.
- Allows many tools up to 0.9 kg to be made tether ready.
- Ring pliers can be used to make Quick Ring installation easier.





BUNGEE TETHERS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	LOAD RATING	LENGTH (RELAXED)	LENGTH (STRETCHED)
1500047	EXT-H2LBUNGEE	Hook2Loop Bungee Tether	4.5 kg	0.8 m	1.2 m
1500048	EXT-H2LBUNGEE-10PK	Hook2Loop Bungee Tether (10 Pack)	4.5 kg	0.8 m	1.2 m
1500049	EXT-H2LBUNGEE MD	Medium Duty Hook2Loop Bungee Tether	15.9 kg	0.8 m	1.3 m

PYTHON VS. THE OTHER GUYS BUNGEE

Built to be more durable and last longer than the competition, Python Safety Bungee Tethers are third-party load rated, and thoughtfully designed to prevent dropped objects.




LOCKING KARABINERS

Python Safety Bungee Tethers karabiners feature screw locks that prevent accidental opens.



DANGER: THE OTHER GUYS KARABINER

With a simple twist, the other guys karabiner can be disconnected resulting in an accidental drop. Always use locking karabiners!



DANGER: BARREL LOCKS


The other guys bungee tether (bottom) often utilises a barrel lock. These barrel locks are extremely dangerous, as they encourage improper tethering of tools. Never use tethers with barrel locks!

COIL TETHER INNOVATORS.

COIL TETHERS

Python Safety Coil Tethers are an incredible alternative to classic Bungee Tethers. Built with lightweight vinyl that's easy to clean, coil tethers naturally stay out of the way thanks to their ultra-compact design. Since we first introduced coil tethers to the marketplace three years ago, we've continued to improve our line of coil lanyards thanks to feedback from the craft.

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	QUANTITY	LOAD RATING	LENGTH (RELAXED)	LENGTH (STRETCHED)
1500063	EXT-H2HCOIL	Hook2Hook Coil Tether	1	2.3 kg	0.1 m	1.6 m
1500064	EXT-H2HCOIL-10PK	Hook2Hook Coil Tether	10	2.3 kg	0.1 m	1.6 m
1500067	EXT-T2TCOIL	Trigger2Trigger Coil Tether	1	2.3 kg	0.05 m	0.6 m
1500068	EXT-T2TCOIL-10PK	Trigger2Trigger Coil Tether	10	2.3 kg	0.05 m	0.6 m
1500059	EXT-C2CCOIL-10PK	Clip2Clip Coil Tether	10	0.9 kg	0.05 m	0.6 m
1500065	EXT-H2QRCOIL	Hook2Quick Ring Coil Tether with Tail	1	0.9 kg	0.08 m	1.6 m
1500066	EXT-H2QRCOIL-10PK	Hook2Quick Ring Coil Tether	10	0.9 kg	0.08 m	1.6 m
1500060	EXT-C2LCOIL-10PK	Clip2Loop Coil Tether	10	0.9 kg	0.2 m	0.9 m
1500061	EXT-HARDHAT-10PK	Hard Hat Tether	10	0.9 kg	0.1 m	0.9 m
1500062	EXT-HARDHAT-100PK	Hard Hat Tether	10	0.9 kg	0.1 m	0.9 m



HOOK2HOOK COIL TETHER

With a relaxed length of 0.1 metres, and a stretched length of 1.6 metres, this tool lanyard stays out of the way when not in use.


Video: [PythonSafety.com/vid/coil](https://www.python-safety.com/vid/coil)

PATENTED




TRIGGER2TRIGGER COIL TETHER

The compact design of the Double Trigger Coil Tether makes it the perfect lanyard to be used from Wristbands.




CLIP2CLIP COIL TETHER

The compact design of the Clip2Clip Coil Tether makes it the perfect lanyard to be used from Wristbands when a non-conductive lanyard is needed.



HOOK2QUICK RING COIL TETHER WITH TAIL

The Hook2Quick Ring Coil Tether with Tail is designed specifically for use with Hammers and some other long-handled tools. This tool lanyard can also be purchased as a combo with the **Python Safety Hammer Holster** (pg. 15).



CLIP2LOOP COIL TETHER

Quick and secure solution for tethering cameras, mobile phones, radios, and other small objects. The Clip2Loop Coil Tether works well with the **Python Safety Micro D-Ring** (pg. 6).



HARD HAT TETHER

The Hard Hat Tether utilises a compact coil design that keeps the lanyard out of the way of the user, and is easy to clean.

Video: [PythonSafety.com/vid/hardhat](https://www.python-safety.com/vid/hardhat)

PYTHON SAFETY RETRACTOR

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING	LENGTH
1500069	RET-52STEEL	0.7 kg	1.32 m

- Compatible with a number of **Python Safety Tool Holsters** (pg. 12), **Wristbands** (pg. 24), and **Tool Pouches** (pg. 18).
- Inner 1.32 m steel coil automatically retracts when not in use.



Shown with HOL-TAPERET and HOL-TAPESLEEVE



TRIGGER2TRIGGER LANYARDS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	QTY	LOAD RATING	LENGTH
1500053	EXT-T2T0.5X12	1	4.5 kg	0.3 m
1500054	EXT-T2T0.5X12-10PK	10	4.5 kg	0.3 m
1500055	EXT-T2T0.5X24	1	4.5 kg	0.6 m
1500056	EXT-T2T0.5X24-10PK	10	4.5 kg	0.6 m
1500057	EXT-T2T0.5X36	1	4.5 kg	0.9 m
1500058	EXT-T2T0.5X36-10PK	10	4.5 kg	0.9 m

- Thumb controlled Trigger Snaps on both sides of these lanyards are easy to operate, even while wearing gloves.
- Trigger Snaps swivel making them tangle resistant.

TOP TO BOTTOM:
1500057, 1500055, 1500053
(EXT-T2T0.5X36, EXT-T2T0.5X24,
EXT-T2T0.5X12)



MEDIUM DUTY HOOK2LOOP LANYARD

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING	LENGTH
1500050	EXT-H2L1X72MD	15.9 kg	1.8 m

- Features an aluminium double-action twist-lock karabiner to prevent accidental opens.
- Works well with the **VR-ATTACHMD**, **VR-1ATTACHMD**, and **VR-2ATTACHMD** (pg. 4)





HEAVY DUTY HOOK2LOOP LANYARD

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING	LENGTH
1500051	EXT-H2L1X72HD	36.3 kg	1.8 m

- Features an aluminium double-action twist-lock karabiner to prevent accidental opens.
- Works well with the **VR-2ATTACHHD** (pg. 4)



HEAVY DUTY HOOK2RAIL LANYARD

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING	LENGTH
1500052	EXT-H2R1X72HD	36.3 kg	1.8 m

- Features an aluminium double-action twist-lock karabiner to prevent accidental opens.
- Large double-action twist-lock rail karabiner.
- Works well with the **VR-2ATTACHHD** (pg. 4)

INTRODUCING SMART HOLSTERS

At Python, we always strive to make your job easier and safer. That's why our next-generation Smart Holsters™ are packed with intelligent new productivity features.



BEACON™ HI-VISIBILITY REFLECTORS

Products equipped with Python Safety Beacon™ Hi-Vis Reflectors are always easy to identify and locate, even when left in dark spaces. Highly reflective material is stitched into the front and back of the holster allowing it to be detected in low light conditions with a flashlight.



A FASTER, SMARTER WAY TO HOLSTER WITH QUICK-MAG™



Quick-Mag™ speeds up your workflow and reduces how often your tools need to be holstered. A powerful magnetic tool staging system allows tools to simply stick to the holster ensuring that your tools are always at the ready.



BOTTOM DRAIN VENT

Even in rainy weather conditions, holsters with a drain vent stay in outstanding working form. The vent helps keep the holster dry by allowing water to pass through, protecting your tools from rusting, and protecting your holster from dry rot.





SINGLE AND DUAL TOOL HOLSTERS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	RETRACTORS INCLUDED
1500103	HOL-1TOOLHAR	Single Tool Harness Holster	None
1500104	HOL-1TOOLHARRET	Single Tool Harness Holster with Retractor	1x
1500101	HOL-1TOOLBLT	Single Tool Belt Holster	None
1500102	HOL-1TOOLBLTRET	Single Tool Belt Holster with Retractor	1x
1500105	HOL-1TOOLXD	Extra-Deep Single Tool Belt Holster	None
1500108	HOL-2TOOLHAR	Dual Tool Harness Holster	None
1500109	HOL-2TOOLHARRET	Dual Tool Harness Holster with Retractors	2x
1500106	HOL-2TOOLBLT	Dual Tool Belt Holster	None
1500107	HOL-2TOOLBLTRET	Dual Tool Belt Holster with Retractors	2x

- Single and Dual Tool Holsters are equipped with D-Rings that are load rated for 2.3 kg.
- Several variants of these holsters come with **Python Safety Retractors** (indicated above - learn more on pg. 10). Retractors are load rated for 0.7 kg
- Single and Dual Tool Holsters feature Beacon™ Hi-Vis Reflectors and the Quick-Mag™ magnetic tool staging system.
- A bottom drain vent allows the holster to work even in wet conditions.

[1] Hook2Loop Bungee Tether Sold Separately

TAPE MEASURE HOLSTERS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION
1500098	HOL-TAPERET	Tape Measure Retractor Holster
1500099	HOL-TAPESLEEVE	Tape Measure Sleeve
1500100	HOL-TAPECOMBO	Tape Measure Retractor Holster and Sleeve Combo

- Designed to be used with virtually any tape measure, or the optional Tape Measure Sleeve, allowing Tape Measures to be safely tethered and holstered.
- Includes a **Python Safety Retractor** (pg. 10).
- The Tape Measure Sleeve conforms to the size of nearly every Tape Measure.
- Features Beacon™ Hi-Vis Reflectors.



POUCH HOLSTER WITH RETRACTOR

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION
1500095	HOL-POUCHRET	Pouch Holster with Retractor

- Quickly holster tape measures and other small tools
- Includes a **Python Safety Retractor** (pg. 10).



SCAFFOLD WRENCH HOLSTER WITH RETRACTOR

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION
1500096	HOL-SCAFFWRET	Scaffold Wrench Holster with Retractor
1500097	HOL-SCAFFCOMBO	Scaffold Wrench Holster with Retractor and Hook2Loop Bungee Tether

- Quickly holster Scaffold Wrenches while working at height.
- Features Beacon™ Hi-Vis Reflectors.



Back of holster features pouch for Python Safety Retractor (pg. 10). Rear feed system allows retractor to tie off a scaffold wrench while staying out of the way.





Top: Hammer Holster is locked, preventing hammer from slipping out.
Bottom: Hammer Holster is unlocked making it suitable for active use.

HAMMER HOLSTER

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION
1500093	HOL-HAMMER	Hammer Holster
1500094	HOL-HAMMERCOMBO	Hammer Holster & Hook2Quick Ring Coil Tether

- The Hammer Holster allows for the safe holstering of virtually any hammer under 2.3 kg.
- D-Ring on the side of the holster is load rated for 2.3 kg.
- The HOL-HAMMERCOMBO comes with a **Hook2Quick Ring Coil Tether with Tail** (pg. 9) that is specially designed for use with the Hammer Holster. The Hook2QuickRing Coil Tether is load rated for 0.9 kg.
- During Transport, the Hammer Holster can be locked shut with a hook and loop strap. While being used, the strap can be locked up allowing for easy hammer access and holstering.



ADJUSTABLE RADIO HOLSTER

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION
1500088	HOL-ADJRADIO	Adjustable Radio Holster
1500089	HOL-ADJRADIOCOMBO	Adjustable Radio Holster, Clip2Loop Coil Tether and Micro D-Ring

- Holster adjusts to fit virtually any handheld radio, mobile phone, and many other devices.
- Can be worn from Belt or Harness.
- A **Micro D-Ring** (pg. 6) can be placed on the back of a device, and can then be tethered to a D-Ring on the front of the Adjustable Radio Holster using a **Clip2Loop Coil Tether** (pg. 9).

SPRAY CAN / BOTTLE HOLSTER

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION
1500091	HOL-BOTTLE	Spray Can / Bottle Holster
1500092	HOL-BOTTLECOMBO	Spray Can / Bottle Holster and Clip2Clip Coil Tether

- Flexible neoprene holster allows for quick tethering of bottles and spray cans.
- HOL-BOTTLECOMBO comes with **Clip2Clip Coil Tether** (pg. 9).



DRILL BATTERY HOLSTER/SLEEVE

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING
1500090	HOL-BATTERY-LG	4.5 kg

- Unique sleeve design conforms to the size of virtually any drill battery.
- Sleeve is cinched to the drill, allowing the drill to be tethered off while being used at height.



1500047
EXT-H2LBUNGEE

1500090
HOL-BATTERY-LG

TOOL BELTS



COMFORT TOOL BELT

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	WAIST SIZE
1500110	BELT-COMFORT-S-M	71 cm - 91 cm
1500111	BELT-COMFORT-L-XL	91 cm - 112 cm
1500112	BELT-COMFORT-2X-3X	112 cm - 132 cm

- Extra padding provides superior comfort compared to many other tool belts.
- Modular approach allows user to customise their own holster and pouch system.

UTILITY TOOL BELT

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	WAIST SIZE
1500113	BELT-UTILITY-SL	71 cm - 117 cm
1500114	BELT-UTILITY-XL	102 cm - 137 cm

- Padded Cordura provides for durability and comfort.



BELT LOOPS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	LOAD RATING
1500115	BELT-DRLOOP	Belt Loop D-Ring	2.3 kg
1500116	BELT-DRLOOP-10PK	Belt Loop D-Ring	2.3 kg
1500117	BELT-TRLOOP	Belt Loop Trigger	2.3 kg
1500118	BELT-TRLOOP-10PK	Belt Loop Trigger	2.3 kg

- BELT-DRLOOP is used for tying off tools from a belt, while the BELT-TRLOOP is used for staging tools.

PATENTED



1500123
PCH-PARTSXD-CB

1500121
PCH-PARTS-CO

1500120
PCH-PARTS-CC

1500122
PCH-PARTS-VY

1500119
PCH-PARTS-CB

SMALL PARTS POUCHES

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	PRODUCT VARIANT
1500122	PCH-PARTS-VY	Vinyl Yellow
1500119	PCH-PARTS-CB	Canvas Black
1500120	PCH-PARTS-CC	Canvas Camo
1500121	PCH-PARTS-CO	Canvas Orange
1500123	PCH-PARTSXD-CB	Extra Deep Canvas Black



Belt loops located on back of pouch.

- Innovative self-closure system that traps objects inside, the pouch makes it nearly impossible for objects to fall out once placed in the bag
- Easy to retrieve objects since no opening or closing is necessary.
- Compatible with most tool belts.



The Small Parts Pouch is designed for small parts such as nuts, bolts, screws and nails.



Items are placed inside the pouch, at which point they are immediately secured by the self-closure system.



Even when the pouch is flipped vertically, the pouch traps objects inside, making it nearly impossible for items to fall out.



UTILITY POUCH

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #
1500132	PCH-UTILITY

- Features two outside pockets for storing spud wrenches, and two inner pockets for storing additional tools.
- Tools can be tethered to D-Rings on the inside and outside of the pouch.
- Adjustable side-release closure system helps prevent objects from falling out when the pouch isn't being used.

INSPECTION POUCH

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #
1500131	PCH-INSPECT

- Designed for the safe transport and use of most multimeters, air monitors, and other portable testing devices.
- A unique, patent pending adjustable opening can be used to create a hands-free work station off the hip or chest.
- Can be worn off a belt, or over the shoulder using the included shoulder strap.



Hands-free workstation from belt or shoulder.

TOOL POUCHES

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	WIDTH	HEIGHT	RETRACTORS / TRIGGERS
1500124	PCH-TOOL	191 mm	279 mm	
1500125	PCH-TOOLRET	191 mm	279 mm	2 Retractors
1500126	PCH-TOOLTRIG	191 mm	279 mm	2 Triggers
1500127	PCH-TOOLXD	222 mm	330 mm	
1500128	PCH-TOOLXDRET	222 mm	330 mm	2 Retractors
1500129	PCH-TOOLXDTRIG	222 mm	330 mm	2 Triggers



- Constructed from a heavy-duty canvas with an inner lining to help prevent punctures.
- Multiple inner pockets accommodate a number of tools while built in D-Ring make tethering tools incredibly easy.
- Available in standard and Extra-Deep variations.
- Optional **RET-52STEEL** (pg. 10) and **EXT-T2CORD** can be installed into Tool Pouches allowing for the tethering and staging of tools.
- The standard sized pouch uses a hook and loop closure system that can be locked open during use.
- The extra-deep tool pouch features a magnetic closure system as well as a side-release buckle.

SAFE BUCKETS

Safe Buckets are designed to be used at height, and each have a built in closure system that helps prevent dropped objects.

CLOSURE SYSTEMS

Every Safe Bucket is manufactured with either a unique patent pending drawstring or hook and loop closure system which helps prevent accidental drops.



BUILT IN CONNECTION POINTS

The Safe Bucket was engineered to be used with tools at height, and includes multiple connection points that can be tethered to.

HIGH QUALITY CANVAS AND VINYL

Safe Buckets are available in both heavy-duty canvas and vinyl variants that are load rated for 45.4 kg and 113.4 kg respectively.

LOCKING HOOK AND LOOP CLOSURE SYSTEMS

Python Safety has engineered a hook and loop closure system that acts as an extra layer of protection to guard against spills during transport and lifting.

Indicator tabs on the buckets closure system act as strong visual cues that indicate when the bucket is in Lockdown mode, or in easy access mode.





PUNCTURE RESISTANT

Sewn into the bottom of every Safe Bucket is hard composite plating that protects the bucket from accidental punctures.

A protective leather sleeve covers the inserts that is resilient to the elements and harsh work environments.

KARABINER AND HOISTING STRAP

Instead of rope which is susceptible to fraying, a heavy-duty hoisting/shoulder strap is built into every Safe Bucket. Each bucket is also equipped with a high-quality and lightweight aluminium twist-lock karabiner load rated for 30 kN. There is no need to worry about a knot failing, or a non-locking karabiner which may slip off a connection point.



STANDARD SAFE BUCKET MODELS

VIDEO AVAILABLE

<http://pythonsafety.com/vid/safebucket>

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING	CLOSURE SYSTEM	BODY MATERIAL	HEIGHT/DIAMETER	CAPACITY
1500134	BKT-100HLC	45.4 kg	Hook and Loop	Canvas	380 mm / 318 mm	30 L
1500133	BKT-100DRAWC	45.4 kg	Drawstring	Canvas	380 mm / 318 mm	30 L
1500140	BKT-250HLV	113.4 kg	Hook and Loop	Vinyl	380 mm / 318 mm	30 L
1500139	BKT-250DRAWV	113.4 kg	Drawstring	Vinyl	380 mm / 318 mm	30 L

HARD BODY SAFE BUCKET INSERT

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION
1500141	BKT-HBINSERT	Hard Body Safe Bucket Insert

- Converts a standard soft body Safe Bucket into a Hard Body Safe Bucket.
- The Hard Body Safe Bucket Insert it a reusable Insert that keeps your Safe Bucket standing upright making it easier to stage tools from.
- 4 inner pockets are built in allowing tools to quickly be holstered and organised.



5 GALLON SAFE BUCKET

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LOAD RATING
1500135	BKT-100HLC-5G	45 kg

- Used to transport standard 20 litre buckets.
- 20 litre plastic buckets clip into the Safe Bucket with a unique hook system.
- When not being used, the Safe Bucket can be flattened for easier storage.
- Unique patent pending locking Hook and Loop closure system helps ensure that there are no accidental spills.



Plastic bucket not included.

LONG SAFE BUCKETS



1500136
BKT-100HLC-4

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	LENGTH	CLOSURE SYSTEM	LOAD RATING
1500136	BKT-100HLC-4	1.2 m	Hook and Loop	45.4 kg
1500137	BKT-100HLC-6	1.8 m	Hook and Loop	45.4 kg
1500138	BKT-100HLC-10	3.1 m	Hook and Loop	45.4 kg

- Transportation of scaffolding with the buckets is both easy and safe, and more effective than hand-to-hand transportation or using rope with hitch knots.
- Hook and loop top closure system keeps poles secure during lift, and long safe buckets come equipped with a double twist-action locking karabiner.

WRISTBANDS

PULLAWAY WRISTBANDS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	QTY	SIZE	LOAD RATING
1500070	WB-S	1	Small	2.3 kg
1500071	WB-S-10PK	10	Small	2.3 kg
1500072	WB-M	1	Medium	2.3 kg
1500073	WB-M-10PK	10	Medium	2.3 kg
1500074	WB-L	1	Large	2.3 kg
1500075	WB-L-10PK	10	Large	2.3 kg
1500076	WB-SLIM-S	1	Small (Slim)	2.3 kg
1500077	WB-SLIM-S-10PK	10	Small (Slim)	2.3 kg
1500078	WB-SLIM-M	1	Medium (Slim)	2.3 kg
1500079	WB-SLIM-M-10PK	10	Medium (Slim)	2.3 kg
1500080	WB-SLIM-L	1	Large (Slim)	2.3 kg
1500081	WB-SLIM-L-10PK	10	Large (Slim)	2.3 kg

- Pullaway Wristbands feature an elastic strap that conform to the users wrist size automatically.



PULLAWAY WRISTBAND



SLIM PULLAWAY WRISTBAND

ADJUSTABLE WRISTBANDS

CAPITAL SAFETY PART #	PYTHON SAFETY PRODUCT #	DESCRIPTION	QTY	LOAD RATING
1500082	WB-ADJ	Adjustable Wristband	1	2.3 kg
1500083	WB-ADJ-10PK	Adjustable Wristband	10	
1500084	WB-ADJCORD	Adjustable Wristband with Cord	1	2.3 kg
1500085	WB-ADJCORD-10PK	Adjustable Wristband with Cord	10	
1500086	WB-ADJRET	Adjustable Wristband with Retractor	1	0.5 kg
1500087	WB-ADJRET-10PK	Adjustable Wristband with Retractor	10	



ADJUSTABLE WRISTBAND

The Python Safety Adjustable Wristband uses a hook and loop system to adjust to any wrist size. An elastic band helps ensure a comfortable fit.



ADJUSTABLE WRISTBAND WITH CORD

Adjusts to any wrist size using a hook and loop system. A built in cord is used to quickly attach and stage tools directly to the wristband.



ADJUSTABLE WRISTBAND WITH RETRACTOR

Adjusts to any wrist size. A built in retractor with an attached trigger can be used to quickly work with many hand tools.

LEARN MORE ONLINE



FREE DROP PREVENTION AWARENESS PACKAGE

Request a free drop prevention awareness package online complete with posters, hard hat stickers, repeating awareness videos, and a Tether Ready Pocket Guide.

Request a free package today:

PythonSafety.com/AWARENESS



TETHER READY GUIDE

Download our free “Tether Ready” Reference Guide, and learn how to make nearly any tool tether ready using Python Safety Attachment Points.

View Tether Ready Online at:

PythonSafety.com/tether-ready/




FREE AWARENESS POSTERS

Download free awareness posters by Python Safety. These resources are free for you to download, print and display on your site!

Get the posters:

PythonSafety.com/GETPOSTERS



TOOL ROOM DATABASE

Browse our database of tools to learn how to make your most common tools tether ready!

The Tool Room:

PythonSafety.com/tools



THE LEADERS IN DROP PREVENTION

There is a reason the Python Safety brand is trusted by hundreds of organisations around the world. No matter what your drop prevention needs are, Python Safety is equipped to help you achieve your goals.

NO PROBLEM IS TOO BIG OR SMALL

Whether you're in need of a specific product, or you're ready to implement an entire drop prevention system, our team is ready to assist you every step of the way.

WE CAN HELP YOU CREATE & DEPLOY A PLAN

After years of helping sites deploy drop prevention systems, we worked with industry experts to develop the world's most popular Drop Prevention Plan.

RESOURCES AT YOUR FINGERTIPS

Videos, pocket guides, online guides, posters, stickers... we have it all. We're capable of supporting you and your team with materials that get the job done.

SCHEDULE A CALL OR MEETING TODAY

Our highly dedicated and skilled team is ready to assist you in any way possible.

CALL TODAY 1800 245 002 (AUS) 0800 212 505 (NZ)

CapitalSafety.com.au | PythonSafety.com
Sales@capitalsafety.com.au

© 2015 Capital Safety
Form: 9701406-AUS