

# Supreme Cavity Door Slider

## Southside

4 Judds Court, Slacks Creek Qld 4127

Email SOUTH ORDERS to sales@brisaluminium.com

## Northside

12 Saltash St, Virginia Qld 4014

Email NORTH ORDERS to salesnorth@brisaluminium.com





#### Medical Fitouts

It's a great product to use where you have minimal office space and you have no room to fit a swing door





#### IT ROOMS

Its a great product for turning a small space into an IT server room.

#### BOARDROOMS

The product has a high end finish and is great for executives whom want a unique entrance to the boardroom





#### **APARTMENTS**

For residental aparments the product represents an entry of grandeur.

Call: 1300BRIS01 (1300 274 701)



/brisaluminium



/company/bris-aluminium

We now have **2 NEW** simple to fit adaptors to increase the flexibility of our Supreme Partitioning Systems!



DPS-07 reduces the 13mm to 10mm to accomodate 10mm plasterboard or 9mm Villaboard



DPS-06 reduces the 13mm to 6.5mm to accomodate 6mm Villaboard


This enables you to set 13mm plasterboard on one side of a wall and a range of mediums on the other or allows our 13mm DPS framing systems to be used to match combinations of the range of coverings.




## Supreme

## 64 Supreme Cavity System

#### STANDARD CAVITY SLIDING DOOR UNIT 13mm 64mm 64mm Plaster Board Steel Track Plaster Board Steel Track & Adaptor ST-64 ST-64 6mm Villa Board DPS-07 & Adaptor Sliding Track: SCT-32 DPS-06 Sliding Head: SCS-64/38 Pelmet Adaptor: SCP-28 Snap on 20mm Pelmet: SCP-29 with Mohair Seal: BA-2000 13mm Plaster Board 35mm or 40mm Timber Door or 35mm Aluminium 50, 100, 125 or 152mm Concealed Fix Skirting AS-100 Carcass Bracing Carcass Bracing Carcass Channel SCS-64/34 with Mohair Door Guide BA-2000 Carcass Channel SCS-64/34 with Mohair Door Guide BA-2000 SCB-23 SCB-23 Adapted for 6mm Villa Board Fnd View & 10mm Plaster Board





#### Benefits are

- To suit door widths 35mm or 40mm thick timber and 35mm thick aluminium
- Door sizes up to 2700 x
   1200 and 2400 x 1500
- Maximum Door Weight = 100kg
- Disable code easily achieved using 1000mm standard pocket and 1050 door
- Double Door Cavities are available on request

#### **Tech Data**

- Swiss engineered and built rollers for a smooth glide
- Instruction video on website
- Pelmet included
- Adaptors to suit 10mm plasterboard and 6mm or 9mm Villa board
- Available in custom heights and widths









#### **Lead Time**

Clear Anodised Kits available with a minimal lead time.

Powder Coated Kits are subject to Powder Coat lead times.

## **76 Supreme Cavity System**

## Supreme 76

#### STANDARD CAVITY SLIDING DOOR UNIT 76mm 76mm Plaster Board Plaster Board Steel Track Steel Track & Adaptor ST-76 DPS-07 ST-76 n6mm Villa Board & Adaptor Sliding Track: SCT-32 DPS-06 \_Sliding Head: SCS-76/38 Pelmet Adaptor: SCP-28 Snap on 20mm Pelmet: SCP-29 with Mohair Seal: BA-2000 13mm Plaster Board 35mm or 40mm Timber Door or 35mm Aluminium 50, 100, 125 or 152mm Concealed Fix Skirting AS-100 Carcass Bracing Carcass Channel SCS-76/34 with Mohair Door Guide BA-2000 Carcass Bracing Carcass Channel SCS-76/34 with Mohair Door Guide BA-2000 SCB-23 SCB-23 End View Adapted for 6mm Villa Board & 10mm Plaster Board Cavity Capping SCS-76/17 with Door Seal BA-2000 Carcass Channel SCS-76/34 13mm Plaster Board 76mm Steel Stud SS-76 Carcass Bracing Stud SCB-23 35mm or 40mm Timber Door, or 35mm Aluminium 13mm Plaster Board Recieving Track SCS-76/19 with Door Seal STANDARD CAVITY SLIDING DOOR UNIT BA-2000 INTO STEEL STUD WALL Supreme Mating Track Cavity Capping SCS-76/17 DPS-76/02 Supreme Track DPS-76/01 Carcass Channel SCS-76/34 13mm Plaster Board \downarrow 76mm Split stud HSS-76 Glass Carcass Bracing SCB-23 76mm Steel Stud SS-76 Steel Stud→ SS-76 Glazing Wedge 35mm or 40mm Timber Door, or 35mm Aluminium 13mm Plaster Board Recieving Track SCS-76/19 STANDARD CAVITY SLIDING DOOR UNIT with Door Seal & SIDE-LIGHT GLAZING FRAME BA-2000

#### Benefits are

- To suit door widths 35mm or 40mm thick timber and 35mm thick aluminium
- Door sizes up to 2700 x
   1200 and 2400 x 1500
- Maximum Door Weight = 100kg
- Disable code easily achieved using 1000mm standard pocket and 1050 door
- Double Door Cavities are available on request

#### **Tech Data**

- Swiss engineered and built rollers for a smooth glide
- Instruction video on website
- Pelmet included
- Adaptors to suit 10mm plasterboard and 6mm or 9mm Villa board
- Available in custom heights and widths








**Lead Time** 

Clear Anodised Kits available with a minimal lead time. Powder Coated Kits are subject to Powder Coat lead times.



## 92 Supreme Cavity System

## Supreme 92



#### Benefits are

- To suit door widths 35mm or 40mm thick timber and 35mm thick aluminium
- Door sizes up to 2700 x
   1200 and 2400 x 1500
- Maximum Door Weight = 100kg
- Disable code easily achieved using 1000mm standard pocket and 1050 door
- Double Door Cavities are available on request

#### **Tech Data**

- Swiss engineered and built rollers for a smooth glide
- Instruction video on website
- Pelmet included
- Adaptors to suit 10mm

  plasterboard and 6mm or

  9mm Villa board
- Available in custom heights and widths





#### **Lead Time**

Clear Anodised Kits available with a minimal lead time. Powder Coated Kits are subject to Powder Coat lead times.





/company/bris-aluminium


Call: 1300BRIS01 (1300 274 701)

# 64 Setting Supreme Cavity System

## Supreme 64







#### Benefits are

- To suit door widths 35mm or 40mm thick timber and 35mm thick aluminium
- Door sizes up to 2700 x
   1200 and 2400 x 1500
- Maximum Door Weight = 100kg
- Disable code easily achieved using 1000mm standard pocket and 1050 door
- Double Door Cavities are available on request

#### **Tech Data**

- Swiss engineered and built rollers for a smooth glide
- Instruction video on website
- Pelmet included
- Adaptors to suit 10mm plasterboard and 6mm or 9mm Villa board
- Available in custom heights and widths









#### **Lead Time**

Clear Anodised Kits available with a minimal lead time. Powder Coated Kits are subject to Powder Coat lead times.

## standard FEATURES

frame sizes per your door specification available in custom heights & widths

**CUSTOM SPEC** 

- Standard 1m wide carcass
- Fits 35mm aluminium door, 35mm & 40mm timber door
- Easy to install with instructions provided and video on website
- Purpose built for steel stud sizes 64mm, 76mm or 92mm stud with 13mm plasterboard
- Villaboard no problem with our new 13mm to 6.5mm adapter for 64, 76 & 92 Supreme Systems
- Swiss made rollers and carriages rated to 100kg
- Pelmets are included in all kits which are available with minimal lead time



The perfect addition to our 64mm, 76mm and 92mm Supreme Systems, the Cavity Door Slider has now matured into our flagship sliding solution. With a wide range of indoor applications, we've yet to receive anything but positive feedback.

The perfect solution for limited space where a hinged door is not practical such as doctor or dentist consultation and treatment rooms. Also for opening up spaces for board rooms and offices multipurpose rooms.

Coming in a standard 1m wide carcass, the Cavity Door Slider is also available in custom sizing to accommodate up to 1500mm wide doors.

The Cavity Slider offers modern, minimalist design matched with quality Hafele easy-glide rollers and self locking stop and latching mechanisms. Along with the European quality, the rollers are easily removable for simple servicing.

Bris Aluminium has created a door which is stylishly functional. With pelmet and a receiving track, which leaves no gaps along the side of the closed door, the clean lines of the door will suit any modern office perfectly.

You can now get an even more minimalist look to the install due to the new set bead frame. This removes the aluminium trim around the door opening providing you with a flush finish with the wall.

It also has the added advantage of being supplied in a simple to install kit form. It's purpose-made packaging makes it easy to transport and protects it from damage.





/company/bris-aluminium





To see more, visit www.brisaluminium.com.au/cavity-door-slider/

For more information on how the Cavity Door Slider can work for your projects, give us a call on (07) 3299 5227 or (07) 3260 6077.



Call: 1300BRIS01 (1300 274 701)



### Southside

4 Judds Court, Slacks Creek Qld 4127

