



MONIER™

**ROOFING
RESTORATION & MAINTENANCE
PRODUCT RANGE**



ROOFING, REJUVENATED

Monier's Roof Restoration and Maintenance range has been specifically developed to help you rejuvenate your homes tiled roof, ensuring it continues to protect your family whilst adding value by improving your homes street appeal.

The range is designed for use on all types of concrete and terracotta roofs*. Importantly, the entire product range meets all relevant Australian standards so you're assured of product quality and durability.

Working at heights:

Monier recommends all work should be done by a qualified roofing specialist.

Safety first:

See Monier's roof safety video before climbing onto your roof.

Visit: monier.com.au

CONTENTS

Pg2 Safety & Range

Pg3 Guide to Roof Restoration

Pg4 Roofcoat & Colour Palette

Pg5 Painting your Roof

Pg6 Clouts & Bedding Mortar

Pg7 Flexible Pointing & Colour Palette

Pg8 Monier 100 Years

RANGE:

Flexible Pointing - Mechanical ridge fastener

Pre-mixed Bedding Mortar

Roofcoat - Extensive colour palette

Roofcoat - Primer

Roofcoat - High-build Primer

Galvanised Roofing Clouts - 50mm & 65mm




* Monier does not recommend the use of Roofcoat on terracotta roof tiles.

ROOFCOAT COLOURS USED

◀ Atlantis

▶ Silver Perch

▽ Caraway



ACHIEVING A GREAT LOOKING ROOF TAKES JUST 4 SIMPLE STEPS

1. REPLACE BEDDING MORTAR


Check the bedding mortar under the ridge tiles. If its cracked or missings you'll need to replace it using Monier's Premixed bedding mortar.

2. REPLACE BROKEN TILES

Broken tiles need to be replaced. See our how to replace a tile video for instructions on working on your roof safely and to how to replace tiles.

3. PRIME & TOPCOAT THE ROOF

Concrete roof's do weather over time. Concrete tiles get stronger with age and a weathered tile has no lesser performance than a new tile, however a roof respray can add significant value and beauty to your home.



4. APPLY FLEXIBLE POINTING

Once the bedding mortar has set in place, Monier's flexible pointing should then be applied over the mortar. This pointing is a flexible mechanical fastener which is designed to expand and contract with the natural movement of your roof.

SEE MONIER'S HOW TO VIDEOS visit: Monier.com.au


ROOFCOAT™

Monier Roofcoat™ is specially formulated for exterior roofing applications. It is a water based, 100% acrylic polymer high-gloss colour coating that protects your roof from the harsh Australian conditions.

Monier Roofcoat is also suitable for rust-free metal roofs with appropriate surface preparation.

SIZES AVAILABLE:

- Roofcoat - 10 & 20L
- Primer - 20L
- High-build Primer -20L






ROOFCOAT™ COLOUR PALETTE

AVAILABLE IN A RANGE OF 20 PREMIXED CONTEMPORARY & CLASSIC COLOURS*

MONIER ROOFCOAT™ CAN BE APPLIED TO ALL BRANDS & STYLES OF CONCRETE ROOF TILES

Typical flat tiles

Typical shaped tiles



* Colours have been reproduced as faithfully as possible, however, actual colours may vary due to the printing process



PAINTING YOUR ROOF

1. Safety: ensure a safe working environment.
2. All broken tiles must be replaced and valley irons checked for condition.
3. Ridge removed and re-bed.
4. High pressure water should be used to remove dirt, stains, and old paint, taking time to clean all surfaces including the nose of the tiles.
5. Before priming and painting there is one simple rule: if the roof is too hot to touch, it's too hot to paint!
6. Using the correct primer is important. Remember, primer will seal a roof tile, but it does not cure leaks. For modern concrete tiles (80's on) Monier recommends Roofcoat Primer. This penetrating primer binds loose powdery material to tiles with oxidation.
7. For course older tiles, Monier recommends Roofcoat Highbuild Primer. If you're unsure which primer to use, get in touch with Monier to speak to a professional.
8. Primer should be applied with an airless spray gun, either a brush or roller for smaller areas is also acceptable.
9. Primer should be allowed to dry for 2-4 hours depending on climatic conditions.
10. Paint should be stirred prior to use and applied in the same way as the primer, allowing 2-4 hours between coats. Monier recommends at least 1 coat of Roofcoat primer or Highbuild and 2 coats of Roofcoat. Further technical information and safety data sheets are located on the Monier website.


SEE MONIER'S HOW TO VIDEO: Wash, Prime and Paint your Monier Roof. visit: Monier.com.au



FEATURES:

- Full Monier concrete roof tile colour palette
- Australian made
- Water based for easier clean-up
- Designed specifically for roofing applications
- Primers for concrete roof tiles and metal

PREMIXED BEDDING MORTAR



SEE MONIER'S HOW TO VIDEO:
Rebedding Ridge Tiles
visit: Monier.com.au

GALVANISED ROOFING CLOUDS

Monier galvanised roof clouts are suitable for concrete and terracotta roof tiles.

Monier Premixed Bedding Mortar helps the installer to achieve consistent results and remove the guesswork when it comes to mixing sand and cement.

Our Premixed Bedding Mortar is a blended product manufactured from cement, quality sand, and selected additives, designed specifically for bedding concrete and terracotta hip and ridge tiles.

It is formulated to retain moisture and resist slumping to improve workability.

FEATURES:

Australian made

Premixed, just add water

One 20kg bag covers approximately 2.5 lineal metres of hip or ridge



Monier galvanised roof clouts will work with all major tile manufacturers' profiles.

FLEXIBLE POINTING

Monier Flexible Pointing is an adhesive mechanical fastener for concrete and terracotta hip and ridge tiles. It has been designed to meet AS4046.8-2015 standards for the fixing of hip and ridge tiles.

Flexible pointing differs from traditional and inherently brittle cement mortar pointing in that it retains a significant post cure flexibility. This enables it to flex in harmony with roof movements without cracking or breaking away. Monier Flexible Pointing is available in a range of contemporary and heritage colours to match concrete and terracotta roof tiles.

SEE MONIER'S HOW TO VIDEO:
Flexible Pointing for ridge tiles
visit: Monier.com.au

FEATURES:

Australian Made

22 lineal metres average coverage per 10L pail

Water clean-up

Available in 10L



FLEXIBLE POINTING COLOUR PALETTE

AVAILABLE IN A RANGE OF 20 PREMIXED CLASSIC & CONTEMPORARY COLOURS*

MONIER FLEXIBLE POINTING CAN BE USED ON BOTH CONCRETE AND TERRACOTTA RIDGE/ROOF TILES.



* Colours have been reproduced as faithfully as possible, however, actual colours may vary due to the printing process





MONIER™

PROTECTING THE PEOPLE WE LOVE FOR OVER 100 YEARS

We are exceptionally proud of our successful 100-year history protecting Australians from the often harsh Australian elements. While this credible test of time supports our claim as Australia's leading roof manufacturer, we undoubtedly owe our enduring success to a commitment to quality and continued innovation. From the original Wunderlich Terracotta tile to the world's first integrated SolarTile, and now the new lightweight composite Elemental™ Series, we continue to re-imagine roofing.

There's strength and beauty in protecting the ones we love.

Contact Monier

on 1800 666 437 to find out more.

CSR