



Wintec Aluminium



Since our beginning in 1997, we have developed a range of window and door products that are innovative, functional and stylish.

Winter Aluminium windows and doors are an all Australian designed and manufactured product, with modern designs and quality finish at the forefront of the Winter philosophy.

An ongoing commitment to product development and service to our Australia wide fabricator base ensures that no matter where you are, you have access to the latest designs in the Window and Door industry.

"Australia's Leading Window and Door Systems"

Products and Services

Aluminium Windows & Doors

Wintec have products to suit all areas in Australia – consisting of, Sliding windows, Sliding doors, Awning and Casement windows, Double Hung windows, Louvres, Sliding Multi Track doors, French doors and Bi-folding doors.

Window & Door Testing Laboratory

The Wintec designed products are tested to Australian standard AS2047-1999 in NATA accredited laboratory No 14093. This ensures your windows and doors comply with the building code of Australia [BCA] and are suited to your particular location. In line with the BCA requirements Wintec windows and doors carry a 7 year guarantee.







Hinged Doors







Structural.

Strong hollow rails, stiles and mid rails give this Hinged Door the edge in strength and serviceability. The Wintec French Door can be coupled with all other Wintec Products. Mitred door sash is 75mm x 48mm and can also be double glazed.

Weather.

Unique "Z" seals as well as Q'lon seals for the Head, Sill and Stiles provides excellent sealing from the weather.

Aesthetics .

Rounded rails help to give this door the classy yet structurally sound look. This system is available in various glazing options and styles.


Additional Benefits .

This system can be individually glazed and is also available in a federation style. Doors can be opened inwards as well as outwards with the Triple 1 framing system.

Note.

It is not a requirement for hinged doors to be tested in accordance to AS2047. It is an initiative of Wintec Aluminium to achieve ratings on air infiltration and water penetration for all window and door products.





- Self draining hollow inward and outward opening sills
- Rated sill is tested to 200Pa water penetration resistance
- Double rebate jambs suited for security door


Suited to double glazing



Hinged Door - OPENING IN A - AWAWF 008 WFA 017 WFA 016 WAWF 006 SFD 054 **OUTSIDE** WAFD 112 WAFD 113

Typical 111 French Door - VIEW FROM OUTSIDE Technical Configurations - Scale 1:2

24.84 - 13.16



Contact your local Wintec Fabricator other configuration options.



WAFD 111

WFA 017

WAWF 008

WIN XSB


WAFD 112


Hinged Door Hardware





Maximum Sizes Table





*Note: For products or configurations outside of these sizes, or pressures 1000Pa please contact Wintec Fabricator exceeding your nearest



Wintec Aluminium Stock



Winter Aluminium sections are stocked throughout Ullrich Aluminium branches throughout Ullrich Aluminium branches Australia wide



Looking more www.wintecaluminium.com.au