The Illuminated Ceiling









NEW!

Create a luminous atmosphere without harsh glare

- Induce a positive mood to improve productivity
- Drive away shadows
- Natural or backlit features
- Skylight or light wall effects







The Illuminated Ceiling

Daylight illuminated ceilings and walls turn your linings into light sources. This eliminates shadows and creates a bright and positive atmosphere.

A highly diffuse light source makes it possible to create beautiful effects while saving on energy.

Daylight ceilings and walls are suitable for any environment from the even and efficient lighting required for a laboratory to the technical requirements of an entertainment venue.

Daylight is produced using SupaExpance membrane sourced from Extenzo, France. Like all SupaExpance taut ceilings and walls Daylight features:

- Quick and clean installation.
- Maintenance free and durable.
- Total moisture resistance.
- Removable for servicing.

Daylight can also be combined with other specialised SupaExpance applications:

- ► Climaclick air conditioning ceilings for perfect temperature distribution and to eliminate grilles.
- Acoustic reverberation control.

Daylight illuminated ceilings and walls present endless application opportunities to make the any interior stand out from the rest.

How it works

1 Fluro or LED lights are laid out over the area.



2 The SupaExpance membrane is stretched over the area.



The end result, perfectly even diffused lighting.







Skylights, feature panels, light tiles, define an area or simply let the light in!









Wall panels can light an area, add a feature and create atmosphere in any interior.









The Illuminated Ceiling

Shapes, contours, and floating effects

Because Daylight is so flexible virtually any shape, contour or floating effect can be created.

The possibilities are only limited by your imagination!















Moisture Resistant

Daylight is insensitive to damp and humid conditions making the perfect way to take swimming pools, spas, saunas and bathrooms interiors beyond the ordinary.







Want something more colourful?

aurora Kaleidoscopic Features add colour and movement to your feature ceiling.

To find out more about aurora click here...







Printed

Anything from a simple logo to a complex series of scenes can be custom printed in high resolution and then illuminated with backlighting to bring an interior to life.

Effective for application in an endless variety of interiors from office reception areas feature ceilings to museum exhibitions backdrops.





The Illuminated Ceiling

Standard Specification Wording

The ceilings shall be SupaExpance taut ceilings supplied by Supawood Architectural Lining Systems. Tel 1800 002 123.

The Ceilings are to comply with European standard EN 14716:2004. They shall be factory-prefabricated using high frequency welding technology. The perimeter anchorage aluminium frames installation shall feature 10-20 mm gap at all angles and corners. Anchorage continuity must be ensured by a black PVC protection enclosure profile. Perimeter anchorage must feature easy-de-click harpoon profile to ensure easy maintenance. All the sheets shall be fire rated to Bs2D0 as per European standard EN 13501-1:2002.

Installation is to be undertaken by installers trained and certified by the supplier.

Colour is to be SupaExpance [insert colour name and code here]

Perimeter details are to be as per proprietary system standard details.

[Insert if hygienic ceilings required] Ceilings are to be BioPruf bacteriostatic and antifungal treated in the manufacture of the sheet. Surface treatments are not acceptable.

To download Spec Wording in Word format... click here

Further help:

Don't hesitate to contact Supawood to discuss design, installation and documentation requirements for your specific project needs or to request a visit from one of our consultants.

For more product information:

SUPAWOOD produce an extensive range of market-leading architectural lining systems and look forward to helping you on your next project.

Website: www.supawood.com.au

Phone: 1800 002 123 Fax: 02 6331 8885

Email: sales@supawood.com.au







