www.lmt.net.au



SPECIFICATION Range of Metal Finishes



5/7 Pioneer Dr., Bellambi, NSW 2518, Australia Ph: (02) 4285 9091 info@lmt.net.au

www.lmt.net.au



GENERAL INFORMATION:

Range of LMT metal finishes is a range of decorative metal coatings for interior and exterior applications.

METAL TYPES:

- 1. Bronze
- 2. Brass
- 3. Gold
- 4. Aluminum
- 5. Dark Bronze
- 6. Rose Alloy
- 7. Pewter
- 8. Platinum
- 9. Zinc
- 10. Iron
- 11. Copper
- 12. Smoked Chrome

TEXTURES:

- Coral
- Shiny
- Fusion
- Retro
- Modern

- Supreme - Classic

- Sublime

- Linish

- Classic - Alternative

SUBSTRATES:

The following substrates can be applied: wood, MDF, concrete, plaster, plasterboard, fibreglass, metals, paper, paper mache, plastic and fabric.



5/7 Pioneer Dr., Bellambi, NSW 2518, Australia

Ph: (02) 4285 9091 info@lmt.net.au



APPLICATION AREAS:

Areas of usage of metal coatings are unlimited. The popular applications are:

- Archtectural details
- Architectural features
- Sculpture
- Building cladding
- Building facades
- Chandeliers
- Ceilings
- Designer hardware
- Domes
- Door hardware
- Doors
- Elevator doors
- Toilets
- Fountains
- Foyers
- Furniture
- Fittings
- Showstands

- Lighting fixtures
- Wall panels
- Plumbing fixtures
- Motorcycles

- Signage
- Sinks
- Staircases
- Stairs
- Statuary
- Tiles



5/7 Pioneer Dr., Bellambi, NSW 2518, Australia Ph: (02) 4285 9091 info@lmt.net.au

- Roofs
- Water features



PROPERTIES:

Density-up to 80% metalFull Weather Resistant-5 years immersion, sun, UV and Salt spray testResistance to Humidity- no signs of blisters/softnessAdhesion- no signs of delaminatingColour- not effected by UV lights

Natural 12 years weathering test with Polyurethane protective coating - no signs of colour changes or oxidization.

Fire rating tests Following tests have been passed: heat release, smoke release, ignitability spraed of flame and heat evolved smoke development.

Chemical resistance

12 hrs of concentrated exposure to common household chemicas. no effect to Liquid Metals.

Will prevents hazardous vapours from basic materials.

Non-conductive electrical current

5/7 Pioneer Dr., Bellambi, NSW 2518, Australia



Foot traffic Light to medium scratches from hard abrasive objects.

Impact resistance The coating has excellent impact resistance.

Waterproof test

Under cyclic heat, humidity and rain no form of film degradation, no film breakdown, only small surface oxidisation that can be removed with steel wool.

As liquid metals are applied by hand, the finished surface cannot be completely uniform.

Our metal coatings are durable, non-toxic and they can oxidize like real metals. LMT finishes can be sealed in order to preserve your desired effect and can also be waterproofed if requested.