




RESILMOUNT[®]

SOUND ISOLATION SOLUTIONS

**NEW
PRODUCT**


Unique patented thermoplastic rubber with sound cell design

Sound isolation specialists **Studco Building Systems** have now released a new range of patented sound isolation products for the wall and ceiling industry.



Patents pending:
US 11/872574
AU 2007226819

Low profile of only 9.8mm






Acoustic control for airborne sound has become a major issue for architects and interior designers for high density apartment living.

Resilmount's range of resilient mounts suit standard furring channels and top cross rails for effective noise control. Resulting in ease of construction for contractors who only have to replace standard direct fixing clips with Resilmount's resilient mount clips. Resilient mount clips are the most effective acoustic control system as they isolate the system, from the building structure.

Isolate airborne sound now with the most cost effective solution...

RESILMOUNT




M237R Direct Fix Furring Channel Resilient Mount



Part No#	Description
M237R	Furring Channel Resilient Mount - Direct Fixing

Resilmount M237R can be used in wall and ceiling applications with Studco M308 16mm furring channel and M29 28mm furring channel.



M237TR Furring Channel To Top Cross Rail Resilient Mount



Part No#	Description
M237TR	Furring Channel to Top Cross Rail Resilient Mount

Resilmount M237TR can be used in ceiling applications to isolate airborne sound. Use this mount as the isolated coupling between the Studco M27 25mm Top Cross Rail and the Studco M29 28mm furring channel.

MBFR Adjustable Direct Fix Furring Channel Resilient Mount






Part No#	Description
MBFR	Adjustable Direct Fix Furring Channel Resilient Mount

Resilmount MBFR can be used in wall applications with with Studco M308 16mm furring channel and M29 28mm furring channel.

Custom Made Brackets Available

MBFR6

Adjustable Direct Fix Furring Channel Resilient Mount w/Bolt





Part No#	Description
MBFR6	Adjustable Direct Fix Furring Channel Resilient Mount with 6.5ØBolt

Resilmount MBFR6 can be used in wall applications with Studco M308 16mm furring channel and M29 28mm furring channel and is supplied with a 6.5Ø bolt for masonry fixing.

M24R

Resilient Joiner Bracket




Part No#	Description
M24R	Resilient Joiner Bracket #

Resilmount M24R is supplied totally assembled, with a variety of holes sizes for different fasteners depending on the installation environment.

M48R

Resilient Mount Right Angle Bracket




Part No#	Description
M48R	Resilient Mount Right Angle Bracket #

Resilmount M48R is provided with several 5mm slotted holes in bracket fixing surface, suitable for direct fixing or inserting suspension rod for suspended ceiling systems.

M96R


Furring Channel to Purlin Resilient Mount



Part No#	Description
M96R	Furring Channel to Purlin Resilient Mount #

Resilmount M96R can be fixed directly to trusses and purlins providing adjustability. Provided with a variety of holes for different fasteners.

M50 Resilient Isolation Hanger




Part No#	Description
M50R	Isolation Hanger #

Resilmount M50R is a suspended ceiling isolation mount that can be loaded to 50kg with a static deflection of 5mm. Top and bottom hangers suit 5 mm rod for suspended ceiling applications.

RN5 Rubber Nut For Isolation Fixing

RM07 Rubber Impact Mats



Part No#	Description
RM07	Rubber Impact Mats 40mm x 40mm <i>Other sizes available on request</i>
RN5	Rubber Nut for Fixing Isolation #

Resilmount RN5 is a Rubber nut multi-purpose anchor for use in a variety of base materials ranging from plasterboard, to hollow masonry. The Resilmount RN5 can also be used in conjunction with the RM07 impact mat to provide isolation fixing between a steel framing product and a building structure.

Lead times and minimum quantities may apply

For more information on the Resilmount range visit

www.resilmount.com.au