

# OUTDURE®

*Exterior Living Solutions*

---

PREMIUM PRODUCTS & SYSTEMS WITH  
AN EMPHASIS ON STYLE & DURABILITY



COVER OF YOUR HOME & GARDEN  
PHOTO BY KATE CLARIDGE





# Maximise & enhance your exterior spaces

---

## GETTING STARTED

Whether it's creating a new exterior living space or simply replacing an existing deck, our team can assist you with all aspects of your project. Making it easy to get your project designed, priced, delivered & installed.

Call and tell us about your project, we can provide expert advice & estimate pricing. Then simply email your plans/sketches & photos of your project area & our team will quickly respond.

## THE DESIGN PROCESS

OUTDURE's complimentary design service ensures you achieve a great looking result. Our design team works to your budget and using years of experience, ensures the most is made of your exterior living space and the most efficient use of the right materials.

Depending on your desired outcome, extra details such as seating areas, planter boxes and screening can be added. The design will be accompanied with a price estimate & detail all the materials required, including structure, decking, tile & turf systems, access & ventilation grates & accessories.

## THE PRE-ASSEMBLY, DELIVERY & INSTALLATION PROCESS

Once the concept design, materials, colours & dimensions are approved, we will be in contact to confirm production & delivery times & liaise with your installer. Each project comes with a customised installation & care guide to ensure your product will be under Warranty.

## Support

30 day money back guarantee  
Industry-leading comprehensive 10 year limited warranty  
Expert installation details & advice  
Online tutorials & product demonstrations  
Customised 'story board' installation guide for all projects  
Fast stock availability  
Download 100+ design details (CAD)  
Complimentary 'deck optimisation' design service  
Specification documents & construction drawings

## PREMIUM PRODUCTS WITH AN EMPHASIS ON STYLE & DURABILITY

The beauty of our product range is in its versatility. We can design the perfect space to cater for your lifestyle requirements. The interlocking sub-frame system makes it easy to mix and match deck/tile/turf configurations to suit your project.

- **QWICKBUILD®**

A lightweight structural framing system  
Designed to support decking / exterior tiles / turf

- **RESORTDECK®**

Engineered with ULTRASHIELD® technology

- **ECODECKING®**

A smart choice for relaxed outdoor living

- **OUTDURE TILE®**

Structural tiles for outdoor living

- **OUTDURE TURF®**

Ultra plush, easy care grass alternative

### PLUS: QWICKCLIPS® QWICKGRATES®

**QWICKCLEAN® QWICKSCREEN® QWICKMIX®**

**QWICKPOST®**

## Solutions

### COMMERCIAL & RESIDENTIAL

Ideal for all exterior scenarios from simple, small projects to large, complex designs & installations.

Recent projects include: residential courtyards, pool areas, rooftop decks, high-density residential & commercial plazas.

For renovations or new installations over:

- **WATERPROOF MEMBRANES**

- **SOIL/GRASS**

- **CONCRETE PAVERS**

# RESORTDECK®

WITH ULTRASHIELD® TECHNOLOGY



*Premium durability combined with the beauty of nature*



RESORTDECK FEATURED ON [WWW.OURDREAMHOME.CO.NZ](http://WWW.OURDREAMHOME.CO.NZ)

## RESORTDECK® MANUFACTURED WITH ULTRASHIELD® TECHNOLOGY BY NEWTECHWOOD

UltraShield® is a co-extruded layer wrapped around the board core for superior protection from moisture, scratches, stains & UV fading. The matte finish also provides a very high level of slip resistance for residential & commercial applications. The core is made from recycled wood fibres & polymers using colourmix technology for a luxurious, natural look & feel.

NZ: 0800 77 88 77 AUS: 1 800 722 465 UK: +44 (0)1254 825 594

[WWW.OUTDURE.COM](http://WWW.OUTDURE.COM)



# RESORTDECK®

WITH ULTRASHIELD® TECHNOLOGY

---

## Choosing a colour

The RESORTDECK palette reflects the colours & textures of hardwoods & stone options for contemporary decors. Either choose a colour from our sample packs or speak to one of our design consultants who can help you pick a colour to best suit your exterior living space.

### NATURAL BEAUTY OF TIMBER

RESORTDECK looks stunning, with the added benefits of durability & dimensional stability

### STUNNING MATTE FINISH

The palette & surface finishes are engineered for superior scratch & fade resistance + low maintenance. The subtle colour variation is the result of colourmix technology making every board unique.

---

### RESORTDECK DECKING BOARD:

138(W) X 23(H) X 4800(L) MM

### EXTRA WIDE BOARD:

210(W) X 23(H) X 4800(L) MM

### TRIM BOARD:

180(W) X 15(H) X 4800(L) MM

### SOLID BOARD:

138(W) X 23(H) X 4800(L) MM

### RANGE OF PROFILES FOR COMMERCIAL & RESIDENTIAL APPLICATIONS

*Please refer to actual samples for accuracy.*

[WWW.OUTDURE.COM](http://WWW.OUTDURE.COM)

## BENEFITS & ATTRIBUTES

---

### PREMIUM QUALITY

Enabling precise detailing & finish

### IMPERVIOUS TO MOISTURE

UltraShield® 4th generation technology encapsulates the entire board surface

### UV RESISTANT LAYER

To protect your deck from colour fading

### ENGINEERED FOR DURABILITY

Superior fade, stain, scratch & mould resistance

### SUSTAINABLE

A durable & sustainable alternative to tropical hardwoods. Made from carefully selected recycled & recyclable wood fibers & polymers.

### CONCEALED PREMIUM FASTENINGS

### ANTI-SLIP

High non-slip coefficient

### SAFE

No splinters, nasty chemicals, no leeching

### EASY-CARE

Minimal maintenance required

### BUSHFIRE RATING

Certified for BAL 29 areas

### TERMITE & PEST RESISTANT

### WARRANTY

Industry-leading comprehensive 10 year limited warranty

### FAST, EASY INSTALLATION

Install onto a traditional timber deck frame, or:

Install onto QWICKBUILD® aluminium sub-frame system

Ideal for new or board replacement projects

Perfect 4.8m (or custom) lengths = minimal waste

Highly durable patented family of accessories & fastenings

QWICKCLIP® fast install – no predrilling screws or nails

Add QWICKGRATE for ventilation & access

Achieve a flush indoor/outdoor flow

Add QWICKSCREEN finishings for style & privacy





# ECODECKING®

*A smart choice for relaxed outdoor living*



ENJOY THE LUXURY OF DURABILITY & LOW MAINTENANCE

PHOTO: FERNANDO LOPEZ & JIM JANSE



ECODECKING is a safe, smart choice for your family & the environment. Made from a proven blend of recycled wood fibers & UV resistant recycled PVC. ECODECKING is a cost-effective, sustainable alternative to timber hardwoods.

**NZ:** 0800 77 88 77 **AUS:** 1 800 722 465 **UK:** +44 (0)1254 825 594

[WWW.OUTDURE.COM](http://WWW.OUTDURE.COM)



# ECODECKING®



## Choosing a colour

The ECODECKING colour palette has been designed to compliment all styles of architecture.

We have developed MIXDURE® colourmix technology to achieve a natural look that disguises marks & scratches with a soft tonal variation throughout the boards. The natural matte finish looks & feels great underfoot.

Choose your finish with double-sided boards, either natural finish or mini groove.

### ECODECKING BOARD DIMENSIONS:

138(W) X 23(H) X 4800(L) MM

### TRIM BOARD DIMENSIONS:

200(W) X 25(H) X 4800(L) MM

### SOLID BOARD DIMENSIONS:

138(W) X 23(H) X 4800(L) MM

## BENEFITS & ATTRIBUTES

### HIGH QUALITY

For a natural finish that lasts

### MOISTURE RESISTANT

High grade HDPE component for durability

### UV RESISTANT

### DURABLE

Stain, scratch & mould resistance

### SUSTAINABLE

A durable & sustainable alternative to tropical hardwoods. Made from carefully selected recycled & recyclable wood fibers & polymers

### CONCEALED PREMIUM FASTENINGS

### ANTI-SLIP RATING

Highest non-slip coefficient rating R11

### SAFE

No splinters, nasty chemicals, no leeching

### EASY-CARE

Minimal maintenance required

### TERMITE & PEST RESISTANT

### WARRANTY

Industry-leading comprehensive 10 year limited warranty

### FAST, EASY INSTALLATION

Install onto a traditional timber deck frame, or:

Install onto QWICKBUILD® aluminium sub-frame system

Ideal for new or board replacement projects

Perfect 4.8m (or custom) lengths = minimal waste

Highly durable patented family of accessories & fastenings

QWICKCLIP® fast install – no predrilling screws or nails

Add QWICKGRATE for ventilation & access

Achieve a flush indoor/outdoor flow

Add QWICKSCREEN finishings for style & privacy

Range of profiles for commercial & residential projects

*Please refer to actual samples for accurate colours.*

**WWW.OUTDURE.COM**



ALMOND MIXDURE®



ASH MIXDURE®



WALNUT MIXDURE®



# QWICKBUILD®

*Revolutionising how exterior spaces are built*



LIGHT-WEIGHT, STRUCTURAL FRAMING SYSTEM TO SUPPORT DECKING, EXTERIOR TILES & TURF



RESORTDECK  
+ OUTDURE TILES  
ON QWICKBUILD

## *The ideal solution for all decking scenarios*

OUTDURE's award winning deck frame system sets a new standard for deck structures in the construction industry. Ideal for simple residential or complex, large scale commercial projects such as schools, retirement villages, high density residential apartments, rooftop living spaces and resorts. QWICKBUILD has ultra low height capabilities & is made from corrosion resistant components resulting in a straight, rigid, stable structure.

**HIGHLY DURABLE, STABLE MATERIALS + FAST INSTALLATION =  
EQUIVALENT COST OF TRADITIONAL CONSTRUCTION METHODS**

Designed as complete system to support OUTDURE's RESORTDECK, ECODECKING, TILE & TURF ranges, QWICKBUILD can also be used as a sub-frame for hardwood decking.



COMMERCIAL DECK OVER MEMBRANE

# QWICKBUILD®

**SUB-FRAME SYSTEM FOR:** RESORTDECK / ECODECKING / HARDWOOD DECKING / STRUCTURAL TILES / TURF  
**DESIGNED FOR INSTALLATIONS OVER:** WATERPROOF MEMBRANE / SOIL / GRASS / CONCRETE / PAVERS  
**SUPPLIED AS:** MADE-TO-MEASURE PREFABRICATED FRAMES / KIT-SET

## *Benefits & attributes*

---

- Superior durability & stability to traditional materials
- Complete, customised design solution for each project
- Made from corrosion-resistant components:
  - Marine-grade, anodized, structural aluminium
  - Stainless & GRP nylon accessories
- QWICKGRATES® for ventilation & access
- Council compliant solution for decks over membranes
- Achieve a perfectly level indoor/outdoor flow
- Versatile for joist/bearer/jack/posts combinations
- Enables the construction of deck structures:
  - That are extremely low height (as low as 71mm)
  - Of complexity, including: stairs, seats, screens & bracing elements for applications requiring railings
  - To support breaker board layouts
  - To support picture frame board layouts
  - That are curved
  - That are freestanding with minimal bracing elements
- Create more useable exterior spaces
  - Seamless internal & external floor levels
  - Eliminate slope with easy fall correction
- Fast, efficient installation
  - Eliminates up to 50% of posts required
  - Joists span min 1.3m to max 5.0m

### **SYSTEM COMPONENTS:**

- Comprehensive family of joist/bearer profiles
- Range of brackets & clips: Ionised powder coated / FRP
- QWICKGRATE ventilation & access grate
- Range of deck jacks from 3mm – 600mm

QWICKBUILD consists of all proprietary components & screws specifically designed for the system

### **DESIGN SERVICE:**

- Technical advice and construction detailing
- Recommendations for different applications
- Concept design: Board layout & structure design
- Final design: Detailed structure design & installation details customised for each deck
- Storyboard installation documents





# OUTDURE TILES<sup>®</sup>

*Structural exterior tile range*



---

A BREAKTHROUGH IN EXTERIOR TILE SPACES, DESIGNED TO INTEGRATE WITH QWICKBUILD







## QWICKBUILD TILE®

CREATE YOUR IDEAL EXTERIOR SPACE WITH  
THE LIGHT-WEIGHT, QWICKBUILD SYSTEM

### STRAIGHT

Creates 100% straight and square deck structures over:

- Soil / concrete / over waterproof membranes

### VERSATILE

Install over new or existing surfaces:

- Concrete / waterproof membrane / grass / tiles or pavers

### STABLE & LEVEL

QWICKBUILD frame supported by adjustable height pedestals, makes it easy to set frame level & to the correct height

### FAST INSTALL

Fastened with concealed clip system. No adhesives, no grouting, no sealants required. Quick to install over existing cracked concrete pavers or tiled areas and easily repositioned & leveled

### COST EFFECTIVE

Uses less jacks + is fast & easy to install making it equivalent in cost to traditional methods

### DURABLE MATERIALS

The range of frames are structural aluminium with marine grade anodizing + 304 stainless steel components.

The QWICKCLIP range is made from fibre reinforced plastic.

Use with QWICKGRATE's for ventilation & access + deck jacks

### LOW HEIGHT

Minimum height: 125mm, maximum height: 1000mm.

For areas up to 1000mm from ground level, no concrete slab is required

## Selecting Tiles

CHOOSE FROM OUTDURE'S STRUCTURAL TILE COLLECTION, CAREFULLY SELECTED TO SUIT ALL ARCHITECTURAL STYLES

As with all OUTDURE products we have designed, developed and selected premium materials with an emphasis on style, durability and low maintenance.

The structurally engineered tiles are high resistance to breaking load & stress. A commercial grade with anti-slip properties & a soft edge that feels great underfoot. The large format creates the illusion of wide open spaces, for an inspiring outdoor space.

Install on QWICKBUILD® aluminium deck frame  
Integrate with our decking & turf ranges

SIZE: **600 X 600 X 18 MM**

VARIATION: **MODERATE**

FINISH: **RUSTIC**

TYPE: **EXTERIOR**

SLIP RATING: **R11**

GLAZED VIT. RECTIFIED

*Please refer to actual samples for accurate colour representation.*

[WWW.OUTDURE.COM](http://WWW.OUTDURE.COM)





# OUTDURE TURF®

*Ultra plush, easy care grass alternative*



EASILY CREATE LUSH GREEN AREAS, FOR AN INSPIRING OUTDOOR SPACE



ULTRA PLUSH TURF  
+ TILES + RESORTDECK  
ON QWICKBUILD

**CHOOSE FROM OUTDURE'S ULTRA PLUSH TURF RANGE TO ENHANCE YOUR EXTERIOR PROJECT, WHETHER IT'S RESIDENTIAL, FOR EDUCATION, HOSPITALITY OR HIGH TRAFFIC APPLICATIONS.**

ULTRA PLUSH TURF range has high UV & moisture resistance & is very low maintenance solution for outdoor green spaces. The range includes options to suit almost any application, from plush soft fibres for low traffic spaces such as residential backyards or childcare centres, through to high traffic environments which demand the highest performing turf available.

Compared to traditional turf installation on compacted rock, you can now eliminate cumbersome & time-consuming processes such as earthmoving, retaining, backfilling, layering & compacting. Create stunning, weather-proofed outdoor spaces in a fraction of the time & effort.



# QWICKBUILD TURF®

The premium quality turf range is fully integrated with the versatile QWICKBUILD system opening up endless possibilities for exterior spaces. The turf has carefully been selected for its style, durability & low maintenance properties.

The engineered design offers a complete solution to creating beautiful turfed areas above ground level, over concrete slab, waterproof membrane, existing tiles/pavers or grass or soil.

Install on QWICKBUILD® aluminium deck frame with our patented, turf base-board. Use as a standalone turf solution or integrate with a combination of our decking & tile ranges.

The QWICKBUILD frames create a strong stable structure upon which the turf range can be installed. The system can be used in low height applications (70mm) or at any height from the ground.

## EASY CARE

The hard-wearing fibres stay looking great over time

## SAFE

Use with ULTRA PLUSH UNDERLAY for playgrounds + Weed-free & prickly-free

## ULTRA LOW MAINTENANCE

No mowing, no irrigation, no mud, no weeds

## WEATHER RESISTANT

Maximise the use of your exterior space during all seasons. Stays green with a groomed appearance

## ENVIRONMENTALLY FRIENDLY

Conserve water, pesticide & fertiliser-free, recyclable at end of life

## INCREASE YOUR PROPERTY VALUE

Low cost long term + 8 year warranty



## SELECTING A COLOUR & TEXTURE

### *Spring Deluxe*

Premium turf offering with a firm pile mid length with 3 X 'S' structured fibres providing excellent fibre strength & traffic resilience. 5 colour tones + thick underthatch

PILE HEIGHT: **40MM**  
STITCHES PER M2: **18,900**  
SHIPPING WEIGHT:  
**2M = 110KGS,**  
**3.75M = 206KGS**



### *Summer Soft*

A plush pile with long thin 'soft touch' fibres. Summer Soft has an extremely soft feel, ideal for play areas. 4 colour tones + thick underthatch


PILE HEIGHT: **40MM**  
STITCHES PER M2: **18,900**  
SHIPPING WEIGHT:  
**2M = 110KGS,**  
**3.75M = 206KGS**



### *Winter Park*

A firm pile mid length 'S' structured fibres offering excellent fibre strength & traffic resilience. 4 colour tones & thick underthatch

PILE HEIGHT: **35MM**  
STITCHES PER M2: **16,800**  
SHIPPING WEIGHT:  
**2M = 110KGS,**  
**3.75M = 206KGS**



## GENERAL SPECS:

GAUGE: **9.5 MM**  
ROLL DIMENSION:  
**2M X 20M, 3.75 X 20M**

*Please refer to actual samples for accurate colour representation.*

[WWW.OUTDURE.COM](http://WWW.OUTDURE.COM)

